

LG 86UH5J-H Signage Display Digital signage flat panel 2.18 m (86") IPS Wi-Fi 500 cd/m² 4K Ultra HD Black WebOS 24/7

Brand : LG

Product code: 86UH5J-H

Product name : 86UH5J-H


- Brightness(Typ.) : 500 cd/m²

- Surface Treatement (Haze) : 28%
- Bezel : 14.3 mm (Even bezel)
- Depth : 60.6 mm
- Interface : HDMI(3)/ DP/ DVI-D/ USB 2.0/ RS232C/ RJ45/ Audio/ IR

- Built-in Speaker

New High Haze UHD Standard Signage 86", 500 cd/m², HDMI(3)/ DP/ DVI-D/ USB 2.0/ RS232C/ RJ45/ Audio/ IR

LG 86UH5J-H. Product design: Digital signage flat panel. Display diagonal: 2.18 m (86"), Display technology: IPS, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: WebOS. Product colour: Black





Disalar		Design	
Display		Design	
LED backlighting type	Edge-LED	Bezel width (bottom)	1.43 cm
Display diagonal *	2.18 m (86")	Bezel width (side)	1.43 cm
Display technology *	IPS	Bezel width (top)	1.43 cm
Display resolution *	3840 x 2160 pixels	Performance	
Display brightness *	500 cd/m ²	Purpose *	Commercial
HD type *	4K Ultra HD	On Screen Display (OSD)	1
Touchscreen *	X		Arabic, Simplified Chinese,
Native aspect ratio	16:9 8 mg		Traditional Chinese, Czech, Danish,
Response time Contrast ratio (typical)	8 ms 1100:1	On Screen Display (OSD) languages	German, Dutch, English, Spanish, Finnish, French, Greek, Italian,
Contrast ratio (dynamic)	100000:1		Japanese, Korean, Norwegian,
Viewing angle, horizontal	178°		Portuguese, Russian, Swedish, Turkish
Viewing angle, vertical	178°	Ambient light sensor	
Display number of colours	1.07 billion colours	Operating hours (hours/days)	24/7
Panel life	50000 h	HDCP	1
Native refresh rate	120 Hz	International Protection (IP) code	IP5X
Haze rate	28%	HDCP version	1.4/2.2
RGB colour space	NTSC	Power	
Ports & interfaces		Power consumption (typical) *	215 W
HDMI ports quantity *	3	Power consumption (sleep)	0.5 W
HDMI version	2.2/1.4	Power consumption (off)	0.5 W
DVI port *	1	AC input voltage	100 - 240 V
DVI-D ports quantity	1	AC input frequency	50-60 Hz
DisplayPorts quantity *	1	Heat dissipation	733.69 BTU/h
USB port *	✓	Computer system	
USB ports quantity	1	Internal memory	16 GB
USB version	2.0	Operating system installed	WebOS
Ethernet LAN *	1		
Ethernet LAN (RJ-45) ports	1	Weight & dimensions	
Wi-Fi *	4	Display width	1926.2 mm
Audio (L/R) in	1	Display depth	60.6 mm
Audio (L/R) out	1	Display height	1097.2 mm
RS-232C	4	Display weight	49 kg
Infrared data port	×	Packaging data	
Remote (IR) input	1	Package width	2073 mm
Audio		Package depth	285 mm
Built-in speaker(s) *	4	Package height	1250 mm
		Package weight	72.5 kg

Design		Packaging content	
Placement supported * Indoor	Digital signage flat panel Indoor Horizontal/Vertical	Remote control included Batteries included Cables included	✓ ✓ AC
Product colour * VESA mounting *	Black ✔ 600 x 400 mm	Operational conditions	
Panel mounting interface		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 80%

Features

Heat dissipation (max)

955.5 BTU/h





8806091848475

0195174042830



195174042830

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.