



## Viewsonic CDE4330 Signage Display 109.2 cm (43") Wi-Fi 450 cd/m<sup>2</sup> 4K Ultra HD Black Built-in processor Android 11

**Brand :** Viewsonic

**Product code:** CDE4330

**Product name :** CDE4330


- Wireless presentation for upgraded efficiency
  - Single cable via USB-C with 65W power delivery
  - 24/7 Sustainable video playback for continuous communication
  - Remote device management with myViewBoard Manager
  - ProAV compatibility with Crestron, Extron, and AMX
- 43", TFT LCD, 941.184 x 529.416, 3840 x 2160p, 1.07G, 450nits, 1200:1, 6.5ms, 4GB, 32GB, HDMI 2.1 x3, RS-232, WIFI slot, SPDIF x1, RJ45 x1, Type-A 2.0 x 1, 3.0 x1, 10w x 2, Android 11, 100 - 240V, 9.9kg, 964.6 x 552.5 x 71.4mm

Viewsonic CDE4330. Display diagonal: 109.2 cm (43"), Display resolution: 3840 x 2160 pixels, Display brightness: 450 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Wi-Fi. Operating system installed: Android 11. Product colour: Black



Display		Power	
Panel type	TFT	Power consumption (off)	0.5 W
LED backlighting type	Direct-LED	Energy efficiency class (SDR)	G
Display diagonal *	109.2 cm (43")	Energy consumption (SDR) per 1000 hours	112 kWh
Display resolution *	3840 x 2160 pixels	AC input voltage	100 - 240 V
Display brightness *	450 cd/m <sup>2</sup>	Energy efficiency scale	A to G
HD type *	4K Ultra HD	<b>Computer system</b>	
Touchscreen *	✗	Built-in processor *	✓
Native aspect ratio	16:9	Processor architecture	ARM Cortex-A55
Response time	6.5 ms	Processor cores	4
Contrast ratio (typical)	1200:1	Operating system installed	Android 11
Contrast ratio (dynamic)	5000:1	<b>Weight &amp; dimensions</b>	
Display number of colours	1.07 billion colours	Display width	964.6 mm
<b>Ports &amp; interfaces</b>		Display depth	71.4 mm
HDMI ports quantity *	4	Display height	552.6 mm
HDMI version	2.1	Display weight	9.9 kg
HDMI output ports quantity	1	<b>Packaging data</b>	
DisplayPort version	1.2	Package width	1056 mm
USB connector type	USB Type-A	Package depth	672 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Package height	156 mm
USB Power Delivery	✓	Package weight	13.8 kg
USB Power Delivery up to	65 W	<b>Packaging content</b>	
USB Type-C DisplayPort Alternate Mode	✓	Remote control included	✓
Ethernet LAN (RJ-45) ports	1	Cables included	HDMI, Power, RS-232, USB Type-C
Wi-Fi *	✓	Mounting kit	✓
<b>Audio</b>		<b>Operational conditions</b>	
Built-in speaker(s) *	✓	Operating temperature (T-T)	0 - 40 °C
Number of built-in speakers	2	Operating relative humidity (H-H)	10 - 90%
<b>Design</b>		<b>Technical details</b>	
Product colour *	Black	OPS slot	1
VESA mounting *	✓		
Panel mounting interface	200 x 200 mm		

Design		Other features	
Anti-glare screen	✓	User memory	32 GB
Power		Manual	✓
Power consumption (typical) *	75 W	USB 2.0 ports quantity	1



0766907017465



766907017465

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date