



Philips Momentum 27M1C5500VL/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Brand : Philips

Product family: Momentum

Product code:
27M1C5500VL/00

Product name :
27M1C5500VL/00



Curved Gaming Monitor 27M1C5500VL Quad HD gaming monitor

[Philips Momentum 27M1C5500VL/00 computer monitor 68.6 cm \(27"\) 2560 x 1440 pixels Quad HD LCD Black:](#)

This Philips gaming monitor delivers crystal-clear visuals and smooth gameplay. Sync technology, 165 Hz refresh rate with HDR create a lifelike experience. The slim-frame display with Ultra Wide-Color enhances visual immersion.

Philips Momentum 27M1C5500VL/00. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	2560 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	Quad HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Tilt adjustment	✓
Panel type *	VA	Tilt angle range	-5 - 20°
Backlight type	W-LED	On Screen Display (OSD)	✓
Touchscreen *	✗	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display brightness (typical)	250 cd/m ²	Plug and Play	✓
Response time *	4 ms	LED indicators	Operation, Stand-by
Anti-glare screen	✓		
Screen shape *	Curved	Power	
Screen curvature rating	1500R	Energy efficiency class (SDR) *	F
Supported graphics resolutions	2560 x 1440	Energy efficiency class (HDR) *	G
Contrast ratio (typical) *	4000:1	Energy consumption (SDR) per 1000 hours *	26 kWh
Dynamic contrast ratio marketing name	Mega Infinity DCR	Energy consumption (HDR) per 1000 hours *	46 kWh
Maximum refresh rate *	165 Hz	Power consumption (typical) *	38.7 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	16.7 million colours	AC input voltage	100 - 240 V
Response time (fast)	1 ms	AC input frequency	50 - 60 Hz
Pixel pitch	0.2331 x 0.2331 mm	Power supply type	Internal
Pixel density	108.79 ppi	European Product Registry for Energy Labelling (EPREL) code	1291683
Horizontal scan range	30 - 250 kHz		
Vertical scan range	48 - 165 Hz		
Viewable size, horizontal	59.7 cm		
Viewable size, vertical	33.6 cm		
Display diagonal (metric)	68.5 cm		

Display		Operational conditions	
High Dynamic Range (HDR) supported	✓	Operating temperature (T-T)	0 - 40 °C
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Storage temperature (T-T)	-20 - 60 °C
DDC/CI	✓	Operating relative humidity (H-H)	20 - 80%
Haze rate	25%	Operating altitude	0 - 3658 m
Surface hardness	3H	Non-operating altitude	0 - 12192 m
Colour depth	8 bit	Weight & dimensions	
sRGB coverage (typical)	126.5%	Width (with stand)	611 mm
NTSC coverage (typical)	95.6%	Depth (with stand)	193 mm
Display sRGB	✓	Height (with stand)	447 mm
Performance		Weight (with stand)	5.49 kg
NVIDIA G-SYNC *	✗	Width (without stand)	611 mm
AMD FreeSync *	✗	Depth (without stand)	83 mm
VESA Adaptive Sync support	✓	Height (without stand)	366 mm
Component video sync	Separate sync	Weight (without stand)	4.18 kg
Flicker-free technology	✓	Packaging data	
Low Blue Light technology	✓	Package width	730 mm
Game mode	✓	Package depth	226 mm
Multimedia		Package height	469 mm
Built-in speaker(s) *	✗	Package weight	9.2 kg
Built-in camera *	✗	Packaging content	
Design		Stand included	✓
Market positioning *	Gaming	Cables included	HDMI, DisplayPort, AC
Product colour *	Black	Manual	✓
Frameless design	✓	Sustainability	
Front bezel colour	Black	Doesn't contain	Mercury, PVC/BFR
Ports & interfaces		Other features	
Built-in USB hub *	✗	Low input lag	✓
HDMI *	✓	Exterior finish type	Textured
HDMI ports quantity	2	Picture enhancement	SmartImage game
HDMI version	2.0	Recyclable packaging material	100%
DisplayPorts quantity	1	Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; TUV/ISO9241-307; TUV-BAUART
DisplayPort version	1.4	EasyRead mode	✓
Audio output	✓	LowBlue mode	✓
HDCP	✓	Compliance certificates	RoHS
HDCP version	1.4/2.2	Mean time between failures (MTBF)	50000 h
AC (power) in	✓		



8712581796006

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date