



j5create JCD395 4K60 Elite Pro USB4® Hub with MagSafe® Kit

Brand : j5create

Product code: JCD395-N

Product name : JCD395 4K60 Elite Pro USB4® Hub with MagSafe® Kit

4K60 Elite Pro USB4® Hub with MagSafe® Kit

[j5create JCD395 4K60 Elite Pro USB4® Hub with MagSafe® Kit:](#)

The 4K60 Elite Pro USB4® Hub with MagSafe® Kit expands your computer's connectivity. Seamlessly connect peripherals such as a keyboard, mouse, or USB™ flash drive to this pocket-sized multi-adapter, which has two USB™ Type-A 3.2 Gen 2 ports and one USB-C® port. Data transfer is quick and easy with the included Gigabit Ethernet port to access a wired network. Transfer files from one media to another with the 10Gbps USB™ connections. You can use the HDMI™ port to connect to a 4K UHD HDTV, monitor, or projector.

Equipped with a USB4® port it provides 6K60 resolution, 40Gbps data transfer, and charging up to 100W of power for charging your computer when a USB-C® power adapter is connected. You can connect your headphones or speakers to the audio/mic combo jack. The MagSafe® dongle is a convenient way to store your original MacBook® MagSafe® charger. For Intel® MacBook® models, the audio/mic combo jack may be removed.



Ports & interfaces		Operational conditions	
Connectivity technology *	Wired	Storage temperature (T-T)	-17 - 68 °C
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Operating relative humidity (H-H)	0 - 85%
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Storage relative humidity (H-H)	0 - 85%
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Weight & dimensions	
USB4 ports quantity	1	Width	139 mm
USB Power Delivery	✓	Depth	52 mm
USB Power Delivery up to	100 W	Height	16 mm
HDMI ports quantity *	1	Weight	74 g
Microphone in *	✓	Packaging data	
Combo headphone/mic port	✓	Quantity per pack	1 pc(s)
Headphone outputs *	1	Package width	155 mm
Headphone connectivity	3.5 mm	Package depth	95 mm
USB Type-C DisplayPort Alternate Mode	✓	Package height	25 mm
		Package weight	141 g
Network		Technical details	
Ethernet LAN *	✓	Warranty period	2 year(s)
Ethernet LAN (RJ-45) ports	1	Logistics data	
Ethernet LAN data rates	10,100,1000 Mbit/s	Products per master (outer) case	32 pc(s)
Performance		Master (outer) case width	230 mm
Colour name	Space Grey / White	Master (outer) case length	435 mm
Card reader integrated *	✗	Master (outer) case height	190 mm
Number of displays supported	2	Master (outer) case gross weight	4.9 kg
Maximum refresh rate	60 Hz	Products per shipping (inner) case	8 pc(s)
Product colour *	Grey, White	Export Control Classification Number (ECCN)	EAR99
Display modes	Extended, Mirror, Primary display	Shipping (inner) case width	10.3 cm
Hub weight	74 g	Shipping (inner) case length	21.8 cm
Plug and Play	✓	Shipping (inner) case height	16.5 cm
Country of origin	Taiwan		
Compatibility	MacBook Pro® with USB-C® ports Perfect for MacBook Pro® 2021 or later / MacBook Air® M2		

Power		Other features	
Input current	5 A	Contents	1 - 4K60 Elite Pro USB4® Hub with MagSafe® Kit (JCD395) 2 - Silicone Pads 1 - Quick Installation Guide (QIG)
Output voltage	20 V		
Output current	5 A		
Operational conditions		Special features	1 x USB4® port capable of the following: 1) 6K60 resolution display 2) 40Gbps data transmission 3) PD charging through up to 100W Max Display Resolution USB4®: 6016 x 3384 HDMI™: 3840 x 2160
Operating temperature (T-T)	-1 - 41 °C		



4712795086898



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date