

Viewsonic WXGA data projector 4000 ANSI lumens LED WXGA (1280x800) White

Brand: Viewsonic Product code: LS610WH

Product name: WXGA

Viewsonic WXGA. Projector brightness: 4000 ANSI lumens, Projection technology: LED, Projector native resolution: WXGA (1280x800). Light source type: LED, Service life of light source: 30000 h. Aperture range (F-F): 1.6 - 1.75, Throw ratio: 1.37 - 1.64. Supported graphics resolutions: 640×480 (VGA), 1920×1080 (HD 1080), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface

type: RJ-45, RS-232C





Projector		Features	
Projector brightness Screen size compatibility * Projection distance Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Number of colours Horizontal scan range	5000 LED lumens 762 - 7620 mm (30 - 300") 0.88 - 10.59 m 4000 ANSI lumens LED WXGA (1280x800) 3000000:1 1.07 billion colours 15 - 102 kHz	Noise level (economic mode) On Screen Display (OSD)	27 dB ✓ Arabic, Simplified Chinese, Traditional Chinese, Czech, German,
		On Screen Display (OSD) languages	Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
		Number of OSD languages Noise level *	24 32 dB
Vertical scan range Keystone correction, vertical	23 - 120 Hz -40 - 40°	Multimedia	
Light source Light source type *	LED	Built-in speaker(s) * RMS rated power	√ 10 W
Service life of light source *	30000 h	Design	
Lens system Aperture range (F-F)	1.6 - 1.75	Market positioning * Product colour *	Business White
Throw ratio	1.37 - 1.64	Display	
Video		Built-in display *	X
Full HD *	×	Power	
Supported graphics resolutions Supported video modes	640 x 480 (VGA), 1920 x 1080 (HD 1080) 480i, 480p, 576i, 576p, 720p, 1080i,	Power source * Power consumption (typical) * Power consumption (standby) *	AC 310 W 0.5 W
Ports & interfaces	1080p	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
HDMI version	1.4	Supplier features	30 - 00 112
USB 2.0 ports quantity *	1	Recommended gender	Any gender
USB 2.0 Type-A ports quantity Audio (L/R) in *	1	Operational conditions	, genes.
Audio (L/R) out	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RJ-45, RS-232C	Weight & dimensions	
HDMI ports quantity *	2	Width	386 mm
DVI port *	×	Depth	276 mm
Network	1	Height	116 mm
Ethernet LAN (RJ-45) ports	1	Weight * Package width	5 kg 490 mm
Features	u .	Package depth	376 mm
Interactive *	×	Package height	268 mm
		Package weight Packaging content	7 kg
		Remote control included *	✓
		Cables included	AC

Quantity per pack

1 pc(s)





766907018141

0766907018141

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.