



## Philips 5000 series 27E1N5600HE/75 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

**Brand :** Philips

**Product family:** 5000 series

**Product code:**  
27E1N5600HE/75

**Product name :**  
27E1N5600HE/75



Monitor 27E1N5600HE LCD monitor with Windows Hello Webcam

Philips 5000 series 27E1N5600HE/75 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black:

This Philips monitor is designed for the remote work environment. The integrated 5 MP webcam delivers sharp images, and the noise-cancelling mic helps people hear you loud and clear. The Windows Hello Webcam allows for quick access and strong security.

Philips 5000 series 27E1N5600HE/75. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DisplayPorts quantity	1
Display resolution *	2560 x 1440 pixels	DisplayPort version	1.2
HD type *	Quad HD	Audio output	✓
Native aspect ratio *	16:9	HDCP	✓
Display technology *	LCD	HDCP version	1.4
Panel type *	IPS	AC (power) in	✓
Backlight type	W-LED	<b>Ergonomics</b>	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	300 cd/m <sup>2</sup>	Panel mounting interface	100 x 100 mm
Response time *	4 ms	Cable lock slot *	✓
Anti-glare screen	✓	Cable lock slot type	Kensington
Screen shape *	Flat	Height adjustment *	✓
Supported graphics resolutions	2560 x 1440	Height adjustment	13 cm
Contrast ratio (typical) *	1000:1	Pivot	✓
Contrast ratio (dynamic)	80000000:1	Pivot angle	-90 - 90°
Dynamic contrast ratio marketing name	Mega Infinity DCR	Tilt adjustment	✓
Maximum refresh rate *	75 Hz	Tilt angle range	-5 - 20°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display number of colours *	16.7 million colours	LED indicators	Operation, Stand-by
Response time (fast)	1 ms	<b>Power</b>	
Pixel pitch	0.2331 x 0.2331 mm	Energy efficiency class (SDR) *	G
Pixel density	108.79 ppi	Energy consumption (SDR) per 1000 hours *	32 kWh
Horizontal scan range	30 - 114 kHz	Power consumption (typical) *	29.6 W
Vertical scan range	48 - 75 Hz		
Viewable size, horizontal	59.7 cm		
Viewable size, vertical	33.6 cm		
Display diagonal (metric)	68.6 cm		
DDC/CI	✓		

<b>Display</b>		<b>Power</b>	
Haze rate	25%	Power consumption (standby) *	0.5 W
Surface hardness	3H	Power consumption (off)	0.3 W
sRGB coverage (typical)	114.18%	AC input voltage	100 - 240 V
NTSC coverage (typical)	102.02%	AC input frequency	50 - 60 Hz
Display sRGB	✓	Power supply type	Internal
<b>Performance</b>		Energy efficiency scale	A to G
NVIDIA G-SYNC *	✗	European Product Registry for Energy Labelling (EPREL) code	1123971
AMD FreeSync *	✗	<b>Operational conditions</b>	
Fast charging	✓	Operating temperature (T-T)	0 - 40 °C
VESA Adaptive Sync support	✓	Storage temperature (T-T)	-20 - 60 °C
Component video sync	Separate sync	Operating relative humidity (H-H)	20 - 80%
Flicker-free technology	✓	Operating altitude	0 - 3658 m
Low Blue Light technology	✓	Non-operating altitude	0 - 12192 m
Game mode	✓	<b>Weight &amp; dimensions</b>	
<b>Multimedia</b>		Width (with stand)	614 mm
Number of speakers	2	Depth (with stand)	212 mm
RMS rated power	10 W	Height (with stand)	524 mm
Built-in speaker(s) *	✓	Weight (with stand)	6.57 kg
Megapixel (approx.)	5 MP	Width (without stand)	614 mm
Built-in microphone	✓	Depth (without stand)	52 mm
Built-in camera *	✓	Height (without stand)	379 mm
<b>Design</b>		Weight (without stand)	4.7 kg
Market positioning *	Home	<b>Packaging data</b>	
Product colour *	Black	Package width	780 mm
Frameless design	✓	Package depth	186 mm
<b>Ports &amp; interfaces</b>		Package height	525 mm
Built-in USB hub *	✓	Package weight	10.7 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	<b>Packaging content</b>	
USB upstream port type	USB Type-C	Stand included	✓
Number of upstream ports	1	Cables included	HDMI, USB Type-C, AC
Number of USB Type-C upstream ports quantity	1	Manual	✓
USB Type-A downstream ports quantity	4	<b>Sustainability</b>	
USB Type-C DisplayPort Alternate Mode	✓	Doesn't contain	Mercury, PVC/BFR
USB Power Delivery	✓	<b>Other features</b>	
USB Power Delivery up to	65 W	Exterior finish type	Textured
HDMI *	✓	Picture enhancement	SmartImage game
HDMI ports quantity	1	Recyclable packaging material	100%
HDMI version	1.4	Regulatory Approvals	CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART
		EasyRead mode	✓
		LowBlue mode	✓
		Compliance certificates	RoHS
		Mean time between failures (MTBF)	50000 h



8712581800178

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date