



Sony VPL-PHZ61 data projector Standard throw projector 6400 ANSI lumens 3LCD WUXGA (1920x1200) White



Brand : Sony

Product code: VPL-PHZ61/1

Product name : VPL-PHZ61

6,400 lm*2 / 7,000 lm (Center)*3, 4K 60P signals, 0.64" (16.3 mm) x 3 BrightEra LCD Panel, Aspect ratio: 16:10

Sony VPL-PHZ61. Projector brightness: 6400 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser. Focus: Manual, Zoom type: Manual, Zoom ratio: 1.6:1. Analog signal format system: NTSC, PAL, SECAM, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 3840p. Serial interface type: RS-232C



Projector		Storage	
Screen size compatibility *	1016 - 7620 mm (40 - 300")	Card reader integrated *	✗
Projector brightness *	6400 ANSI lumens	Features	
Projection technology *	3LCD	Noise level (economic mode)	32 dB
Projector native resolution *	WUXGA (1920x1200)	HDCP	✓
Native aspect ratio *	16:10	On Screen Display (OSD)	✓
Projector brightness (economic mode)	4700 ANSI lumens	On Screen Display (OSD) languages	Arabic, Traditional Chinese, Czech, German, Dutch, English, Spanish, Farsi, Finnish, French, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Slovak, Swedish, Thai, Turkish, Vietnamese
Horizontal scan range	15 - 92 kHz	Number of OSD languages	27
Vertical scan range	24 - 92 Hz	Noise level *	35 dB
Keystone correction, horizontal	-30 - 30°	Country of origin	China
Keystone correction, vertical	-30 - 30°	Multimedia	
Matrix size	1.63 cm (0.64")	Built-in speaker(s) *	✓
Matrix type	3-panel (p-Si TFT active)	RMS rated power	16 W
White light output	7000 ANSI lumens	Design	
Colour light output	6400 ANSI lumens	Market positioning *	Presentation
Light source		Product type *	Standard throw projector
Light source type *	Laser	Product colour *	White
Lens system		Placement	Ceiling
Focus *	Manual	Display	
Zoom type	Manual	Built-in display *	✗
Zoom ratio	1.6:1	Power	
Throw ratio	1.23:1 - 1.97:1	Power source *	AC
Horizontal lens shift range	-15 - 15%	Power consumption (typical) *	434 W
Vertical lens shift range	-35 - 55%	Power consumption (standby) *	1 W
Video		Power consumption (max)	463 W
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (PowerSave)	0.5 W
Full HD *	✗	AC input voltage	100 - 240 V
3D *	✗	AC input frequency	50 - 60 Hz
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 3840p	Standby mode after	2 min
Ports & interfaces		Operational conditions	
HDBaseT port	✓	Operating temperature (T-T)	0 - 40 °C
USB 2.0 ports quantity *	2	Storage temperature (T-T)	-10 - 60 °C
USB 2.0 Type-A ports quantity	2	Operating relative humidity (H-H)	20 - 80%
Serial interface type *	RS-232C	Storage relative humidity (H-H)	20 - 80%
PC Audio in	✓		
PC Audio out	✓		
HDMI ports quantity *	2		
Composite video in *	1		
Component video (YPbPr/YCbCr) in *	1		
DVI port *	✗		

Network		Weight & dimensions	
Ethernet LAN *	✓	Width	422 mm
Ethernet LAN (RJ-45) ports	1	Depth	129 mm
Ethernet LAN data rates	10,100 Mbit/s	Height	338 mm
		Weight *	6.8 kg
Packaging content			
Remote control included *	✓		
Technical details			
Current		4.7 A	
Logistics data			
Quantity per pack		1 pc(s)	
Harmonized System (HS) code		8528620000	



4548736142022



0027242925243



027242925243



5013493491823

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.