

KYOCERA ECOSYS PA4500x 1200 x 1200 DPI A4

Brand: KYOCERA Product family: ECOSYS Product code: 110C0Y3NL0

Product name: PA4500x

- Up to 6 ways of paper input for max. 2,600 sheet capacity
- Strenghen affinity with Microsoft Universal Print
- Optional SSD hard disk with Data Security Kit
- Environmentally friendly: long-life components, low energy consumption

A4, 45 PPM, 1200 x 1200 DPI, LCD, Coretex-A53 1.4 GHz, 512 MB, RJ-45, USB 2.0, 220-240 V, 50/60 Hz

KYOCERA ECOSYS PA4500x 1200 x 1200 DPI A4:

The ECOSYS PA4500x is a powerful printer embedded with high-level security features. The rapid speed of up to 45 pages per minute contributes to the enhanced productivity of smaller workgroups. Thanks to long-life components and low energy consumption, leaves a smaller environmental footprint. KYOCERA ECOSYS PA4500x. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 150000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 45 ppm, Duplex printing. Display: LCD. Network ready. Product colour: White







Printing		Network	
Duplex printing mode Print resolution black Colour * Print technology * Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) *	Auto 1200 x 1200 DPI	Cabling technology Ethernet LAN data rates Near Field Communication (NFC) Bluetooth Security algorithms Mobile printing technologies	10/100/1000Base-T(X) 10,100,1000 Mbit/s X HTTPS, IPPS, IPSec, SNMPv3 Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Duplex print speed (black, normal quality, A4/US Letter) Warm-up time Time to first page (black, normal)	22.5 ppm 16 s 5.3 s	Performance Internal memory * Maximum internal memory	512 MB 2500 MB
Features Maximum duty cycle * Recommended duty cycle Printing colours * Number of print cartridges * Page description languages *	150000 pages per month 5000 - 20000 pages per month Black 1 Epson LQ, IBM ProPrinter, JPEG, OpenXPS, PCL 5e, PCL 6, PCL XL,	Compatible memory cards Built-in processor Processor family Processor model Processor frequency Processor cores Sound pressure level (printing) Sound power level (standby)	SD, SDHC ARM Cortex Cortex-A53 1400 MHz 2 54 dB 30 dB
rage description languages	PCLm, PDF, PWG, PostScript 3, TIFF, URF, XPS	Design	
Printer fonts Number of printer fonts Replacement cartridges	Barcode, Bitmap, PCL 93 TK-3400	Market positioning * Product colour * Built-in display *	Business White
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Paper tray 1 input capacity Paper input type	1 500 sheets 250 sheets 500 sheets Cassette, Paper tray	Display Colour display Touchscreen Display number of lines Control type Certification	LCD X S lines Buttons GS, TÜV, CE
Multi-Purpose tray Multi-Purpose tray input capacity Maximum number of input trays Maximum input capacity	100 sheets 5 2600 sheets	Power Power consumption (printing) * Power consumption (standby) Power consumption (PowerSave)	605.5 W 8.4 W 0.5 W
Paper handling	A4	AC input voltage AC input frequency	220 - 240 V 50 - 60 Hz
Maximum ISO A-series paper size * Maximum print size	A4 216 x 356 mm		

Paper handling		System requirements	
Paper tray media types * Multi-purpose tray media types	Plain paper Legal, Letter	Windows operating systems supported	✓
ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes Custom media width Custom media length Paper tray media weight Multi-Purpose Tray media weight	A4, A5 B5 Legal, Letter 140 - 216 mm 210 - 356 mm 60 - 120 g/m ² 60 - 220 g/m ²	Mac operating systems supported Linux operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Duplex media weight	60 - 120 g/m²	Other operating systems supported	•
Ports & interfaces		Sustainability	
Standard interfaces Direct printing *	RJ-45, USB 2.0 ✓	Sustainability certificates	Blue Angel, ENERGY STAR
USB port *	✓	Weight & dimensions	
USB 2.0 ports quantity	2	Width	390 mm
USB connector Optional connectivity	USB Type-A / USB Type-B Ethernet, Parallel, Wireless LAN	Depth	416 mm
•	Ethernet, Parallel, Wireless LAN	Height	308 mm
Network		Weight	14.6 kg
Network ready	√	Packaging data	
Wi-Fi * Ethernet LAN *	X	Package width	549 mm
Ethernet Lan "	4	Package depth	494 mm
		Package height	420 mm
		Package weight	18.5 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	6000 pages
		Cables included	AC





632983080030

0632983080030

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.