

## BenQ PD2705UA computer monitor 68.6~cm (27") 3840~x 2160~pixels 4K Ultra HD LCD Black

Brand : BenQ Product code: 9H.LKDLA.TPE

Product name: PD2705UA

- Create with the comfort of the ergo arm and enjoy productivity
- 27" 3840x2160 UHD 16:9 HDR IPS 4K Monitor
- 99% sRGB and Rec.709 color spaces

27", IPS (3840x2160), UHD, 4K, HDR10, 1200:1, 178°/178°, 5 ms, 60Hz, 16:9, 163PPI, 1.07 billion colors, HDCP, 2.5Wx2, 100-240V, Puck G2, QSG, USB-C

BenQ PD2705UA. Display diagonal: 68.6 cm (27"), Display resolution:  $3840 \times 2160 \text{ pixels}$ , HD type: 4K Ultra HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^{\circ}$ , Viewing angle, vertical:  $178^{\circ}$ . Built-in speaker(s). Built-in USB hub, USB hub version:  $2.0 \times 10^{\circ}$ , Viewing angle, vertical:  $178^{\circ}$ . Built-in speaker(s). Built-in USB hub, USB hub version:  $2.0 \times 10^{\circ}$ , Viewing angle, vertical:  $178^{\circ}$ , Built-in Speaker(s). Built-in USB hub, USB hub version:  $178^{\circ}$ , Viewing angle, vertical:  $178^{\circ}$ , Viewing angle, Viewing angle, vertical:  $178^{\circ}$ , Viewing angle, Viewing angle







Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen *	4K Ultra HD * 16:9	DisplayPorts quantity DisplayPort version Thunderbolt 3 ports quantity Headphone out * Headphone connectivity Built-in KVM switch HDCP HDCP version	1 1.4 1  3.5 mm  4 2.2
Display brightness (peak)	350 cd/m <sup>2</sup>	Ergonomics	
Display brightness (typical) Response time * Anti-glare screen Screen shape * Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel density High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology	250 cd/m² 5 ms  ✓ Flat 1200:1 60 Hz 178° 178° 1.07 billion colours 163 ppi  ✓ High Dynamic Range 10 (HDR10)	VESA mounting * Panel mounting interface Wall mountable Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range Picture-in-Picture	100 x 100 mm  15 cm  0 - 90°  270 - 275°  -5 - 30°
Colour gamut	99%		Arabic, Simplified Chinese,
sRGB coverage (typical)  Performance  NVIDIA G-SYNC *  ConnectShare (USB)	99% <b>×</b>	On Screen Display (OSD) languages	Traditional Chinese, Czech, German, English, Spanish, French, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish
VESA Adaptive Sync support	✓	Number of OSD languages	18

Danis anno an		Desire	
Performance		Power	
Flicker-free technology	✓	Energy efficiency class (SDR) *	G
Low Blue Light technology	✓	Energy efficiency class (HDR) *	G
Smart modes	Animation, M-Book, Personal	Energy consumption (SDR) per 1000 hours *	29 kWh
Multimedia		Energy consumption (HDR) per	38 kWh
Number of speakers	2	1000 hours *	
RMS rated power	5 W	Power consumption (typical) *	27.5 W
Built-in speaker(s) *	✓	Power consumption (standby) *	0.5 W
Built-in camera *	×	Power consumption (max)	152 W
Design		AC input voltage	100 - 240 V
Market positioning *	Graphics design	Power supply type	Internal
Product colour *	Black	Energy efficiency scale	A to G
Frameless design	J ✓	European Product Registry for	1335500
Front bezel colour	Black	Energy Labelling (EPREL) code	
Detachable stand	J	Weight & dimensions	
Feet colour	Black	Width (with stand)	614 mm
	Black	Depth (with stand)	459.4 mm
Ports & interfaces		Height (with stand)	703 mm
Built-in USB hub *	✓	Weight (with stand)	10 kg
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Width (without stand)	614 mm
USB upstream port type	USB Type-B	Depth (without stand)	81.3 mm
Number of upstream ports	2	Height (without stand)	355.6 mm
Number of USB Type-B upstream	2	Weight (without stand)	6.2 kg
ports quantity USB Type-A downstream ports		Packaging data	_
quantity	3	Package type	Box
USB Type-C downstream ports quantity	1	Packaging content	
USB Type-C DisplayPort Alternate Mode	✓	Stand included Manual	1
USB Power Delivery	1	Bundled software	Display Pilot
USB Power Delivery up to	65 W	Buildled Software	Display Pilot
HDMI *	<b>√</b>	Other features	
HDMI ports quantity	1	Brand specific technologies	Eye Care+
HDMI version	2.0	Screen mirroring	✓
		Certification	TUV, Solidworks, calman , Pantone , Pantone SkinTone



4718755090387

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.