



Philips 5000 series 27B1U5601H/75 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Brand : Philips

Product family: 5000 series

Product code: 27B1U5601H/75

Product name :
27B1U5601H/75



Business Monitor 27B1U5601H LCD monitor with USB-C docking

Philips 5000 series 27B1U5601H/75 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black:

This USB-C monitor is for data transfer, power delivery and watching videos. The integrated 5 MP webcam delivers sharp images, and the noise cancelling mic lets people hear you fine. Windows Hello Webcam for quick access and strong security.

Philips 5000 series 27B1U5601H/75. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Panel mounting interface	100 x 100 mm
Display resolution *	2560 x 1440 pixels	Cable lock slot *	✓
HD type *	Quad HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LCD	Height adjustment	15 cm
Panel type *	IPS	Pivot	✓
Backlight type	W-LED	Pivot angle	-90 - 90°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	350 cd/m ²	Swivel angle range	-180 - 180°
Response time *	4 ms	Tilt angle range	-5 - 30°
Anti-glare screen	✓	Picture-in-Picture	✓
Screen shape *	Flat	On Screen Display (OSD)	✓
Contrast ratio (typical) *	1000:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Contrast ratio (dynamic)	50000000:1	Plug and Play	✓
Dynamic contrast ratio marketing name	SmartContrast	LED indicators	Operation, Stand-by
Maximum refresh rate *	75 Hz		
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	F
Display number of colours *	16.7 million colours	Energy efficiency class (HDR) *	Not available
Pixel pitch	0.2331 x 0.2331 mm	Energy consumption (SDR) per 1000 hours *	26 kWh
Pixel density	109 ppi	Power consumption (typical) *	21.5 W
Horizontal scan range	30 - 114 kHz	Power consumption (standby) *	0.4 W
Vertical scan range	48 - 75 Hz	AC input voltage	100 - 240 V
Viewable size, horizontal	59.7 cm	AC input frequency	50 - 60 Hz
Viewable size, vertical	33.6 cm	Power supply type	Internal
Display diagonal (metric)	68.5 cm	Energy efficiency scale	A to G
DDC/CI	✓		
Haze rate	25%		
Surface hardness	3H		
Colour depth	8 bit		

Display		Power	
Colour gamut standard	sRGB	European Product Registry for Energy Labelling (EPREL) code	1328271
sRGB coverage (typical)	101%	Operational conditions	
NTSC coverage (typical)	89%	Operating temperature (T-T)	0 - 40 °C
Display sRGB	✓	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	20 - 80%
NVIDIA G-SYNC *	✗	Operating altitude	0 - 3658 m
AMD FreeSync *	✗	Non-operating altitude	3658 - 12192 m
Fast charging	✓	Weight & dimensions	
Fast charging technology	Power Delivery	Width (with stand)	613 mm
Component video sync	Separate sync	Depth (with stand)	225 mm
Flicker-free technology	✓	Height (with stand)	537 mm
Low Blue Light technology	✓	Weight (with stand)	7.3 kg
Multimedia		Width (without stand)	613 mm
Number of speakers	2	Depth (without stand)	55 mm
RMS rated power	10 W	Height (without stand)	366 mm
Built-in speaker(s) *	✓	Weight (without stand)	5.54 kg
Megapixel (approx.)	5 MP	Packaging data	
Built-in microphone	✓	Package width	730 mm
Built-in camera *	✓	Package depth	193 mm
Design		Package height	471 mm
Market positioning *	Business	Package weight	10.9 kg
Product colour *	Black	Packaging content	
Front bezel colour	Black	Stand included	✓
Feet colour	Black	Cables included	AC, HDMI, USB Type-C to USB Type-A, USB Type-C to USB Type-C
Ports & interfaces		Manual	✓
Built-in USB hub *	✓	Bundled software	SmartControl
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Sustainability	
USB upstream port type	USB Type-C	Sustainability compliance	✓
USB Type-A downstream ports quantity	4	Sustainability certificates	ENERGY STAR, TCO
USB Type-C downstream ports quantity	1	Doesn't contain	Mercury, PVC/BFR
USB Type-C DisplayPort Alternate Mode	✓	Other features	
USB Power Delivery	✓	HBR3 support	✓
USB Power Delivery up to	100 W	Compatible operating systems	Mac OS X Windows 11 / 10 / 8.1 / 8 / 7
HDMI *	✓	Picture-by-Picture (PbP)	✓
HDMI ports quantity	1	Exterior finish type	Textured
HDMI version	1.4	Picture enhancement	SmartImage
DisplayPorts quantity	1	Recyclable packaging material	100%
DisplayPort version	1.4	Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; SEMKO; TUV Ergo; TUV/GS; TUV Eye Comfort certified
Headphone out *	✓	Light sensor	✓
HDCP	✓	EasyRead mode	✓
HDCP version	1.4/2.2	LowBlue mode	✓
DisplayPort output	✓	Compliance certificates	RoHS
Network		Mean time between failures (MTBF)	70000 h
Ethernet LAN	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Ergonomics		Wake-on-LAN	✓
VESA mounting *	✓	Recycling data	
		Post-consumer recycled plastic	85%



8712581801298

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date