

Viewsonic PS502X data projector Short throw projector 4000 ANSI lumens XGA (1024x768) White

Brand : Viewsonic **Product code:** PS502X

Product name: PS502X

PC Audio in

- 4,000 ANSI Lumens offering clear images in any environment
- 0.616 Short throw ratio for minimal space consumption
- Up to 300" ultra large screen with lower cost-per-inch
- Easy and flexible connection: dual HDMI ports, USB Type-A port
- Convenient software updates for projectors via USB connection

XGA, 4000 ANSI, 15000:1, 1.07 B, 240W UHP, 16W, HDMI, Audio-in/out, VGA, RS232, USB, 100-240 V, 2.87 kg



Draiostor		Notwork	
Projector		Network	
Smart projector * Screen size compatibility *	X 1524 - 7620 mm (60 - 300")	Ethernet LAN * Wi-Fi *	X X
Projection distance	0.75 - 3.76 m 4000 ANSI lumens XGA (1024x768) 15000:1		^
Projector brightness *		Storage	
Projector native resolution *		Card reader integrated *	X
Contrast ratio (typical) *		Features	
Number of colours	1.07 billion colours	Interactive *	×
Horizontal scan range	15 - 102 kHz	Noise level (economic mode)	25 dB
Vertical scan range	23 - 120 Hz	HDCP	✓
Keystone correction, vertical	-19 - 19°	On Screen Display (OSD)	A white Circultant Chinese
Light source			Arabic, Simplified Chinese, Traditional Chinese, Czech, German,
Light source type *	Lamp		Dutch, English, Spanish, Finnish,
Service life of light source *	4000 h	On Screen Display (OSD) languages	French, Greek, Hungarian, Indonesian, Italian, Korean, Polish, Portuguese, Russian, Thai, Turkish, Vietnamese
Service life of light source (economic mode)	12000 h		
Lamp type	UHP	Number of OSD languages	22
Lamp power	240 W	HDCP version	1.4
Lamps quantity	1 lamp(s)	Noise level *	34 dB
Lens system		Air filter	✓
Focus *	Manual	Multimedia	
Fixed focal length	7.15 mm	Built-in speaker(s) *	✓
F-number (relative aperture)	2.7	RMS rated power	16 W
Zoom capability Digital zoom	√ 2x	Design	
Throw ratio	0.616	Market positioning *	Education
Offset	115%	Product type *	Short throw projector
Video		Product colour *	White
Analog signal format system *	NTSC, PAL, SECAM	LED indicators	✓
Full HD *	VISC, FAL, SECAM ✓	Cable lock slot	√
3D *	×	Cable lock slot type	Kensington
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD	Display	
3.6	1080)	Built-in display *	X
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power	40
Ports & interfaces		Power source * Power consumption (typical) *	AC 295 W
HDMI connector type	Full-size	Power consumption (standby) *	0.5 W
HDMI version	1.4	AC input voltage	100 - 240 V
Service port type	USB Type-A	AC input frequency	50 - 60 Hz
USB 2.0 ports quantity *	1	Operational conditions	
USB 2.0 Type-A ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232	operating temperature (1-1)	

Ports & interfaces		Weight & dimensions	
PC Audio out	✓	Width	309 mm
PC in (D-Sub)	✓	Depth	234 mm
VGA (D-Sub) ports quantity *	2	Height	115 mm
HDMI ports quantity *	2	Weight *	2.87 kg
DVI port *	×	Package width	400 mm
AC (power) in	✓	Package depth	337 mm
Network		Package height	168 mm
Smart TV *	×	Package weight	4.08 kg
		Packaging content	
		Remote control included *	✓
		Remote control type	IR
		Remote control type Cables included	IR AC, VGA
		• • • • • • • • • • • • • • • • • • • •	
		Cables included	AC, VGA
		Cables included Quick start guide	AC, VGA ✓





766907020021

0766907020021

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.