

BenQ MW560 data projector Standard throw projector 4000 ANSI lumens DLP WXGA (1280x800) 3D White

Brand : BenQ

Product code: 9H.JNF77.1JE

Product name : MW560

- Finest All Glass Lenses for the Best and Purest Image Clarity

- 4000 ANSI Lumens High Brightness and 20,000:1 High Contrast

- Exclusive Data Review Mode for Detailed Data Charts and Special SmartEco Mode Saving Lamp Power Up To 70%

WXGA Business Projector with All Glass Lenses for Presentations, DLP, 4000 ANSI Lumen, 1280 x 800, 20000:1, 16:10

BenQ MW560. Projector brightness: 4000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 10000 h. Focal length range: 22 - 24.1 mm, Aperture range (F-F): 2.56 - 2.68, Zoom ratio: 1.1:1. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size





| Projector | | Ports & interfaces | |
|--|---|--|---|
| Smart projector * Screen size compatibility * Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Horizontal scan range Vertical scan range | X 1524 - 3810 mm (60 - 150") 4000 ANSI lumens DLP WXGA (1280x800) 20000:1 16:10 1.07 billion colours 15 - 102 kHz 23 - 120 Hz -40 - 40° | Composite video in * DVI port * AC (power) in | 1 ★ ✓ |
| | | Network | |
| | | Smart TV * Ethernet LAN * Wi-Fi * | x x x |
| | | Storage | |
| | | Card reader integrated * | × |
| Keystone correction, vertical | | Features | |
| Matrix size Light source | 1.65 cm (0.65") | Noise level (economic mode) On Screen Display (OSD) | 29 dB ✓ |
| Light source type * Service life of light source * Service life of light source (economic mode) | Lamp 6000 h 10000 h | On Screen Display (OSD) languages | Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, |
| Lens system Focal length range | 22 - 24.1 mm | | Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese |
| Aperture range (F-F) | 2.56 - 2.68 | Number of OSD languages | 30 |
| Zoom capability | ✓ | Noise level * | 34 dB |
| Zoom ratio | 1.1:1 | Multimedia | |
| Throw ratio Offset | 1.55~1.7:1 100% | Built-in speaker(s) * | ✓ |
| Video | 10070 | RMS rated power | 10 W |
| Analog signal format system * | NTSC, PAL, SECAM | Number of built-in speakers | 1 |
| Full HD * | × | Design | |
| 3D * | √ | Market positioning * | Presentation |
| Supported graphics resolutions | 640 x 480 (VGA), 1920 x 1200 | Product type * Product colour * | Standard throw projector White |
| | (WUXGA) 480i, 480p, 576i, 576p, 720p, 1080i, | Cable lock slot | ✓ |
| Supported video modes | 1080p | Cable lock slot type | Kensington |

| Video | | Power | |
|--|--|--|--|
| Video colour modes | Presentation, sRGB | Power source * | AC |
| Ports & interfaces | | Power consumption (typical) * | 260 W |
| HDMI connector type S-Video inputs quantity USB 2.0 ports quantity * Mini-USB 2.0 ports quantity Headphone outputs | ity 1 Power consumption (max) ty* 1 Power consumption (economy mode) Jantity 1 AC input voltage | Power consumption (max) Power consumption (economy mode) | 0.5 W 280 W 215 W 100 - 240 V |
| Microphone in Serial interface type * PC in (D-Sub) | ✓ RS-232 ✓ | Operating temperature (T-T) Weight & dimensions | 0 - 40 °C |
| VGA (D-Sub) ports quantity * HDMI ports quantity * | 1 2 | Width Depth Height Weight * | 296 mm 221 mm 120 mm 2.3 kg |

Packaging content

| Remote control included * | 1 |
|---------------------------|---------|
| Remote control type | IR |
| Cables included | AC, VGA |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.