



DeepCool PK750D power supply unit 750 W 20+4 pin ATX Black


Brand : DeepCool

Product code: R-PK750D-FA0B-UK

Product name : PK750D

750 W, 80 PLUS Bronze, 120 mm, ATX12V 2.4

DeepCool PK750D. Total power: 750 W, AC input voltage: 100 - 240 V, Combined power (+3.3V): 120 W. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 50 cm, SATA power cable length: 400,500,600,700 mm. Purpose: PC, 80 PLUS certification: 80 PLUS Bronze, Bearing technology: HDB. Product colour: Black, Fan diameter: 12 cm, Number of fans: 1 fan(s). Cables included: AC



Power		Ports & interfaces	
Total power *	750 W	PCI Express power connectors (6+2 pin)	2
AC input voltage *	100 - 240 V	PCI Express power cable length	62 cm
Combined power (+3.3V)	120 W	ATX power connector (20+4 pin)	✓
Combined power (+12V)	750 W	Cabling type	Non-Modular
Combined power (+5V)	120 W	Performance	
Combined power (-12V)	3.6 W	80 PLUS certification *	80 PLUS Bronze
Combined power (+5Vsb)	12.5 W	Purpose *	PC
Max output current (+3.3V)	20 A	ATX version	2.4
Max output current (+12V)	62.5 A	Bearing technology	HDB
Max output current (+5V)	20 A	Mean time between failures (MTBF)	100000 h
Max output current (-12V)	0.3 A	Design	
Max output current (+5Vsb)	2.5 A	Product colour	Black
Hold time	16 ms	Fan diameter	12 cm
Efficiency	85%	Number of fans	1 fan(s)
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	On/off switch	✓
Ports & interfaces		Operational conditions	
Motherboard power connector *	20+4 pin ATX	Operating temperature (T-T)	0 - 40 °C
Motherboard power cable length	50 cm	Packaging content	
Number of SATA power connectors	2	Cables included	AC
SATA power cable length	400,500,600,700 mm	Weight & dimensions	
Peripheral (Molex) power connectors (4-pin) *	1	Width	150 mm
Peripheral (Molex) power cable length	400,500,600,700 mm	Depth	140 mm
EPS power connector (4+4 pin)	✓	Height	86 mm

Packaging data

Package type

Box

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date