Logitech BCC950 ConferenceCam

Brand : Logitech

Product code: 960-000867

Product name : BCC950 ConferenceCam

- All-in-one design combines HD video with high-quality audio clarity for business-grade video conferencing—with Carl Zeiss® lens, 1080p HD and 30 fps.
- The built-in, full duplex speakerphone and noise-cancelling microphone allow all meeting participants to hear and be heard clearly up to 2.4 metres (8 feet) away from the base.
- Omnidirectional sound and echo-cancellation audio make it seem like the conversations are happening in the same room.
- Quickly control the call with remote control and base button control options for camera pan, tilt and zoom, volume up/down, mute and answer/hang-up functions.
- Optimised for Microsoft® Lync™ and Skype™, and works with most other popular unified communications platforms.
BCC950 ConferenceCam
Logitech BCC950 ConferenceCam. HD type: Full HD, Maximum video resolution: 1920 x 1080 pixels, Supported video modes: 720p, 1080p, Maximum frame rate: 30 fps. Field of view (FOV) angle: 78°, Digital zoom: 1.2x. Mounting type: Stand, Product colour: Black

Camera

Zoom capability	✓
Digital zoom	1.2x
Field of view (FOV) angle	78°
Horizontal field of view	70.42°
Vertical field of view	43.3°
PTZ control	✓

Video

HD type *	Full HD
Maximum video resolution *	1920 x 1080 pixels
Maximum frame rate *	30 fps
Resolution at capture speed	1920x1080@30fps
Supported video modes	720p, 1080p
Video formats supported	H.264

Design

Product colour *	Black
Mounting type	Stand
Tilt angle range	0 - 55°
Pan range	0 - 180°

Power

Power source type	AC
Remote control battery type	CR2032
Battery technology	Lithium
Battery capacity	210 mAh
Number of batteries supported	1

Packaging content

Remote control included	✓

System requirements

Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Other operating systems supported	ChromeOS
Linux operating systems supported	✓

Performance

Remote control function	✓
Remote control type	IR
Remote control transmission distance	3.048 m

Audio

Built-in microphone	✓
Microphone frequency response	200 - 8000 Hz
Built-in speaker(s)	✓
Sound pressure level (max)	80 dB
Speaker frequency range	200 - 20000 Hz
Microphone pick-up range	2.4 m

Logistics data

Master (outer) case gross weight	4.87 kg
Master (outer) case length	365 mm
Master (outer) case width	184 mm
Master (outer) case height	265 mm

Packaging content

Remote control batteries included	✔
Cables included	AC
USB cable length	2.4 m
Power cable length	2.4 m
Quick start guide	✔
Packaging content	ConferenceCam base and attached USB cable Extender Webcam head Power cable Quick start guide 2-year manufacturer's guarantee and full product support

Logistics data

Harmonized System (HS) code	85258900

Weight & dimensions

Width	150 mm
Depth	104 mm
Height	154 mm
Weight	568 g

Packaging data

Package width	177 mm
Package depth	173 mm
Package height	124 mm
Package weight	1.14 kg

0509920603877

509920603877

5099206038776