

## Brother RJ-3150 POS printer 203 x 200 DPI Wired & Wireless Direct thermal Mobile printer

**Brand :** Brother

**Product code:** RJ-3150

**Product name :** RJ-3150

RJ-3150 3" Portable Printer, Bluetooth, 80mm, 203dpi, Wi-Fi, 750g

Brother RJ-3150. Print technology: Direct thermal, Type: Mobile printer, Maximum resolution: 203 x 200 DPI. Maximum roll diameter: 6.6 cm, Maximum printing width: 8 cm, Maximum media length: 100 cm. Connectivity technology: Wired & Wireless, Bluetooth version: 2.1+EDR, Bluetooth profiles: OPP, SPP. Wi-Fi standards: 802.11b, 802.11g, Wi-Fi 4 (802.11n). Built-in barcodes: GS1 DataBar Expanded, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, Data Matrix, EAN128,..., Internal memory: 32 MB, Page description languages: ESC P, ZPL II



Printing		Design	
Maximum resolution	203 x 200 DPI	Display type	LCD
Print speed	127 mm/sec	Display diagonal	8.38 cm (3.3")
Print technology *	Direct thermal	<b>Power</b>	
Type *	Mobile printer	Power source type *	AC, Battery
<b>Paper handling</b>		Battery technology	Lithium-Ion (Li-Ion)
Maximum roll diameter	6.6 cm	Power supply type	AC
Maximum printing width	8 cm	<b>Weight &amp; dimensions</b>	
Maximum media length	100 cm	Width	116 mm
<b>Ports &amp; interfaces</b>		Depth	82 mm
USB port *	✓	Height	189 mm
USB 2.0 ports quantity	1	Weight	680 g
Bluetooth	✓	<b>Packaging data</b>	
Bluetooth version	2.1+EDR	Bundled software	SDK (Software Development Kit)
Connectivity technology *	Wired & Wireless	Package weight	1.22 kg
Bluetooth profiles	OPP, SPP	<b>Packaging content</b>	
Standard interfaces	Bluetooth, USB 1.1, USB 2.0, Wireless LAN	Quick start guide	✓
<b>Network</b>		Batteries included	✓
Ethernet LAN *	✗	<b>Print quality</b>	
Wi-Fi *	✓	Maximum print height	7.2 cm
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	<b>Logistics data</b>	
<b>Features</b>		Harmonized System (HS) code	84433210
Built-in barcodes *	GS1 DataBar Expanded, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, Data Matrix, EAN128, EAN13, EAN8, GS1 DataBar, GS1 DataBar Limited, GS1-128, ITF-25, MaxiCode, Micro QR Code, MicroPDF417, PDF417, POSTNET, QR Code, UPC-A, UPC-E	<b>Other features</b>	
Page description languages	ESC P, ZPL II	LED indicators	✓
Internal memory *	32 MB	International Protection (IP) code	IP54
Flash memory	32 MB	Battery type	PA-BT-001-B
		Rechargeable	✓
		Wi-Fi Direct	✓

## Design

Product colour *	Black
Built-in display	✓



4977766741163

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date