



Canon imageFORMULA DR-C240 Sheet-fed scanner 600 x 600 DPI A4 Black

Brand : Canon

Product family: imageFORMULA

Product code: 0651C003

Product name : DR-C240

CMOS CIS 1 Line Sensor, RGB LED, 600dpi, USB 2.0

Canon imageFORMULA DR-C240. Maximum scan size: 216 x 3000 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Black. Sensor type: CMOS CIS, Daily duty cycle (max): 4000 pages, Light source: RGB LED. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card. Standard interfaces: USB 2.0



Scanning		Ports & interfaces	
Maximum scan size *	216 x 3000 mm	USB port *	✓
Optical scanning resolution *	600 x 600 DPI	USB version	2.0
Colour scanning	✓	Standard interfaces	USB 2.0
Duplex scanning *	✓	Power	
Input colour depth	24 bit	Power supply type *	AC
Output colour depth	24 bit	Power consumption (typical)	19 W
Film scanning	✗	Power consumption (standby)	1.4 W
Greyscale levels	256	Power consumption (off)	0.1 W
ADF scan speed (b/w, A4)	45 ppm	AC input frequency	50 - 60 Hz
ADF scan speed (colour, A4)	30 ppm	Input voltage	100-240 V
Duplex ADF scan speed (b/w, A4)	90 ipm	System requirements	
Duplex ADF scan speed (colour, A4)	60 ipm	Windows operating systems supported	Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64
Black/white scanning colour modes	Grayscale	Server operating systems supported	Windows Server 2008 R2, Windows Server 2008 R2 x64, Windows Server 2012 R2, Windows Server 2012 R2 x64
Design		Operational conditions	
Scanner type *	Sheet-fed scanner	Operating temperature (T-T)	10 - 32.5 °C
Product colour *	Black	Operating relative humidity (H-H)	20 - 80%
Built-in display *	✗	Weight & dimensions	
Performance		Width	291 mm
Sensor type *	CMOS CIS	Depth	253 mm
Light source	RGB LED	Height	231 mm
Daily duty cycle (max) *	4000 pages	Weight	2.8 kg
Scan drivers	ISIS, TWAIN		
Paper handling			
Scanning media types supported	Business Card, Plastic Card		
Maximum ISO A-series paper size *	A4		

Technical details

Sustainability certificates	ENERGY STAR
Compliance certificates	RoHS

Logistics data

Harmonized System (HS) code	84716070
-----------------------------	----------



4528472106861



4528472106878

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.