

## Ricoh ScanSnap SV600 Overhead scanner 285 x 218 DPI A3 Black, White


**Brand :** Ricoh

**Product code:** PA03641-B301

**Product name :** ScanSnap SV600

ScanSnap SV600 - 1x CCD, 2x White LED, USB 2.0, 20W, ±1.5%, 3kg

Ricoh ScanSnap SV600. Maximum scan size: 432 x 300 mm, Optical scanning resolution: 285 x 218 DPI, Black/white scanning colour modes: Grayscale, Monochrome. Scanner type: Overhead scanner, Product colour: Black, White. Sensor type: CCD, Light source: White LED (2x). Maximum ISO A-series paper size: A3, Scanning media types supported: Business Card, Post Card(JPN), ISO A-series sizes (A0...A9): A3, A4, A5, A6. Standard interfaces: USB 1.1, USB 2.0



<b>Scanning</b>		<b>System requirements</b>	
Maximum scan size *	432 x 300 mm		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Optical scanning resolution *	285 x 218 DPI	Mac operating systems supported	
Colour scanning	✓	<b>Operational conditions</b>	
Duplex scanning *	✗	Operating temperature (T-T)	5 - 35 °C
Film scanning	✗	Operating relative humidity (H-H)	20 - 80%
Black/white scanning colour modes	Grayscale, Monochrome	<b>Certificates</b>	
<b>Design</b>		Green (Eco) compliant	✓
Scanner type *	Overhead scanner	<b>Weight &amp; dimensions</b>	
Product colour *	Black, White	Width	210 mm
Built-in display *	✗	Depth	156 mm
<b>Performance</b>		Height	383 mm
Sensor type *	CCD	Weight	3 kg
Light source	White LED (2x)	<b>Packaging content</b>	
<b>Paper handling</b>		Bundled software	Nuance Power PDF (Win) Nuance Power PDF Converter (Mac)
Scanning media types supported	Business Card, Post Card(JPN)	<b>Other features</b>	
Maximum ISO A-series paper size *	A3	Scan time	3 s
ISO A-series sizes (A0...A9)	A3, A4, A5, A6	Minimum scan size	25.4 x 25.4 mm
ISO B-series sizes (B0...B9)	B4, B5, B6	Media thickness	30 mm
Letter	✓	Automatic colour mode detection	✓
Legal	✓	Vertical optical scanning resolution (min)	152 DPI
<b>Ports &amp; interfaces</b>		Vertical optical scanning resolution (max)	283 DPI
USB port *	✓	Horizontal optical scanning resolution (max)	285 DPI
USB version	2.0		
Standard interfaces	USB 1.1, USB 2.0		
<b>Power</b>			
Power supply type *	AC		
Power consumption (typical)	20 W		

Power		Other features		
Power consumption (standby)	2.6 W	Horizontal optical scanning resolution (min)	218 DPI	
Power consumption (off)	0.4 W	Vertical scanning magnification	±1.5%	
AC input frequency	50 - 60 Hz	Technical details		
Input voltage	100-240 V	Sustainability certificates	ENERGY STAR	
System requirements		Compliance certificates	RoHS	
Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Professional			
	<th colspan="2">Logistics data</th>			Logistics data
		Harmonized System (HS) code	84716070	



4939761308734



4058154030714



4939761305412

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.