ASUS PG248Q LED display 61 cm (24") 1920 x 1080 pixels Full HD Black

Brand : ASUS **Product code:** 90LM02J0-B01370

Product name: PG248Q

24" Full HD 1920 x 1080, 350 cd/ \mid , 1ms, 16.7M, 65 W, 100 - 240 V, 50/60 Hz, Kensington lock ASUS PG248Q. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, 3D, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (typical) Response time * Screen shape * Supported graphics resolutions Contrast ratio (typical) * Viewing angle, horizontal Viewing angle, vertical	61 cm (24") 1920 x 1080 pixels Full HD 16:9 LED TN X 350 cd/m² 1 ms Flat 1920 x 1080 (HD 1080) 1000:1 170° 160°	Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range	✓ 0 - 90° ✓ -60 - 60° ✓ -5 - 22°
		Power Power consumption (typical) * Power consumption (off) Power consumption (PowerSave) AC input voltage AC input frequency	65 W 0.5 W 0.5 W 100 - 240 V 50 - 60 Hz
		Weight & dimensions	
Display number of colours * 3D Performance	16.78 million colours ✓	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand)	561.6 mm 237.9 mm 538.2 mm 6.6 kg
NVIDIA G-SYNC *	✓	Width (without stand)	561.6 mm
Multimedia		Depth (without stand)	70 mm
Built-in speaker(s) * Built-in camera *	×	Height (without stand) Weight (without stand)	329.7 mm 3.34 kg
Design		Packaging data	
Market positioning * Product colour * Ports & interfaces	Gaming Black	Package width Package depth Package height	735 mm 280 mm 415 mm
USB version	3.2 Gen 1 (3.1 Gen 1)	Package weight	9.5 kg
DVI port	×	Other features	
HDMI ports quantity DisplayPorts quantity	1 1	TV tuner integrated NVIDIA 3D Vision 2	X
Ergonomics		Energy efficiency class (old)	B BSMI, CB, CCC, CEL level 1, CU, ErP,
VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type	√ 100 x 100 mm √ Kensington	Certification	FCC, J-MOSS, KCC, PSE, UL/cUL, VCCI, WEEE, WHQL (Windows 10, Windows 8.1, Windows 7), RCM, TUV Flicker-free , eStandby, TUV Low Blue Light
Height adjustment * Height adjustment	√ 12 cm	Logistics data	
gire dajasarierie	(11)	Harmonized System (HS) code	85285210













Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.