

## Brother HL-L8360CDW laser printer Colour 2400 x 600 DPI A4 Wi-Fi

Brand : Brother Product code: HL-L8360CDW

Product name: HL-L8360CDW

Wireless High Speed Colour Laser Printer with 2-Sided Printing and 2.7 Touchscreen Display

Brother HL-L8360CDW laser printer Colour 2400 x 600 DPI A4 Wi-Fi:

Brother's HL-L8360CDW Printer is designed for business, offering fast and accurate printing to maximise productivity and keep you ahead of the pack. With day-in-day-out high quality colour prints, the HL-L8360CDW features prints speeds of up to 31ppm, a 6.8cm intuitive touchscreen, USB, wired and wireless connectivity, a 300-sheet paper input, as well as NFC connectivity that allows you to print by touching your phone to your printer. And, with optional paper trays and super high-yield toners, you've got a printer that improves your efficiency and adds to your professionalism.










Printing		Network	
Duplex printing mode Print speed (colour, normal quality, A4/US Letter) Colour * Print technology *	Auto 31 ppm  ✓ Laser	Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP- TLS, EAP-TTLS, HTTPS, IPPS, IPSEC, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP
Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) * Duplex print speed (black, normal quality, A4/US Letter)	2400 x 600 DPI 31 ppm 14 ppm	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custon Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP
Warm-up time Warm-up time (from sleep mode)	29 s 29 s		Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS Client, SNTP Client, LDAP
Time to first page (black, normal) Time to first page (colour, normal) Secure printing N-up printing Economical printing	15 s 15 s ✓ 2, 4, 9, 16, 25 ✓	Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custon Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client,
Features			SNTP Client, LDAP
Maximum duty cycle * Printing colours * Number of print cartridges * Page description languages *	60000 pages per month Black, Cyan, Magenta, Yellow 1 PCL 6, PDF 1.7, PostScript 3, XPS	Web-based management  Mobile printing technologies	Apple AirPrint, Brother iPrint & Scar Google Cloud Print, Kindle Fire Printing, Mopria Print Service
Input & output capacity		Performance	
Total number of input trays * Total input capacity * Total output capacity * Paper input type Auto document feeder (ADF) input capacity	1 250 sheets 150 sheets Cassette, Paper tray 50 sheets	Internal memory * Maximum internal memory Memory slots Card reader integrated Built-in processor Processor frequency	512 MB 512 MB 1 ✓ ✓ 800 MHz

Input & output capacity		Performance	
Input & output capacity	1		1
Multi-Purpose tray  Maximum number of input trays	4	Coprocessor Coprocessor frequency	✓ 0.133 GHz
. ,	•	Sound pressure level (printing)	49 dB
Paper handling		Design	· <del></del>
Maximum ISO A-series paper size *	A4		Business
Paper tray media types *	Plain paper, Recycled paper, Thin paper	Market positioning * Product colour *	Grey
	Envelopes, Glossy paper, Labels,	Built-in display *	<b>√</b>
Multi-purpose tray media types	Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper	Display	LCD
ISO A-series sizes (A0A9) *	A4, A5, A6	Colour display	✓
Non-ISO print media sizes	Executive, Folio, Letter, Legal	Display diagonal	6.86 cm (2.7")
Envelopes sizes	C5, Com-10, DL	Touchscreen	1
Custom media width	76.2 - 215.9 mm	Control type	Touch
Custom media length	127 - 355.6 mm	Certification	Cerner Certified, Citrix Ready
Paper tray media weight	60 - 105 g/m²	Power	
Auto Document Feeder (ADF) media weight	60 - 163 g/m <sup>2</sup>	Power consumption (printing) *	580 W
Duplex media weight	60 - 105 g/m <sup>2</sup>	Power consumption (ready)	1.5 W
Ports & interfaces	<i>-</i>	Power consumption (standby)	70 W
Standard interfaces	Ethernet, USB 2.0, Wireless LAN	Power consumption (PowerSave)	340 W 0.03 W
Direct printing *	✓ Wireless Law	Power consumption (off) Energy Star Typical Electricity	
USB port *	<b>V</b>	Consumption (TEC)	0.578 kWh/week
USB 2.0 ports quantity	1	AC input voltage	120 V
Network		AC input frequency	50 - 60 Hz
Network ready	<b>✓</b>	System requirements	
Wi-Fi * Ethernet LAN *	<u>,</u>	Windows operating systems supported	✓
Cabling technology	10/100/1000Base-T(X)	Operational conditions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating temperature (T-T)	10 - 32 °C
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Storage temperature (T-T)	0 - 40 °C
Near Field Communication (NFC)	✓	Operating relative humidity (H-H)	20 - 80%
		Storage relative humidity (H-H)	10 - 90%
		Sustainability	
		Sustainability certificates	Blue Angel, ENERGY STAR
		Weight & dimensions	
		Width	441 mm
		Depth	313 mm
		Height	486 mm
		Weight	21.9 kg
		Packaging data	
		Package weight	26.1 kg
		Packaging content	
		Drivers included	1
		Quick start guide	1
		Cables included	AC
		Logistics data	
		Harmonized System (HS) code	84433210
		Other features	
			BRAdmin Professional 3, BRAdmin
		Printer management	Light















Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.