



Lindy 12m USB 2.0 Active Extension Pro

Brand : Lindy

Product code: 42782

Product name : 12m USB 2.0 Active Extension Pro

- High performance, active cable that provides an extended 12m connection between a computer and USB 2.0 device
- Can be used standalone or as part of the Lindy Active Extension System Pro to create bespoke extension systems of up to 60m
- Supports USB 2.0 High Speed bandwidth for speeds of 480Mbps
- USB Type A Male to A Female □ connects to the device and existing USB cable (2m maximum)
- 2 year warranty

12m USB 2.0 Active Extension Pro

Lindy 12m USB 2.0 Active Extension Pro. Cable length: 12 m. Connector 1: USB A, Connector 2: USB A, USB version: USB 2.0, Maximum data transfer rate: 0.48 Gbit/s, Connector contacts plating: Gold, Product colour: Black



Features		Features	
USB version *	USB 2.0	Certification	CE, UKCA, FCC, RoHS, REACH, California Proposition 65
Connector 1 *	USB A	Weight & dimensions	
Connector 2 *	USB A	Cable length *	12 m
Connector 1 gender *	Male	Cable diameter	5 mm
Connector 2 gender *	Female	Weight	420 g
Connector 1 form factor	Straight	Bend radius (min)	2.6 cm
Connector 2 form factor	Straight	Connector 1 dimensions (WxDxH)	15 x 43 x 8 mm
AWG wire size	26/20	Connector 2 dimensions (WxDxH)	20 x 64 x 13 mm
Connector material	Gold/Nickel	Packaging data	
Contact material	Brass	Package type	Box
Connector contacts plating	Gold	Package width	238 mm
Cable jacket material	Polyvinyl chloride (PVC)	Package depth	202 mm
Conductor material	Tinned copper	Package height	66 mm
Connector shield material	Aluminium	Package weight	597 g
Connector housing material	Plastic	Packaging content	
Maximum data transfer rate	480 Mbit/s	Quantity per pack *	1 pc(s)
Maximum data transfer rate	0.48 Gbit/s	Operational conditions	
Product colour *	Black	Operating temperature (T-T)	0 - 50 °C
Cable type	Round cable	Storage temperature (T-T)	-20 - 60 °C
Transmission medium	Twisted pair	Logistics data	
Nominal attenuation	0.064 MHz, -0.08 dB 0.256MHz, -0.11 dB 0.512MHz, -0.13 dB 0.772 MHz, -0.15 dB 1 MHz, -0.2 dB 4 MHz, -0.39 dB 8 MHz, -0.57 dB 12 MHz, -0.76 dB 24 MHz, -0.95 dB 48 MHz, -1.35dB 96 MHz, -1.9 dB 200 MHz, -3.2 dB 400 MHz, -5.8 dB	Harmonized System (HS) code	84733080
		Other features	
		Compatible operating systems	Win ME, 2000, XP, Vista Mac OS Linux



4002888427821

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date