Philips V Line Full HD LCD monitor 273V7QJAB/00

Brand : Philips

Product family: V Line

Product code: 273V7QJAB/00

Product name : Full HD LCD monitor 273V7QJAB/00

- V Line - 27" (68.6 cm) - Full HD (1920 x 1080) 273V7QJAB Full HD LCD monitor

Philips V Line Full HD LCD monitor 273V7QJAB/00:

A perfect all-round display with stunning images that stretch from edge to edge, made easy on the eyes, in a compact, slim design.

Philips V Line Full HD LCD monitor 273V7QJAB/00. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED. Display: LED. Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black







| Diaulau | | F | |
|----------------------------------|-----------------------|-----------------------------------|--|
| Display | | Ergonomics | |
| Display diagonal * | 68.6 cm (27") | Height adjustment * | × |
| Display resolution * | 1920 x 1080 pixels | Tilt adjustment | 1 |
| HD type * | Full HD | Tilt angle range | -5 - 20° |
| Native aspect ratio * | 16:9 | On Screen Display (OSD) | 1 |
| Display technology * | LED | | Simplified Chinese, Traditional |
| Panel type * | IPS | | Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, |
| Backlight type | W-LED | On Screen Display (OSD) languages | Greek, Hungarian, Italian, Japanese, |
| Touchscreen * | × | | Korean, Polish, Portuguese, Russian, |
| Display brightness (typical) | 250 cd/m² | | Swedish, Turkish, Ukrainian |
| Response time * | 4 ms | Plug and Play | 4 |
| Anti-glare screen | 1 | LED indicators | Operation, Stand-by |
| Screen shape * | Flat | Power | |
| Supported graphics resolutions | 1920 x 1080 (HD 1080) | Energy efficiency class (SDR) * | E |
| Aspect ratio | 16:9 | Energy consumption (SDR) per 1000 | 21 1 101 |
| Contrast ratio (typical) * | 1000:1 | hours * | 21 kWh |
| Contrast ratio (dynamic) | 1000000:1 | Power consumption (typical) * | 15.4 W |
| Dynamic contrast ratio marketing | SmartContrast | Power consumption (standby) * | 0.5 W |
| name | | Power consumption (average) | 23 W |
| Maximum refresh rate * | 75 Hz | Power consumption (off) | 0.3 W |
| Viewing angle, horizontal | 178° | AC input voltage | 100 - 240 V |
| Viewing angle, vertical | 178° | AC input frequency | 50 - 60 Hz |
| Display number of colours * | 16.7 million colours | Power supply type | Internal |
| Pixel pitch | 0.311 x 0.311 mm | Energy efficiency scale | A to G |
| Pixel density | 82 ppi | European Product Registry for | 413357 |
| Horizontal scan range | 30 - 83 kHz | Energy Labelling (EPREL) code | 413337 |
| Vertical scan range | 56 - 76 Hz | Operational conditions | |
| Viewable size, horizontal | 59.8 cm | Operating temperature (T-T) | 0 - 40 °C |
| Viewable size, vertical | 33.6 cm | Storage temperature (T-T) | -20 - 60 °C |
| Digital horizontal frequency | 30 - 83 kHz | Operating relative humidity (H-H) | 20 - 80% |
| | | | 20 00/0 |

| Display | | Operational conditions | |
|--|---|--|--|
| Digital vertical frequency Sync-on-green (SOG) Display diagonal (metric) | 56 - 76 Hz ✔ 68.6 cm | Operating altitude Non-operating altitude Relative humidity | 0 - 3658 m 0 - 12192 m 20 - 80% |
| DDC/CI | ✓ | Weight & dimensions | |
| Haze rate Surface hardness Colour gamut standard 3D Separate H/V sync Display sRGB | 25% 3H sRGB ★ ✓ | Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) | 613 mm 227 mm 454 mm 4.37 kg 613 mm |
| Performance | | Depth (without stand) Height (without stand) | 45 mm 368 mm |
| NVIDIA G-SYNC * AMD FreeSync * | × | Weight (without stand) Packaging data | 3.8 kg |
| Component video sync | Separate sync, Sync-on-green | Package width | 664 mm |
| Flicker-free technology Low Blue Light technology Windows operating systems supported | (SÓG) ✓ ✓ | Package depth Package height Package weight Package type | 134 mm 452 mm 6.19 kg Box |
| Mac operating systems supported | √ | Packaging content | |
| Multimedia | | Stand included | 1 |
| Number of speakers Built-in speaker(s) * | 2 | Cables included Manual | HDMI, AC ✓ |
| Duilt in severe * | | | |
| Built-in camera * | × | Other features | |
| Built-in camera * Design Market positioning * Product colour * Feet colour Ports & interfaces | ★ Home Black Black | Display On/off switch TV tuner integrated Exterior finish type Recommended resolution | LED ✓ ★ Textured 1920 x 1080 @ 60 Hz |
| Design Market positioning * Product colour * Feet colour Ports & interfaces Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI ports quantity | Home Black Black 1 X 1 | Display On/off switch TV tuner integrated Exterior finish type | Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; |
| Design Market positioning * Product colour * Feet colour Ports & interfaces Built-in USB hub * VGA (D-Sub) ports quantity DVI port | Home Black Black | Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free No flickering LowBlue mode | ✓ Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off Hg (mercury) ✓ ✓ |
| Design Market positioning * Product colour * Feet colour Ports & interfaces Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI ports quantity DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs | Home Black Black 1 X 1 X 1 1 1 1 1 2 V | Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free No flickering | <pre> X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off</pre> |
| Design Market positioning * Product colour * Feet colour Ports & interfaces Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI ports quantity DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs PC Audio in | Home Black Black 1 X 1 X 1 1 1 1 1 2 V | Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free No flickering LowBlue mode Compliance certificates | <pre></pre> |
| Design Market positioning * Product colour * Feet colour Ports & interfaces Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI ports quantity DisplayPorts quantity DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs PC Audio in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * | Home Black Black 1 × 1 1 1.2 ✓ 1 1.2 ✓ | Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free No flickering LowBlue mode Compliance certificates Mean time between failures (MTBF) | ✓ × Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off Hg (mercury) ✓ KoHS, WEEE 50000 h CU, SEMKO, cETLus, TUV/ISO9241-307, CE Mark, FCC Class B, ICES-003, RCM, UKRAINIAN, KCC, BSMI, TUV Cert. — blue light |
| Design Market positioning * Product colour * Feet colour Ports & interfaces Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI ports quantity DisplayPorts quantity DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs PC Audio in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * | Home Black Black 1 × 1 1 1.2 ✓ 1 1.2 ✓ | Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free No flickering LowBlue mode Compliance certificates Mean time between failures (MTBF) Certification | ✓ × Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off Hg (mercury) ✓ KoHS, WEEE 50000 h CU, SEMKO, cETLus, TUV/ISO9241-307, CE Mark, FCC Class B, ICES-003, RCM, UKRAINIAN, KCC, BSMI, TUV Cert. — blue light |

Harmonized System (HS) code

85285210





8712581745905

5054444327815

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.