



## Lenovo 40AJ0135UK laptop dock/port replicator Docking Black

Brand : Lenovo

Product code: 40AJ0135UK

Product name : 40AJ0135UK


- Enterprise-class universal docking for 2018 T, L, X, and X1 Series ThinkPad notebooks
- Innovative side connector minimizes desk space
- Intel vPro, PXE boot, Wake-on LAN, and MAC address pass-through
- Supports ThinkPad RapidCharge
- Mirrored power button and mechanical unlock
- Optional master key lock

4 x USB 3.1 Gen 2, 2 x USB Typ C, RJ-45, 2 x DisplayPort 1.4, 1 x HDMI 2.0, 1 x VGA, 1 x 3.5 mm, Black, UK


Lenovo 40AJ0135UK. Connectivity technology: Docking, Headphone connectivity: 3.5 mm. Ethernet LAN data rates: 10,1000 Mbit/s. Product colour: Black, Data transfer rate: 10 Gbit/s, Cable lock slot type: Kensington. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10.... Width: 378 mm, Depth: 159 mm, Height: 54.1 mm



Ports & interfaces		Performance	
Connectivity technology *	Docking	Product colour *	Black
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	4	Brand compatibility	Lenovo
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Compatibility	P52s, L580, L480, T580, P580p, T480s, T480, X1 Carbon Gen 6, X280
HDMI ports quantity *	1	Certification	AS/NZS S-DOC, BSMI, CB, CE, EAC, EU DOC, FCC, ICES, KCC, NOM, UL/cUL, Ukr SEPRO, VCCI
HDMI version	2.0	<b>Software</b>	
VGA (D-Sub) ports quantity	1	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64
DisplayPorts quantity	2	Linux operating systems supported	✓
Combo headphone/mic port	✓	<b>Weight &amp; dimensions</b>	
Headphone outputs *	1	Width	378 mm
Headphone connectivity	3.5 mm	Depth	159 mm
<b>Network</b>		Height	54.1 mm
Ethernet LAN *	✓	Weight	810 g
Ethernet LAN (RJ-45) ports	1	<b>Packaging content</b>	
Ethernet LAN data rates	10,1000 Mbit/s	Warranty card	✓
Wake-on-LAN ready	✓	Cables included	AC
10G support	✗	AC adapter included	✓
<b>Performance</b>		User guide	✓
Card reader integrated *	✗	<b>Logistics data</b>	
Data transfer rate	10 Gbit/s	Harmonized System (HS) code	84733020
Cable lock slot	✓		
Cable lock slot type	Kensington		



0192076019960



192076019960

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date