

APC Smart-UPS 2200VA uninterruptible power supply (UPS) Line-Interactive 2.2 kVA 1980 W 9 AC outlet(s)

Brand : APC Product code: SMT2200IC

Product name: Smart-UPS 2200VA

Smart-UPS, Line Interactive, 2200VA, Tower, 230V, 8x IEC C13+2x IEC C19 outlets, SmartConnect Port+SmartSlot, AVR, LCD

APC Smart-UPS 2200VA. UPS topology: Line-Interactive, Output power capacity: 2.2 kVA, Output power: 1980 W. AC outlets quantity: 9 AC outlet(s), USB port type: USB Type-A. Battery technology: Sealed Lead Acid (VRLA), Typical backup time at full load: 8.7 min, Typical backup time at half load: 25 min. Product colour: Black, Display type: LCD, Certification: CE, CSA, EAC, EN/IEC 62040-1, EN/IEC 62040-2, RCM, VDE. Width: 197 mm, Depth: 544 mm, Height: 435 mm








Features		Battery	
PS topology * Line-Interactive utput power capacity * 2.2 kVA utput power * 1980 W	Typical backup time at half load Battery life (max) Battery recharge time	25 min 5 year(s) 3 h	
Waveform * Input operation voltage (min) * Input operation voltage (max) * Input frequency * Output operation voltage (min) Output operation voltage (max)	50/60 Hz 220 V	Product colour * Display type LED indicators Certification	Black LCD ✓ CE, CSA, EAC, EN/IEC 62040-1, EN/IEC 62040-2, RCM, VDE
Surge energy rating Response time		Operational conditions	LIVILE 02040-2, NCM, VDL
Emergency Power Off (EPO) Output voltage Total Harmonic Distortion (THD)	√ 5%	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -15 - 45 °C 0 - 95%
Noise level Power protection features Audible alarm(s)	45 dB Over voltage, Overload ✓	Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 95% 0 - 3000 m 0 - 15000 m
Audible alarm modes	Alarm when on battery, Low battery alarm, Battery replacement	Technical details	
Auto-restart Ports & interfaces	✓	Sustainability certificates Compliance certificates	Green Premium RoHS
AC outlets quantity	9 AC outlet(s)	Weight & dimensions	
USB port USB 2.0 ports quantity USB port type Serial interface	1 USB Type-A	Width Depth Height Weight	197 mm 544 mm 435 mm 48.8 kg
Serial ports quantity	1	Package width	381 mm

Ports & interfaces		Weight & dimensions	
Ethernet LAN (RJ-45) ports	1	Package depth	762 mm
SmartSlot	✓	Package height	699 mm
Battery		Package weight	61.9 kg
Battery technology	Sealed Lead Acid (VRLA)	Packaging data	
Typical backup time at full load	8.7 min	Cables included	RS-232, USB cable
		Software CD	✓
		Logistics data	
		Products per pallet	9 pc(s)
		Harmonized System (HS) code	85078000





731304337317

0731304337317

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.