Brother DS-940DW scanner Sheet-fed scanner 600 x 600 DPI A4 Black, White

Brand : Brother

Product name : DS-940DW

Product code: DS-940DW

- Automatic 2-sided A4 scanning up to 15 pages per minute
- Space saving 'U-path' paper feed system
- Industry leading software to scan documents, receipts and ID cards
- Power directly from a USB 3.0 port on PC
- Built-in rechargeable battery and card reader
- Connect to a wireless network or Brother mobile app

Portable, A4, 15 ppm, 1200 x 1200 dpi, micro USB 3.0 Type B, WLAN, microSD, 319 x 63 x 45.4 mm, 699 g

Brother DS-940DW. Maximum scan size: 215.9 x 1828.8 mm, Optical scanning resolution: 600 x 600 DPI, Enhanced scan resolution: 1200 x 1200 DPI. Scanner type: Sheet-fed scanner, Product colour: Black, White. Scan to: E-mail, File, Image, Memory card, OCR, Scan drivers: ICA, SANE, TWAIN, WIA, Scanning noise level: 53 dB. Standard input capacity: 1 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plain paper, Plastic Card, Card thickness (max): 1.24 mm

Scanning

Maximum scan size *	215.9 x 1828.8 mm
Optical scanning resolution *	600 x 600 DPI
Enhanced scan resolution	1200 x 1200 DPI
Colour scanning	✓
Duplex scanning *	✓
Input colour depth	48 bit
Output colour depth	24 bit
ADF scan speed (b/w, A4)	15 ppm
ADF scan speed (colour, A4)	15 ppm
Duplex ADF scan speed (colour, A4)	30 ipm
Black/white scanning colour modes	Grayscale, Monochrome

Design

Scanner type *	Sheet-fed scanner
Product colour *	Black, White
Built-in display *	✗

Performance

Scan to	E-mail, File, Image, Memory card, OCR
Scan drivers	ICA, SANE, TWAIN, WIA
Scanning noise level	53 dB
Sound pressure level (max)	42 dB
Internal memory	512 MB
Compatible memory cards	MicroSD (TransFlash)

Input capacity

Standard input capacity	1 sheets

Paper handling

Scanning media types supported	Business Card, Plain paper, Plastic Card
Maximum ISO A-series paper size *	A4
Card thickness (max)	1.24 mm
Maximum scan width	21.6 cm

Power

Power consumption (typical)	3.6 W
Power consumption (standby)	2.2 W
Power consumption (off)	0.11 W

Network

Wi-Fi	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK
Wi-Fi Direct	✓
Supported network protocols (IPv4)	DHCP, APIPA (Auto IP), WINS/NetBIOS, DNS Resolver, mDNS, SNMPv1/v2c, ICMP, Web Services(Scan), HTTP/HTTPS server, LLMNR responder,SNTP Client

Packaging data

Quantity per pack	1 pc(s)
Package width	377 mm
Package depth	162 mm
Package height	76 mm
Package weight	1.11 kg

System requirements

Windows operating systems supported	✓
Mac operating systems supported	✓
Linux operating systems supported	✓

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%

Paper handling

Maximum scan length	182.9 cm

Ports & interfaces

USB port *	✓
USB version	3.2 Gen 1 (3.1 Gen 1)
USB connector type	Micro-USB B
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN

Power

Power supply type *	USB

Weight & dimensions

Width	319 mm
Depth	63.1 mm
Height	45.4 mm
Weight	699 g

Packaging content

Warranty card	✓
Cables included	Micro-USB
Quick start guide	✓

Logistics data

Harmonized System (HS) code	84716070

4977766800655

4977766800631

0012502657491

012502657491