×

Veho Alpha Bravo GX-2 Gaming Headset with UBU 7.1 Surround Sound

Brand : Veho

Product code: VAB-002-GX2

Product name : Veho Alpha Bravo GX-2 Gaming Headset with UBU 7.1 Surround Sound

- Professional noise cancelling microphone for precision gaming
- UBU 7.1 surround sound enhancement system

- Embedded 8x8 e-Fuse for function option

- Compatible with Win XP/Vista/7/8/8.1/10 and Mac system with OS's USB Audio driver

- Remote on cord featuring :- Volume, playback mute, next track, previous track, stop and play/pause. Designed for Microsoft multimedia key

- Compliant with USB specification v2.0 full speed operation

Veho Alpha Bravo GX-2 Gaming Headset with UBU 7.1 Surround Sound

Veho Alpha Bravo GX-2 Gaming Headset with UBU 7.1 Surround Sound:

The Alpha Bravo GX-2 is a professional gaming headset that is compatible with PC/Notebooks and PS4. Powered by Veho, the GX-2 headset has a built-in noise-cancelling microphone for precision sound and UBU 7.1 surround sound which will enhance any professional gamers game Veho Alpha Bravo GX-2 Gaming Headset with UBU 7.1 Surround Sound. Product type: Headset.

Connectivity technology: Wired. Recommended usage: Gaming. Headphone frequency: 20 - 20000 Hz. Cable length: 2 m. Weight: 505 g. Product colour: Black

Performance		System requirements	
Product type * Wearing style * Recommended usage * Headset type Product colour * Operating keys Cable length Backlight Backlight colour Sound pressure level (max) Signal-to-Noise Ratio (SNR) Country of origin Ports & interfaces	Headset Head-band Gaming Binaural Black Mute, Play/Pause, Track <, Track >, Volume +, Volume - 2 m ✓ Blue 117 dB 82 dB China	Win Edu x64 Win Win Hon Win Win Win Win Win Win Win Win Win Wi	Windows 11 Education, x64, Windows 11 Windows 11 Home x64, Windows 10 Windows 10 Windows 11 X64, Windows 11 X64, Windows 7 Enterprise 23 Basic, Winc Windows 7 Windows 7 Windows 7 Professiona Starter, Win Windows 7
Connectivity technology * USB connectivity USB connector Headphones	Wired V USB Type-A		Ultimate x6 Windows 8, Windows 8 8 Pro, Wind 8 x64, Wind Enterprise, x64, Wind
Ear coupling * Headphone frequency Impedance Headphone sensitivity Driver unit	Circumaural 20 - 20000 Hz 20 Ω 115 dB 5 cm		Pro x64, Wi Vista, Wind Windows V Windows V Vista Enter Home Basic Basic x64,
Microphone			Premium, V
Microphone type * Microphone sensitivity Microphone input impedance Microphone direction type Microphone noise-canceling	Boom -38 dB 2200 Ω Omnidirectional ✓		Premium x0 Ultimate, W x64, Windo XP, Window Home x64, Professiona Professiona
		Mac operating systems supported	1
		Weight & dimensions	





10, Windows 10 , Windows 10 Education lows 10 Enterprise, 10 Enterprise x64, 10 Home, Windows 10 , Windows 10 IOT Core, 10 IoT Enterprise, 10 Pro, Windows 10 Pro lows 10 x64, Windows 7, 7 Enterprise, Windows 7 e x64, Windows 7 Home ndows 7 Home Basic x64, 7 Home Premium, 7 Home Premium x64. 7 Professional, Windows 7 nal x64, Windows 7 /indows 7 Starter x64, 7 Ultimate, Windows 7 x64, Windows 7 x64, 8, Windows 8 Enterprise, 8 Enterprise x64, Windows ndows 8 Pro x64, Windows ndows 8.1, Windows 8.1 e, Windows 8.1 Enterprise lows 8.1 Pro, Windows 8.1 Vindows 8.1 x64, Windows dows Vista Business, Vista Business x64, Vista Enterprise, Windows erprise x64, Windows Vista sic, Windows Vista Home Windows Vista Home Windows Vista Home x64, Windows Vista Windows Vista Ultimate lows Vista x64, Windows ws XP Home, Windows XP , Windows XP nal, Windows XP nal x64

Weight & dimensions

Width	240 mm
Depth	195 mm

Weight & dimensions	
Height	100 mm
Weight	505 g
Packaging data	
Package width	240 mm
Package depth	105 mm
Package height	225 mm
Package weight	663 g
Package type	Box
Packaging content	
Quick start guide	∢
Logistics data	
Master (outer) case width	610 mm
Master (outer) case length	458 mm
Master (outer) case height	254 mm
Master (outer) case gross weight	7.3 kg
Master (outer) case net weight	6.8 kg
Products per master (outer) case	10 pc(s)
Other features	
Audio output channels	7.1 channels
Operating voltage	5 V
Microphone unit dimensions (W x D)	6 x 2.7 mm





5060594760501

0811805030655



811805030655

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.