

## Epson EB-FH52 data projector Standard throw projector 4000 ANSI lumens 3LCD 1080p (1920x1080) White



**Brand :** Epson

**Product code:** V11H978040

**Product name :** EB-FH52

- Wireless Full HD bright images, supports lightning fast 240Hz refresh rate: 3LCD technology and equally high white and colour light output
- Contrast ratio of 16,000:1: Deep, rich blacks and dense shadow areas
- Stream and share connectivity: Built-in wireless connectivity and Screen Mirroring
- Smart cost savings: Lamp life up to 12,000 hours in Eco mode
- Versatile and flexible control: Project from different sources with HDMI input and mobile connectivity

4000 lumens, 3LCD, 1920 x 1080, 16000:1, 16:9, 1.07 billion colours  
 Epson EB-FH52. Projector brightness: 4000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 5500 h, Service life of light source (economic mode): 12000 h. Focus: Manual, Focal length range: 18.2 - 29.2 mm, Aperture range (F-F): 1.51 - 1.99. Video processing: 10 bit, Video colour modes: Blackboard, Cinema, Dynamic, Presentation, sRGB. Wi-Fi standards: 802.11b, 802.11g, Wi-Fi 4 (802.11n)

Projector		Features	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Password protection	✓
Projection distance	1.76 - 2.86 m	<b>Multimedia</b>	
Projector brightness *	4000 ANSI lumens	Built-in speaker(s) *	✓
Projection technology *	3LCD	RMS rated power	16 W
Projector native resolution *	1080p (1920x1080)	<b>Design</b>	
Contrast ratio (typical) *	16000:1	Market positioning *	Presentation
Native aspect ratio *	16:9	Product type *	Standard throw projector
Number of colours	1.07 billion colours	Product colour *	White
Projector brightness (economic mode)	2400 ANSI lumens	Placement	Ceiling, Desktop
Vertical scan range	192 - 240 Hz	Cable lock slot	✓
Keystone correction, horizontal	-30 - 30°	Cable lock slot type	Kensington
Keystone correction, vertical	-30 - 30°	<b>Power</b>	
Matrix size	1.55 cm (0.61")	Power source *	AC
<b>Light source</b>		Power consumption (typical) *	327 W
Light source type *	Lamp	Power consumption (standby) *	0.3 W
Service life of light source *	5500 h	Power consumption (economy mode)	225 W
Service life of light source (economic mode)	12000 h	AC input voltage	100-240 V
Lamp type	UHE	AC input frequency	50 - 60 Hz
Lamp power	230 W	<b>Software</b>	
<b>Lens system</b>		Software support	via: AMX, Crestron (Network)
Focus *	Manual	<b>Operational conditions</b>	
Focal length range	18.2 - 29.2 mm	Operating temperature (T-T)	5 - 40 °C
Aperture range (F-F)	1.51 - 1.99	Storage temperature (T-T)	-10 - 60 °C
Zoom type	Manual	Operating relative humidity (H-H)	20 - 80%
Zoom ratio	1.6:1	Storage relative humidity (H-H)	10 - 90%
Throw ratio	1.32 - 2.14:1	<b>Weight &amp; dimensions</b>	
<b>Video</b>		Width	309 mm
Full HD *	✓	Depth	282 mm
Video processing	10 bit	Height	90 mm
Video colour modes	Blackboard, Cinema, Dynamic, Presentation, sRGB	Weight *	3.1 kg
<b>Ports &amp; interfaces</b>		Package width	385 mm
USB 2.0 ports quantity *	1	Package depth	390 mm
USB 2.0 Type-B ports quantity	1	Package height	170 mm
Audio (L/R) in *	1	Package weight	4.81 kg

Ports & interfaces		Packaging content	
VGA (D-Sub) ports quantity *	1	Cables included	AC, HDMI
HDMI ports quantity *	1	Carrying case	✓
Composite video in *	1	Quick start guide	✓
DVI port *	✗	Warranty card	✓
Network		WLAN adapter included	✓
Wi-Fi *	✓	Bundled software	Epson Projektor Management
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Technical details	
Features		USB display function	3 in 1: Image / Mouse / Sound
Noise level (economic mode)	28 dB	Logistics data	
Noise level (standby)	28 dB	Quantity per pack	1 pc(s)
Noise level *	37 dB	Products per pallet	72 pc(s)
Country of origin	Philippines	Products per pallet (UK)	72 pc(s)
		Harmonized System (HS) code	85286200



8715946680712

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date