

Ricoh N7100E ADF scanner 600 x 600 DPI A4 Black

Brand : Ricoh

Product code: PA03706-B301

Product name : N7100E

N7100E - 25 ppm, ADF, 3 Color LED, CIS, 600 dpi, Gigabit Ethernet, 6kg
 Ricoh N7100E. Maximum scan size: 216 x 3048 mm, Optical scanning resolution: 600 x 600 DPI, Output colour depth: 24 bit. Scanner type: ADF scanner, Product colour: Black, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 400 pages, Light source: RGB LED. Auto document feeder (ADF) input capacity: 50 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plain paper, Plastic Card, Post Card(JPN), Thick paper, Thin paper, ISO A-series sizes (A0...A9): A4, A5, A6, A8



Scanning		Paper handling	
Maximum scan size *	216 x 3048 mm	Maximum scan area (ADF)	216 x 355.6 mm
Optical scanning resolution *	600 x 600 DPI	Minimum scan area (ADF)	50.8 x 50.8 mm
Colour scanning	✓	Ports & interfaces	
Duplex scanning *	✓	USB port *	✓
Output colour depth	24 bit	USB version	2.0
Output greyscale depth	8 bit	Standard interfaces	Ethernet, USB 1.1, USB 2.0
Output monochrome depth	1 bit	Power	
Film scanning	✗	Power supply type *	AC
ADF scan speed (b/w, A4)	25 ppm	Power consumption (typical)	38 W
Duplex ADF scan speed (b/w, A4)	50 ipm	Power consumption (standby)	1 W
Black/white scanning colour modes	Grayscale, Monochrome	Power consumption (PowerSave)	2 W
Design		AC input frequency	50 - 60 Hz
Scanner type *	ADF scanner	Input voltage	100-240 V
Product colour *	Black	Network	
Display	LCD	Ethernet LAN	✓
Display diagonal	21.3 cm (8.4")	Supported network protocols	TCP/IP(IPv4 / IPv6), DNS, DHCP, SMTP, SMB, LDAP, NTP, FTP, HTTP, SNMP
Display resolution	1024 x 768 pixels	System requirements	
Touchscreen	✓	Windows operating systems supported	✓
Built-in display *	✓	Mac operating systems supported	✓
Performance		Linux operating systems supported	✓
Sensor type *	CIS	Operational conditions	
Light source	RGB LED	Operating temperature (T-T)	5 - 35 °C
Scan file formats	JPG, PDF, TIFF	Operating relative humidity (H-H)	20 - 80%
Daily duty cycle (max) *	400 pages	Weight & dimensions	
Scan to	E-mail, E-mail Server, Fax, File, FTP	Width	300 mm
Input capacity		Depth	232 mm
Auto document feeder (ADF) input capacity	50 sheets	Height	172 mm
Paper handling		Weight	6 kg
Scanning media types supported	Business Card, Plain paper, Plastic Card, Post Card(JPN), Thick paper, Thin paper	Packaging content	
Multi feed detection	✓	Bundled software	Scanner Central Admin Server
Maximum ISO A-series paper size *	A4	Other features	
ISO A-series sizes (A0...A9)	A4, A5, A6, A8	Network ready	✓
ISO B-series sizes (B0...B9)	B5, B6	Ethernet LAN data rates	10,100,1000 Mbit/s
Letter	✓		
Legal	✓		

Paper handling

Auto Document Feeder (ADF) media weight 40 - 209 g/m²

Technical details

Sustainability certificates ENERGY STAR
Compliance certificates RoHS

Logistics data

Harmonized System (HS) code 84716070



4939761311284

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date