
Epson LightScene EV-110 data projector Standard throw projector 2200 ANSI lumens 3LCD WXGA (1280x800) White

Brand: Epson Product family: LightScene Product code: V11HA22040

Product name : EV-110

Epson LightScene EV-110. Projector brightness: 2200 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WXGA (1280x800). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 18.2 - 28.4 mm, Aperture range (F-F): 1.51 - 1.92. Wi-Fi standards: 802.11b, 802.11g, Wi-Fi 4 (802.11n). Compatible memory cards: SD



Projector		Features	
Screen size compatibility * 762 - 3810 mm (30	762 - 3810 mm (30 - 150")	Password protection	✓
Projection distance	0.9 - 4.5 m	Design	
Projection distance (wide) Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) *	0.9 - 4.5 m 2200 ANSI lumens 3LCD WXGA (1280x800) 2000:1	Market positioning * Product type * Product colour * Placement	Business Standard throw projector White Ceiling, Floor, Lighting track, Wall
Native aspect ratio *	16:10	Display	
Number of colours	16.78 million colours	Built-in display *	×
Projector brightness (economic mode)	1100 ANSI lumens	Power	
Keystone correction, horizontal Keystone correction, vertical Matrix size	-40 - 40° -45 - 45° 1.5 cm (0.59")	Power source * Power consumption (typical) * Power consumption (standby) * Power consumption (economy	AC 149 W 0.4 W
Light source		mode)	112 W
Light source type * Service life of light source *	Laser 20000 h	AC input voltage AC input frequency	100-240 V 50 - 60 Hz
Service life of light source (economic mode)	30000 h	Software	
Lens system Focus *	Manual	Software support	via: Crestron (Network), Crestron Integrated Partner, Crestron RoomView
Focal length range	18.2 - 28.4 mm	Operational conditions	
Aperture range (F-F) Zoom capability Zoom type Zoom ratio	1.51 - 1.92 ✓ Auto 1.58:1	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 40 °C -10 - 60 °C 20 - 80% 10 - 90%
Throw ratio	1.38 - 2.19:1	Weight & dimensions	
Video Analog signal format system * Full HD * 3D *	Not supported X X	Width Depth Height Weight *	175 mm 260 mm 175 mm 5 kg
Ports & interfaces		Package width	471 mm
USB 2.0 ports quantity * USB 2.0 Type-B ports quantity HDMI ports quantity *	2 1 1	Package depth Package height Package weight	530 mm 247 mm 9.43 kg
Network		Power adapter width Power adapter depth	36.1 cm 11 cm
Ethernet LAN *	×	Power adapter height	6.5 cm

Network		Packaging content	
Wi-Fi *	✓	Remote control included *	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Batteries included	✓
Storage		Cables included	AC
Card reader integrated * Compatible memory cards	✓ SD	Manual Bundled software	✓ Inhalt DIY-App, Epson Projektor Content Manager
Features		Logistics data	
Noise level (economic mode) Noise level * Country of origin	22 dB 34 dB China	Quantity per pack Products per pallet (UK) Harmonized System (HS) code	1 pc(s) 32 pc(s) 85286200
		Other features	
		Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink



8715946689326

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.