



## Viewsonic NMP760 PC/workstation Intel® Celeron® 5205U 8 GB DDR4-SDRAM 64 GB eMMC ChromeOS Mini PC Black

**Brand :** Viewsonic

**Product code:** NMP760

**Product name :** NMP760




- Disponibile per tutti gli utenti di Google Workspace for Education  
 - Accesso istantaneo al Google Play Store con oltre 2,95 milioni di applicazioni  
 - Si integra perfettamente con ViewBoard, monitor ViewSonic e proiettore ViewSonic per una completa soluzione educativa  
 Intel Celeron 5205U (2M Cache, 1.90 GHz), 8 GB DDR4, 64 GB eMMC, Gigabit Ethernet, WLAN, Bluetooth, ChromeOS  
 Viewsonic NMP760. Processor frequency: 1.9 GHz, Processor family: Intel® Celeron®, Processor model: 5205U. Internal memory: 8 GB, Internal memory type: DDR4-SDRAM. Total storage capacity: 64 GB, Storage media: eMMC, Card reader integrated. On-board graphics card model: Intel® UHD Graphics. Operating system installed: ChromeOS. Power supply: 65 W. Chassis type: Mini PC. Product type: Mini PC. Weight: 620 g. Product colour: Black



| Processor                       |                      | Design  |            |
|---------------------------------|----------------------|---|------------|
| Processor manufacturer *        | Intel                | Cable lock slot type                                    | Kensington |
| Processor family *              | Intel® Celeron®      | Product colour *  | Black      |
| Processor model *               | 5205U                | <b>Performance</b>                                      |            |
| Processor cores                 | 2                    | Trusted Platform Module (TPM)                           | ✓          |
| Processor threads               | 2                    | Product type *  | Mini PC    |
| Processor frequency *           | 1.9 GHz              | <b>Software</b>   |            |
| Processor cache                 | 2 MB                 | Operating system installed *                            | ChromeOS   |
| Configurable TDP-down           | 12.5 W               | <b>Processor special features</b>                       |            |
| Configurable TDP-down frequency | 0.8 GHz              | Intel 64  | ✓          |
| Number of processors installed  | 1                    | Enhanced Intel SpeedStep Technology                     | ✓          |
| <b>Memory</b>                   |                      | Embedded options available                              | ✗          |
| Internal memory *               | 8 GB                 | Intel Clear Video Technology                            | ✓          |
| Internal memory type            | DDR4-SDRAM           | Intel VT-x with Extended Page Tables (EPT)              | ✓          |
| <b>Storage</b>                  |                      | Intel TSX-NI  | ✗          |
| Total storage capacity *        | 64 GB                | Idle States   | ✓          |
| Storage media *                 | eMMC                 | Intel Trusted Execution Technology                      | ✗          |
| Optical drive type *            | ✗                    | Execute Disable Bit                                     | ✓          |
| Card reader integrated          | ✓                    | Intel Flex Memory Access                                | ✓          |
| Compatible memory cards         | MicroSD (TransFlash) | Intel Software Guard Extensions (Intel SGX)             | ✓          |
| <b>Graphics</b>                 |                      | CPU configuration (max)                                 | 1          |
| Discrete graphics card *        | ✗                    | Intel Virtualization Technology for Directed I/O (VT-d) | ✓          |
| On-board graphics card *        | ✓                    | Intel Virtualization Technology (VT-x)                  | ✓          |
| Discrete graphics card model *  | Not available        |   |            |
| On-board GPU manufacturer       | Intel                |   |            |
| On-board graphics card family   | Intel® UHD Graphics  |   |            |
| On-board graphics card model *  | Intel® UHD Graphics  |   |            |
| Graphics card Open GL support   | ✓                    |   |            |

|   |                      |                                   |   |
|---|----------------------|-----------------------------------|---|
| <b>Network</b>                                    |                      | <b>Power</b>                      |   |
| Ethernet LAN *                                    | ✓                    | Power supply *                    | 65 W  |
| Ethernet LAN data rates                           | 10,100,1000 Mbit/s   | Power supply input voltage        | 100 - 240 V   |
| Cabling technology                                | 10/100/1000Base-T(X) | Power supply input frequency      | 50 - 60 Hz  |
| Wi-Fi *   | ✓                    | <b>Operational conditions</b>     |   |
| Top Wi-Fi standard                                | Wi-Fi 6 (802.11ax)   | Operating temperature (T-T)       | 0 - 45 °C   |
| Wi-Fi standards                                   | Wi-Fi 6 (802.11ax)   | Operating relative humidity (H-H) | 20 - 80%  |
| Bluetooth   | ✓                    | <b>Certificates</b>               |   |
| Bluetooth version                                 | 5.0                  | Compliance certificates           | CE  |
| <b>Ports &amp; interfaces</b>                     |                      | Certification                     | FCC, FCC ID, IC ID, CB, BSMI, NCC, PSB, iDA, RCM, SDPPI, EAC, CCC |
| USB 2.0 ports quantity *                          | 1                    | <b>Weight &amp; dimensions</b>    |   |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 3                    | Width *                           | 148.5 mm  |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity * | 1                    | Depth *                           | 148 mm  |
| HDMI ports quantity *                             | 2                    | Height *                          | 41.7 mm   |
| Ethernet LAN (RJ-45) ports                        | 1                    | Weight *                          | 620 g   |
| Line-in   | ✓                    | Package width                     | 232 mm  |
| <b>Design</b>                                     |                      | Package depth                     | 187 mm  |
| Chassis type *                                    | Mini PC              | Package height                    | 108 mm  |
| Placement supported                               | Horizontal/Vertical  | Package weight                    | 1.27 kg   |
| VESA mounting                                     | ✓                    | <b>Packaging content</b>          |   |
| Cable lock slot                                   | ✓                    | Display included *                | ✗   |
|   |                      | <b>Logistics data</b>             |   |
|   |                      | Harmonized System (HS) code       | 84715000  |



0766907011975



766907011975

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.