Epson EB-PU1006W data projector Large venue projector 6000 ANSI lumens 3LCD WUXGA (1920x1200) White

Brand: Epson Product code: V11HA35940

Product name: EB-PU1006W

3LCD, 0.76" with C2 Fine, WUXGA, 1920 x 1200, 16:10, 6000 Lumen Epson EB-PU1006W. Projector brightness: 6000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h,

native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focal length range: varies by lens, Zoom type: Auto, Throw ratio: 0.35 - 10.11:1. Video processing: 10 bit, Video colour modes: Cinema, Dynamic, Natural, Presentation, DICOM simulation mode, Multi-projection, BT.709. Serial interface type: RS-232C





Projector		Features	
Projector brightness *	6000 ANSI lumens	Password protection	1
Projection technology *	3LCD		*
Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Projector brightness (economic mode) Projector brightness (portrait mode) Keystone correction, horizontal Keystone correction, vertical Matrix size	WUXGA (1920x1200) 2000:1 16:10 1.07 billion colours 4200 ANSI lumens 6000 ANSI lumens -30 - 30° -45 - 45° 1.93 cm (0.76")	Design Market positioning * Product type * Product colour * Placement Cable lock slot Cable lock slot type Display Built-in display * Power	Presentation Large venue projector White Ceiling, Desktop, Flying frame Kensington
Heat dissipation	1247.8 BTU/h	Power source *	AC
Light source Light source type * Service life of light source * Service life of light source (economic mode)	Laser 20000 h 30000 h	Power consumption (typical) * Power consumption (standby) * Power consumption (economy mode) AC input voltage	367 W 0.5 W 310 W 100-240 V
Lens system		AC input frequency	50 - 60 Hz
Focal length range	varies by lens	Software	
Zoom type Throw ratio Interchangeable lens	Auto 0.35 - 10.11:1 ✓	Software support	via: Crestron Integrated Partner, Extron IP Link, Extron XTP, AMX Device Discovery
Video		Operational conditions	
Analog signal format system * Full HD * 3D *	Not supported ✓	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-10 - 60 °C 20 - 80% 10 - 90%
Video processing	10 bit	Weight & dimensions	
Video colour modes	Cinema, Dynamic, Natural, Presentation, DICOM simulation mode, Multi-projection, BT.709	Width Depth	545 mm 436 mm
Ports & interfaces		Height *	189 mm 15.4 kg
HDBaseT port USB 2.0 ports quantity * 2 USB 2.0 Type-B ports quantity 1 Audio (L/R) in * 1 Serial interface type * RS-232C	2 1	Package width Package depth Package height Package weight	561 mm 760 mm 265 mm 20.6 kg
VGA (D-Sub) ports quantity *	1	Packaging content	
HDMI ports quantity *	1	Remote control included *	✓

Ports & interfaces		Packaging content	
DVI port *	1	Batteries included	✓
Network		Cables included	AC
Ethernet LAN * Ethernet LAN (RJ-45) ports	√ 1	Manual Warranty card WLAN adapter included	1
Storage			Inhalt DIY-App, EasyMP Multi PC
Card reader integrated *	×	Bundled software	Projection, Epson Projektor Content Manager, Epson Projektor
Features			Management, Epson Projektor Professional Tool
Noise level (economic mode) HDCP Noise level * Country of origin 28 dB 30 dB Philippines	28 dB ✓	Logistics data	Trolessional roof
	30 dB Philippines	Quantity per pack Products per pallet Products per pallet (UK) Harmonized System (HS) code	1 pc(s) 14 pc(s) 14 pc(s) 85286200
		Other features	
		Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink



8715946697239

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.