

Epson EB-L720U data projector Standard throw projector 7000 ANSI lumens 3LCD WUXGA (1920x1200) White

Brand : Epson

Product code: V11HA44040

Product name : EB-L720U



Epson EB-L720U. Projector brightness: 7000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 20 - 31.8 mm, Aperture range (F-F): 1.5 - 1.7. Video processing: 10 bit, Video colour modes: Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode. Serial interface type: RS-232C, HDMI connector type: Full-size

Projector		Features	
Screen size compatibility *	1270 - 12700 mm (50 - 500")	Noise level (economic mode)	27 dB
Projector brightness *	7000 ANSI lumens	Noise level *	39 dB
Projection technology *	3LCD	Country of origin	China
Projector native resolution *	WUXGA (1920x1200)	Multimedia	
Contrast ratio (typical) *	2500000:1	Built-in speaker(s) *	✓
Native aspect ratio *	16:10	RMS rated power	10 W
Number of colours	1.07 billion colours	Number of built-in speakers	1
Projector brightness (economic mode)	4900 ANSI lumens	Design	
Vertical scan range	192 - 240 Hz	Product type *	Standard throw projector
Keystone correction, horizontal	-30 - 30°	Product colour *	White
Keystone correction, vertical	-30 - 30°	Placement	Ceiling, Desktop, Floor, Wall
Matrix size	1.7 cm (0.67")	Cable lock slot	✓
Light source		Cable lock slot type	Kensington
Light source type *	Laser	Display	
Service life of light source *	20000 h	Built-in display *	✗
Service life of light source (economic mode)	30000 h	Power	
Lens system		Power source *	AC
Focus *	Manual	Power consumption (typical) *	345 W
Focal length range	20 - 31.8 mm	Power consumption (standby) *	0.3 W
Aperture range (F-F)	1.5 - 1.7	Power consumption (economy mode)	258 W
Zoom capability	✓	AC input voltage	100-240 V
Zoom type	Manual	AC input frequency	50 - 60 Hz
Zoom ratio	1.6:1	Software	
Throw ratio	1.35 - 2.20:1	Software support	via: AMX, Crestron (Network), Control4, Crestron Integrated Partner, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol
Offset	27%	Operational conditions	
Video		Storage temperature (T-T)	-10 - 60 °C
Full HD *	✓	Operating relative humidity (H-H)	20 - 80%
Video processing	10 bit	Storage relative humidity (H-H)	10 - 90%
Video colour modes	Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode	Weight & dimensions	
Ports & interfaces		Width	440 mm
HDMI connector type	Full-size	Depth	122 mm
HDBaseT port	✓		
USB 2.0 ports quantity *	1		
USB 2.0 Type-B ports quantity	1		

Ports & interfaces		Weight & dimensions	
Serial interface type *	RS-232C	Height	304 mm
PC Audio in	✓	Weight *	7.8 kg
PC Audio out	✓	Package width	540 mm
VGA (D-Sub) ports quantity *	3	Package depth	530 mm
HDMI ports quantity *	2	Package height	210 mm
DVI port *	✗	Package weight	10.8 kg
Network		Packaging content	
Smart TV *	✗	Remote control included *	✓
Ethernet LAN *	✓	Batteries included	✓
Ethernet LAN (RJ-45) ports	1	Cables included	AC, HDMI
Ethernet LAN data rates	10,100,1000 Mbit/s	Manual	✓
Wi-Fi *	✗	Warranty card	✓
Storage		WLAN adapter included	✓
Card reader integrated *	✗	Bundled software	EasyMP Multi PC Projection
Features		Technical details	
Interactive *	✗	USB display function	3 in 1: Image / Mouse / Sound
		Sustainability certificates	TCO
		Logistics data	
		Quantity per pack	1 pc(s)
		Products per pallet	14 pc(s)
		Products per pallet (UK)	14 pc(s)
		Harmonized System (HS) code	85286200



8715946695587

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date