

## Epson V11HA47040 data projector Standard throw projector 2700 ANSI lumens 3LCD UHD 4K (3840x2160) Black

**Brand :** Epson

**Product code:** V11HA47040

**Product name :** V11HA47040

Epson V11HA47040. Projector brightness: 2700 ANSI lumens, Projection technology: 3LCD, Projector native resolution: UHD 4K (3840x2160). Light source type: Laser, Service life of light source: 20000 h. Focus: Auto, Focal length range: 22.5 - 46.7 mm, Aperture range (F-F): 2 - 3. Video processing: 10 bit, Video colour modes: Cinema, Dynamic, Natural, Bright cinema, Vivid. Serial interface type: RS-232C, HDMI connector type: Full-size



Projector		Features	
Supported aspect ratios	16:9	Interactive *	✗
Smart projector *	✗	Noise level (economic mode)	22 dB
Screen size compatibility *	1270 - 7620 mm (50 - 300")	HDCP	✓
Projection distance	3 - 6.4 m	On Screen Display (OSD)	✓
Projector brightness *	2700 ANSI lumens	Noise level *	30 dB
Projection technology *	3LCD	2D/3D frequency image	384/480 Hz
Projector native resolution *	UHD 4K (3840x2160)	Country of origin	China
Contrast ratio (typical) *	2500000:1	4K Ultra HD upscaling	✓
Native aspect ratio *	16:9	<b>Design</b>	
Number of colours	1.07 billion colours	Market positioning *	Home cinema
Vertical scan range	384 - 480 Hz	Product type *	Standard throw projector
Keystone correction, horizontal	-30 - 30°	Product colour *	Black
Keystone correction, vertical	-30 - 30°	Placement	Ceiling, Desktop
Matrix size	1.88 cm (0.74")	Cable lock slot	✓
Heat dissipation	1026.8 BTU/h	Cable lock slot type	Kensington
<b>Light source</b>		<b>Display</b>	
Light source type *	Laser	Built-in display *	✗
Service life of light source *	20000 h	<b>Power</b>	
<b>Lens system</b>		Power source *	AC
Focus *	Auto	Power consumption (typical) *	302 W
Focal length range	22.5 - 46.7 mm	Power consumption (standby) *	0.4 W
Aperture range (F-F)	2 - 3	Power consumption (economy mode)	198 W
Zoom capability	✓	AC input voltage	100-240 V
Zoom type	Auto	AC input frequency	50 - 60 Hz
Zoom ratio	2.1:1	<b>Software</b>	
Throw ratio	1.35 - 2.84:1	Software support	via: Crestron Integrated Partner, AMX Device Discovery, Control4 Simple Device Discovery Protocol
Horizontal lens shift range	-47.1 - 47.1%	<b>Operational conditions</b>	
Vertical lens shift range	-96.3 - 96.3%	Operating temperature (T-T)	5 - 35 °C
Lens position memory	10	Storage temperature (T-T)	-10 - 60 °C
<b>Video</b>		Operating relative humidity (H-H)	20 - 80%
Full HD *	✓	Storage relative humidity (H-H)	10 - 90%
3D *	✗	<b>Weight &amp; dimensions</b>	
Video processing	10 bit	Width	520 mm
Video colour modes	Cinema, Dynamic, Natural, Bright cinema, Vivid	Depth	447 mm
<b>Ports &amp; interfaces</b>			
HDMI connector type	Full-size		
USB 2.0 ports quantity *	1		

Ports & interfaces		Weight & dimensions	
Mini-USB 2.0 ports quantity	1	Height	193 mm
Serial interface type *	RS-232C	Weight *	12.7 kg
HDMI ports quantity *	2	Package width	520 mm
DVI port *	✘	Package depth	703 mm
AC (power) in	✓	Package height	193 mm
<b>Network</b>		Package weight	17.5 kg
Smart TV *	✘	Packaging content	
Ethernet LAN *	✓	Remote control included *	✓
Ethernet LAN (RJ-45) ports	1	Batteries included	✓
Wi-Fi *	✘	Cables included	AC
Storage		Logistics data	
Card reader integrated *	✘	Quantity per pack	1 pc(s)
		Products per pallet	14 pc(s)
		Products per pallet (UK)	14 pc(s)
		Harmonized System (HS) code	85286200



8715946700731

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date