

Epson V11HA48040 data projector Projector module 2500 ANSI lumens 3LCD UHD 4K (3840x2160) White

Brand : Epson

Product code: V11HA48040

Product name : V11HA48040

3LCD Technology, RGB liquid crystal shutter, 4K PRO-UHD, 16:9, 2500 Lumen, Laser, 50" - 300", 302 W, 12.7 kg

Epson V11HA48040. Projector brightness: 2500 ANSI lumens, Projection technology: 3LCD, Projector native resolution: UHD 4K (3840x2160). Light source type: Laser, Service life of light source: 20000 h. Focal length range: 22.5 - 46.7 mm, Aperture range (F-F): 2 - 3, Zoom type: Auto. Video processing: 10 bit, Video colour modes: Cinema, Dynamic, Natural, Bright cinema, Vivid. Serial interface type: RS-232C



Projector		Features	
Screen size compatibility *	1270 - 7620 mm (50 - 300")	Noise level (economic mode)	22 dB
Projection distance	3 - 6.4 m	Noise level *	30 dB
Projector brightness *	2500 ANSI lumens	2D/3D frequency image	384/480 Hz
Projection technology *	3LCD	Country of origin	China
Projector native resolution *	UHD 4K (3840x2160)	Design	
Contrast ratio (typical) *	2500000:1	Market positioning *	Home cinema
Native aspect ratio *	16:9	Product type *	Projector module
Number of colours	1.07 billion colours	Product colour *	White
Vertical scan range	384 - 480 Hz	Placement	Ceiling, Desktop
Keystone correction, horizontal	-30 - 30°	Cable lock slot	✓
Keystone correction, vertical	-30 - 30°	Cable lock slot type	Kensington
Matrix size	1.88 cm (0.74")	Display	
Heat dissipation	1026.8 BTU/h	Built-in display *	✗
Light source		Power	
Light source type *	Laser	Power source *	AC
Service life of light source *	20000 h	Power consumption (typical) *	302 W
Lens system		Power consumption (standby) *	0.4 W
Focal length range	22.5 - 46.7 mm	Power consumption (economy mode)	198 W
Aperture range (F-F)	2 - 3	AC input voltage	100-240 V
Zoom type	Auto	AC input frequency	50 - 60 Hz
Zoom ratio	2.1:1	Software	
Throw ratio	1.35 - 2.84:1	Software support	via: Crestron Integrated Partner, AMX Device Discovery, Control4 Simple Device Discovery Protocol
Horizontal lens shift range	-47.1 - 47.1%	Operational conditions	
Vertical lens shift range	-96.3 - 96.3%	Operating temperature (T-T)	5 - 35 °C
Lens position memory	10	Operating relative humidity (H-H)	20 - 80%
Video		Storage relative humidity (H-H)	10 - 90%
Analog signal format system *	Not supported	Weight & dimensions	
Full HD *	✓	Width	520 mm
3D *	✗	Depth	447 mm
Video processing	10 bit	Height	193 mm
Video colour modes	Cinema, Dynamic, Natural, Bright cinema, Vivid	Weight *	12.7 kg
Ports & interfaces		Package width	520 mm
USB 2.0 ports quantity *	3	Package depth	695 mm
USB 2.0 Type-B ports quantity	1	Package height	193 mm
Serial interface type *	RS-232C		
HDMI ports quantity *	3		
DVI port *	✗		

Ports & interfaces		Weight & dimensions	
Audio Return Channel (ARC)	✓	Package weight	16.9 kg
Network		Packaging content	
Ethernet LAN *	✓	Remote control included *	✓
Wi-Fi *	✗	Batteries included	✓
Storage		Cables included	AC
Card reader integrated *	✗	Logistics data	
		Quantity per pack	1 pc(s)
		Products per pallet	14 pc(s)
		Products per pallet (UK)	14 pc(s)
		Harmonized System (HS) code	85286200



8715946700748

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date