


Philips Signage Solutions 75BDL3511Q/00 Signage Display Digital signage flat panel 190.5 cm (75") IPS 400 cd/m² 4K Ultra HD Black

Brand : Philips

Product family: Signage Solutions

Product code: 75BDL3511Q/00



Product name : 75BDL3511Q/00

Philips Signage Solutions 75BDL3511Q/00. Product design: Digital signage flat panel. Display diagonal: 190.5 cm (75"), Display technology: IPS, Display resolution: 3840 x 2160 pixels, Display brightness: 400 cd/m², HD type: 4K Ultra HD. Product colour: Black




Display		Performance	
LED backlighting type	Direct-lit LED	Purpose *	Universal
Display diagonal *	190.5 cm (75")	On Screen Display (OSD)	✓
Display technology *	IPS	Number of OSD languages	12
Display resolution *	3840 x 2160 pixels	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, German, English, Spanish, French, Italian, Japanese, Polish, Russian, Turkish
Display brightness *	400 cd/m ²	Mean time between failures (MTBF)	50000 h
HD type *	4K Ultra HD	Power	
Touchscreen *	✗	Power consumption (typical) *	180 W
Native aspect ratio	16:9	Power consumption (standby) *	0.5 W
Response time	8 ms	Energy efficiency class (SDR)	G
Contrast ratio (typical)	1200:1	Energy consumption (SDR) per 1000 hours	181 kWh
Contrast ratio (dynamic)	500000:1	AC input voltage	100/240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Display number of colours	1.07 billion colours	Computer system	
Pixel pitch	0.4296 x 0.4296 mm	Computer system *	✗
Display diagonal (metric)	189.3 cm	Built-in processor *	✗
Native refresh rate	60 Hz	Video formats supported	H.264, MPEG, WMV3
Haze rate	1%	Audio formats supported	AAC, AAC HE, WMA
Ports & interfaces		Image formats supported	BMP, JPEG, PNG
HDMI ports quantity *	3	Weight & dimensions	
HDMI version	2.0	Display width	1683.5 mm
HDMI input ports quantity	3	Display depth	69.5 mm
DVI port *	✓	Display height	961.7 mm
DVI-I ports quantity	1	Display weight	37.3 kg
USB port *	✓	Packaging content	
USB ports quantity	2	Batteries included	✓
USB version	2.0	Power adapter model	AC,IR sensor,RS-232
Ethernet LAN *	✓	Operational conditions	
Ethernet LAN (RJ-45) ports	1	Operating temperature (T-T)	0 - 40 °C
Wi-Fi *	✗	Operating relative humidity (H-H)	20 - 80%
RS-232C	✓	Storage temperature (T-T)	-20 - 60 °C
OPS module slot	✓	Storage relative humidity (H-H)	5 - 95%
Audio		Certificates	
Built-in speaker(s) *	✓	Certification	FCC, Class A CB BSMI VCCI CU ETL EMF PSB
Number of built-in speakers	2	Features	
RMS rated power	20 W	Wall mountable	✓
Design			
Product design *	Digital signage flat panel		
Placement supported *	Indoor		
Orientation	Horizontal/Vertical		
Product colour *	Black		
VESA mounting *	✓		

Design

Panel mounting interface 600 x 400 mm

Other features

Maximum refresh rate 60 Hz



8712581778613



0685417580385



685417580385

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.