



# Samsung QB43B Digital signage flat panel 109.2 cm (43") LCD Wi-Fi 350 cd/m<sup>2</sup> 4K Ultra HD Black Built-in processor Tizen 6.5 16/7



**Brand :** Samsung

**Product family:** QBB

**Product code:**  
LH43QBBEBGCXEN


**Product name :** QB43B

Samsung QB43B. Product design: Digital signage flat panel. Display diagonal: 109.2 cm (43"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 350 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Operating system installed: Tizen 6.5. Product colour: Black



Display		Performance	
Panel type	VA	Purpose *	Universal
Display diagonal *	109.2 cm (43")	Operating hours (hours/days)	16/7
Display technology *	LCD	HDCP	✓
Display resolution *	3840 x 2160 pixels	HDCP version	2.2
Display brightness *	350 cd/m <sup>2</sup>	<b>Power</b>	
HD type *	4K Ultra HD	Power consumption (typical) *	110 W
Touchscreen *	✗	Power consumption (sleep)	0.5 W
Response time	8 ms	Energy efficiency class (SDR)	G
Contrast ratio (typical)	4000:1	Energy consumption (SDR) per 1000 hours	79 kWh
Dynamic contrast ratio marketing name	Mega Contrast	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Pixel pitch	0.245 x 0.245 mm	<b>Computer system</b>	
Display diagonal (metric)	108 cm	Computer system *	✓
Horizontal scan range	30 - 81 kHz	Computer system type	System on Chip (SoC)
Vertical scan range	48 - 75 Hz	Built-in processor *	✓
Haze rate	2%	Operating system installed	Tizen 6.5
Pixel frequency (max)	594 MHz	<b>Weight &amp; dimensions</b>	
RGB colour space	DCI-P3	Display width	967.5 mm
Colour gamut	92%	Display depth	48.3 mm
<b>Ports &amp; interfaces</b>		Display height	557.7 mm
HDMI ports quantity *	3	Display weight	10 kg
HDMI version	2.0	<b>Packaging data</b>	
HDMI input ports quantity	3	Package width	1095 mm
DVI port *	✗	Package depth	151 mm
USB port *	✓	Package height	676 mm
USB ports quantity	2	Package weight	13.2 kg
Ethernet LAN *	✓	<b>Operational conditions</b>	
Ethernet LAN (RJ-45) ports	1	Operating temperature (T-T)	0 - 40 °C
Wi-Fi *	✓	Operating relative humidity (H-H)	10 - 80%
RS-232 interface	✓	<b>Certificates</b>	
Infrared data port	✓	Certification	Class B 60950-1, 62368-1
Remote (IR) input	1		

Design		Logistics data	
Product design *	Digital signage flat panel	Harmonized System (HS) code	85285210
Placement supported *	Indoor	<b>Technical details</b>	
Product colour *	Black	Audio out (mini jack)	1
Screen shape	Flat	<b>Other features</b>	
VESA mounting *	✓	Bluetooth	✓
Panel mounting interface	200 x 200 mm	Flash memory	8000 MB
Bezel width (bottom)	1.12 cm	RS-232 input ports	1
Bezel width (side)	9.2 mm	RS-232 output ports	1
Bezel width (top)	9.2 mm	RJ-45 input ports	1
Bezel colour	Charcoal Black	Optional features	WMN4070SG STN-L4355G
Mounting type	Wall		



8806094201246



8592978385729



3523210101130

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.