

DELL UltraSharp 27 4K USB-C Hub Monitor - U2723QE

Brand : DELL Product family: UltraSharp Product code: DELL-U2723QE

Product name : Dell UltraSharp 27 4K USB-C Hub Monitor -

U2723QE

- 68.6cm (27") 4K Ultra HD 3840 x 2160 LED IPS
- 8ms, 16:9, 400cd/m², 2000:1
- USB, HDMI, DisplayPort

68.6cm (27") 4K Ultra HD 3840 x 2160 LED IPS, 16:9, 400cd/m², 1.07B, 8ms, 178°/178°, 2000:1

DELL UltraSharp 27 4K USB-C Hub Monitor - U2723QE:

Be your most productive on a 27 inch monitor with brilliant color and contrast that features the industry's first IPS Black technology and a connectivity hub.

DELL UltraSharp 27 4K USB-C Hub Monitor - U2723QE. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Silver











Display		Ergonomics	
Display diagonal *	68.6 cm (27") 3840 x 2160 pixels	Plug and Play	✓
Display resolution *		Power	
HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape * Supported video modes Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal	4K Ultra HD 16:9 LCD IPS LED 400 cd/m² 8 ms ✓ Flat 480p, 576p, 720p, 1080i, 1080p 2000:1 60 Hz 178°	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Power supply type	F G 26 kWh 38 kWh 25.9 W 0.3 W 220 W 0.2 W 100 - 240 V 50 - 60 Hz 2.7 A Internal
Viewing angle, vertical Display number of colours * Response time (fast)	178° 5 * 1.07 billion colours 5 ms	Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	A to G 955176
Pixel pitch	0.1554 x 0.1554 mm	Operational conditions	
Pixel density Horizontal scan range Vertical scan range Viewable size, horizontal Viewable size, vertical Display diagonal (metric) High Dynamic Range (HDR)	163.18 ppi 15 - 140 kHz 23 - 86 Hz 59.7 cm 33.6 cm 68.47 cm	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90% 0 - 5000 m 0 - 12192 m
supported	✓	Weight & dimensions	
DDC/CI Surface hardness	√ 3H	Width (with stand) Depth (with stand)	611.4 mm 185 mm
Colour gamut standard sRGB coverage (typical)	sRGB 100%	Height (with stand) Weight (with stand)	385.2 mm 6.27 kg

Display		Weight & dimensions	
DCI-P3 coverage	98%	Width (without stand)	611.4 mm
Heat dissipation (typical)	98.27 BTU/h	Depth (without stand)	54.3 mm
Performance		Height (without stand)	353 mm
NVIDIA G-SYNC *	×	Weight (without stand)	4.48 kg
AMD FreeSync *	×	Bezel width (side)	7.35 mm
Flicker-free technology	7	Bezel width (top)	7.35 mm
Low Blue Light technology	√	Bezel width (bottom)	1 cm
Multimedia		Stand weight	1.79 kg
Built-in speaker(s) *	x	Packaging data	
Built-in camera *	X	Package weight	9.53 kg
Design		Packaging content	
Market positioning *	Office	Stand included	✓
Product colour *	Silver	Cables included	AC, DisplayPort, USB Type-C to USB Type-A, USB Type-C to USB Type-C
Front bezel colour Feet colour	Black Silver	Quick start guide	✓
	Silvei	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR, EPEAT Gold, TCO
Built-in USB hub *	22.6 (2.4.6 (2.4.6))	Doesn't contain	Arsenic, PVC/BFR
USB hub version USB upstream port type	3.2 Gen 2 (3.1 Gen 2) USB Type-C	Carbon footprint	
Number of upstream ports	2	Total carbon footprint (kg of CO2e)	815
Number of USB Type-C upstream ports quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	203
USB Type-A downstream ports	5	Carbon emissions, manufacturing (kg of CO2e)	411
quantity USB Power Delivery	✓	Carbon emissions, logistics (kg of CO2e)	85
USB Power Delivery up to	90 W	Carbon emissions, energy usage (kg	
HDMI *	✓	of CO2e)	313
HDMI ports quantity	1	Carbon emissions, end-of-life (kg of	5
HDMI version	2.0	CO2e)	
DisplayPorts quantity	2	Total carbon emissions, w/o use phase (kg of CO2e)	502
Audio output	✓.	PAIA version	1.3.0
Headphone out *	v 1		2.5.0
Headphone outputs Headphone connectivity	3.5 mm	Other features	
HDCP	J.	Picture-by-Picture (PbP)	7
	•	Maximum resolution	3840 x 2160 pixels
Network		RJ-45 ports quantity Heavy metals free	1 Hg (mercury)
Wi-Fi	×	Compliance certificates	RoHS
Ergonomics		Power management	√
VESA mounting *	✓		ENERGY STAR certified Monitor.
Panel mounting interface	100 x 100 mm		EPEAT registered where applicable.
Cable lock slot *	✓		TCO Certified & TCO Certified Edge. RoHS Compliant. BFR/PVC Free
Height adjustment *	✓	Compliance industry standards	monitor Meets NFPA 99 leakage
Height adjustment	15 cm		current requirements. Arsenic-Free
Pivot	√		glass and Mercury-Free for the panel only.
Pivot angle	-90 - 90°	Logistics data	
Swivelling	√	Logistics data	
Swivel angle range	-45 - 45°	Harmonized System (HS) code	85285210
Tilt angle range	√		
Tilt angle range	-5 - 21° ✓		
On Screen Display (OSD)	*		











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.