

DELL P Series 27 USB-C Hub Monitor - P2723DE

Brand : DELL Product family: P Series Product code: DELL-P2723DE

Product name : Dell 27 USB-C Hub Monitor - P2723DE

- 68.6cm (27") Quad HD 2560 x 1440 LED IPS
- 5ms, 16:9, 350cd/m², 1000:1
- USB, HDMI, DisplayPort

68.6cm (27") Quad HD 2560 x 1440 LED IPS, 16:9, 350cd/m², 16.7M, 5ms, 178°/178°, 1000:1

DELL P Series 27 USB-C Hub Monitor - P2723DE:

Experience pure productivity on a 27-inch QHD monitor featuring extensive connectivity and ComfortView Plus.

DELL P Series 27 USB-C Hub Monitor - P2723DE. Display diagonal: 68.6 cm (27"), Display resolution: $2560 \times 1440 \text{ pixels}$, HD type: Quad HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology *	polay resolution * 2560 x 1440 pixels type * Quad HD ive aspect ratio * 16:9 blay technology * LCD	Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play	-45 - 45° ✓ -5 - 21° ✓
Panel type *	IPS	Power	
Backlight type Touchscreen * Display brightness (typical) Response time *	LED X 350 cd/m ² 5 ms	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	F Not available 26 kWh
Anti-glare screen	✓	Power consumption (typical) *	26 W
Screen shape *	Flat	Power consumption (standby) *	0.3 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 1440p	Power consumption (max)	175 W
Contrast ratio (typical) *	1000:1	Power consumption (off)	0.3 W
Maximum refresh rate *	60 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Input current	2 A
Display number of colours *	16.7 million colours	Power supply type	Internal
Response time (fast)	8 ms	Energy efficiency scale	A to G
Pixel pitch	0.2331 x 0.2331 mm	European Product Registry for Energy Labelling (EPREL) code	1057602
Pixel density	109 ppi	Operational conditions	
Horizontal scan range	29 - 113 kHz	•	0. 40.00
Vertical scan range	49 - 75 Hz	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	59.7 cm	Storage temperature (T-T)	-20 - 20 °C
Viewable size, vertical	33.6 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size diagonal	68.5 cm	Storage relative humidity (H-H)	5 - 90%
Display diagonal (metric)	68.47 cm	Operating altitude Non-operating altitude	0 - 5000 m 5000 - 12192 m

Dionlay		Weight & dimonsisss	
Display		Weight & dimensions	
High Dynamic Range (HDR) supported	×	Width (with stand)	611.6 mm
Colour gamut standard	sRGB	Depth (with stand)	190.1 mm 535.2 mm
Colour gamut	99%	Height (with stand) Weight (with stand)	6.55 kg
Performance		Width (without stand)	611.6 mm
		Depth (without stand)	52.2 mm
NVIDIA G-SYNC *	X	Height (without stand)	360.8 mm
AMD FreeSync *	×	Weight (without stand)	5.07 kg
Low Blue Light technology	✓	Bezel width (side)	7.43 mm
Multimedia		Bezel width (top)	7.37 mm
Built-in speaker(s) *	×	Bezel width (bottom)	1.78 cm
Built-in camera *	×	Packaging data	
Design		Package weight	9.78 kg
Market positioning *	Business		3.70 kg
Product colour *	Black	Packaging content	
Front bezel colour	Black	Stand included	/
Detachable stand Feet colour	√ Silver	Cables included	AC, DisplayPort, USB Type-C to USB Type-A
	Silvei	Quick start guide	✓
Ports & interfaces		Carbon footprint	
Built-in USB hub *	√	Total carbon footprint (kg of CO2e)	642
USB upstream port type	USB Type-C	Total carbon emissions, standard	151
Number of USB Type-C upstream ports quantity	1	deviation (kg of CO2e) Carbon emissions, manufacturing	
USB Type-A downstream ports quantity	5	(kg of CO2e)	333
USB Power Delivery up to	90 W	Carbon emissions, logistics (kg of CO2e)	86
HDMI *	✓	Carbon emissions, energy usage (kg	217
HDMI ports quantity	1	of CO2e)	
HDMI version	1.4	Carbon emissions, end-of-life (kg of CO2e)	5
DisplayPorts quantity DisplayPort version	1.4	Total carbon emissions, w/o use	425
Headphone out *	X	phase (kg of CO2e)	425
Charging port type	USB Type-C	PAIA version	1.3.0
Network	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Other features	
		Heavy metals free	Hg (mercury)
Wi-Fi	×	Ethernet LAN (RJ-45) ports	1
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		
Cable lock slot *	√		
Height adjustment *	√ 15 am		
Height adjustment	15 cm ✓		
Pivot Pivot angle	90 - 90°		
Swivelling	90 - 90° ✓		
Swiveling	•		















Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.