Viewsonic X2000B-4K data projector Short throw projector 2000 ANSI lumens UHD 4K (3840x2160) 3D Black

Brand : Viewsonic

Product name : X2000B-4K

Product code: X2000B-4K

- True 4K HDR immersive visual experience
- 0.22 ultra short throw ratio capable of 100" screen from 23cm away
- 2nd generation Laser Phosphor technology with 20,000 hours lifespan
- Theater-level audio by Harman Kardon with Dolby/DTS support
- Smart connectivity via Wi-Fi and Bluetooth

4K HDR Ultra Short Throw Smart Laser Projector
Viewsonic X2000B-4K. Projector brightness: 2000 ANSI lumens, Projector native resolution: UHD 4K (3840x2160), Contrast ratio (typical): 3000000:1. Light source type: Laser, Service life of light source: 20000 h, Lamp type: Nichia. Zoom type: Fixed, Offset: 140%. Supported graphics resolutions: 640 x 480 (VGA), 3840 x 2160, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RJ-45, HDMI connector type: Full-size

Projector

Smart projector *	✓
Screen size compatibility *	2540 - 2540 mm (100 - 100")
Projection distance	0.082 - 0.52 m
Projector brightness *	2000 ANSI lumens
Projector native resolution *	UHD 4K (3840x2160)
Contrast ratio (typical) *	3000000:1
Native aspect ratio *	16:9
Number of colours	1.07 billion colours
Vertical scan range	23 - 120 Hz

Light source

Light source type *	Laser
Service life of light source *	20000 h
Lamp type	Nichia
Lamp power	74 W
Lamps quantity	1 lamp(s)

Lens system

Zoom type	Fixed
Throw ratio	0.22
Offset	140%

Video

Full HD *	✓
3D *	✓
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p

Ports & interfaces

HDMI connector type	Full-size
HDMI version	2.0
USB 2.0 ports quantity *	2
Headphone outputs	1
Serial interface type *	RJ-45
HDMI ports quantity *	2
Component video (YPbPr/YCbCr) in *	1
DVI port *	✗
AC (power) in	✓
Audio Return Channel (ARC)	✓

Features

Noise level (economic mode)	30 dB
HDCP	✓
On Screen Display (OSD)	✓
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Number of OSD languages	24
Screen mirroring	✓
Noise level *	32 dB
Real cinema	✓
High Dynamic Range (HDR) supported	✓
Eye protection	✓

Multimedia

Built-in speaker(s) *	✓
RMS rated power	50 W
Number of built-in speakers	2

Design

Market positioning *	Home cinema
Product type *	Short throw projector
Product colour *	Black

Display

Built-in display *	✗

Power

Power source *	AC
Power consumption (typical) *	250 W
Power consumption (standby) *	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Weight & dimensions

Width	451 mm
Depth	332 mm

Network

Smart TV *	✘
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✔
Bluetooth	✔

Storage

Card reader integrated *	✘
Internal storage capacity	32 GB

Features

Interactive *	✘

Weight & dimensions

Height	100 mm
Weight *	6.8 kg
Package width	557 mm
Package depth	488 mm
Package height	187 mm
Package weight	9.9 kg

Packaging content

Remote control included *	✔
Remote control type	IR
Cables included	AC
Packaging content	Power Cord: 1 Remote Control: 1 (w/ backlit) QSG: Yes Warranty Card: Yes (CN Only)

Logistics data

Quantity per pack	1 pc(s)
Harmonized System (HS) code	85286200

0766907016116

766907016116