

DELL UltraSharp 32 4K Video Conferencing Monitor - U3223QZ

Brand : DELL Product family: UltraSharp Product code: DELL-U3223QZ

Product name : Dell UltraSharp 32 4K Video Conferencing Monitor - U3223QZ

- 81.3cm (32") 4K Ultra HD 3840 x 2160 LED TFT/IPS
- 8ms, 16:9, 400cd/m², 2000:1
- USB, HDMI, DisplayPort

 $81.3 cm~(32")~4 K~Ultra~HD~3840~x~2160~LED~TFT/IPS,~16:9,~400 cd/m^2,~1.07 B,~8 ms,~178°/178°,~2000:11860~Ms,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°/178°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~1180°,~$

DELL UltraSharp 32 4K Video Conferencing Monitor - U3223QZ:

32" all-in-one monitor with extreme clarity that integrates an intelligent 4K webcam and IPS Black technology.

DELL UltraSharp 32 4K Video Conferencing Monitor - U3223QZ. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Silver











Display		Ergonomics	
Display diagonal * 80 cm (31.5") Display resolution * 3840 x 2160 pixels HD type * 4K Ultra HD Native aspect ratio * 16:9 Display technology * LCD	Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play LED indicators	✓ -5 - 21° ✓ ✓	
Panel type *	TFT/IPS	Power	
Backlight type Touchscreen * Display brightness (typical) Response time *	LED X 400 cd/m ² 8 ms	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	F G 30 kWh
Anti-glare screen Screen shape *	√ Flat	Energy consumption (HDR) per 1000 hours *	40 kWh
Supported video modes	480p, 720p, 1080i, 1080p, 2160p	Power consumption (typical) *	29.9 W
Contrast ratio (typical) *	2000:1	Power consumption (standby) *	0.3 W
Maximum refresh rate *	60 Hz	Power consumption (max)	240 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	1.07 billion colours	AC input frequency	50 - 60 Hz
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.18159 x 0.18159 mm	Energy efficiency scale	A to G
Pixel density Horizontal scan range	140 ppi 15 - 140 kHz	European Product Registry for Energy Labelling (EPREL) code	1104060
Vertical scan range	23 - 86 Hz	Operational conditions	
Viewable size, horizontal	69.7 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size, vertical	39.2 cm	Storage temperature (T-T)	-20 - 60 °C
Display diagonal (metric)	80 cm	Operating relative humidity (H-H)	10 - 80%
High Dynamic Range (HDR) supported	×	Storage relative humidity (H-H)	5 - 90%
Surface hardness	ЗН	Operating altitude Non-operating altitude	0 - 5000 m 0 - 12192 m

Display		Weight & dimensions	
Colour gamut standard	DCI-P3	Width (with stand)	712.6 mm
Colour gamut	98%	Depth (with stand)	230 mm
sRGB coverage (typical)	100%	Height (with stand)	497.8 mm
Dell ComfortView technology	✓	Weight (with stand)	11.5 kg
Performance		Width (without stand)	712.6 mm
		Depth (without stand)	58 mm
Flicker-free technology	V	Height (without stand)	475.5 mm
Low Blue Light technology	V	Weight (without stand)	7.26 kg
Infrared (IR) sensor	4	Bezel width (side)	7.65 mm
Multimedia		Bezel width (top)	3.85 cm
Number of speakers	2	Bezel width (bottom)	2.21 cm
RMS rated power	14 W	Packaging data	
Built-in speaker(s) *	✓	Package weight	16.1 kg
Megapixel (approx.)	8 MP	USB cable length	1 m
Built-in microphone	√	Packaging content	
Built-in camera *	✓		,
Design		Stand included	DisplayPort LISP Type A to LISP
Market positioning * Product colour *	Business Silver	Cables included	DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
Front bezel colour	Black	Quick start guide	✓
Detachable stand	JIACK ✓	DisplayPort cable length	1.8 m
Feet colour	Silver	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR, TCO
Built-in USB hub *	1	Doesn't contain	PVC/BFR
USB upstream port type	USB Type-C	Carbon footprint	
Number of upstream ports	2	Total carbon footprint (kg of CO2e)	841
USB Type-A downstream ports quantity	5	Total carbon emissions, standard deviation (kg of CO2e)	216
USB Type-C downstream ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	458
USB Power Delivery	√	Carbon emissions, logistics (kg of	80
USB Power Delivery up to	90 W	CO2e)	
HDMI *	✓	Carbon emissions, energy usage (kg of CO2e)	294
HDMI ports quantity	1	Carbon emissions, end-of-life (kg of	
HDMI version	2.0	CO2e)	9
DisplayPorts quantity	2	Total carbon emissions, w/o use	547
DisplayPort version	1.4	phase (kg of CO2e)	
Headphone out *	✓	PAIA version	1.3.1
Headphone outputs	1	Other features	
Built-in KVM switch	√	On/off switch	✓
HDCP	Y	Picture-by-Picture (PbP)	✓
AC (power) in	4	Maximum resolution	3840 x 2160 pixels
Network		RJ-45 ports quantity	1
Wi-Fi	×	Heavy metals free Proximity sensor	Hg (mercury)
Ergonomics		Compliance certificates	RoHS
VESA mounting *	✓	Power management	✓
Panel mounting interface	100 x 100 mm	Logistics data	
Cable lock slot *	✓		05205210
Cable lock slot type	Kensington	Harmonized System (HS) code	85285210
Height adjustment *	√		
Height adjustment	15 cm		
Pivot	X		
Swivelling	30 30°		
Swivel angle range	-30 - 30°		





5397184567814

0884116416975



884116416975

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.