Samsung QE85T Digital signage flat panel 2.16 m (85") LCD 300 cd/m² 4K Ultra HD Black Built-in processor Tizen 4.0 16/7

Brand : Samsung

Product family: QET

Product code: LH85QETELGCXEN

Product name : QE85T

- Engage customers with lifelike UHD images

- Deliver UHD-level picture quality even with lower resolution content through Crystal Processor 4K - Easily manage display content with MagicINFO Lite solution

85", VA, 4K UHD (3840 x 2160), 300 nit, 1200:1, 178/178, 8 ms, RJ-45, HDCP, HDMI, RS232, AC 100-240V, 50/60Hz, 1900.9 x 1086.2 x 26.9 mm, 41.5 kg

Samsung QE85T. Product design: Digital signage flat panel. Display diagonal: 2.16 m (85"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 300 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 16/7. Operating system installed: Tizen 4.0. Product colour: Black





Display		Performance	
Panel type VA Display diagonal * 2.16 m (85") Display technology * LCD Display resolution * 3840 x 2160 pixels	Purpose * Operating hours (hours/days) HDCP HDCP version	Universal 16/7 • 2.2	
Display brightness *	300 cd/m²	Power	
HD type * Touchscreen * Response time Contrast ratio (typical) Dynamic contrast ratio marketing name	4K Ultra HD 8 ms 4000:1 marketing Mega Contrast	Power consumption (typical) * Power consumption (sleep) AC input voltage AC input frequency Energy efficiency scale	275 W 0.5 W 100 - 200 V 50 - 60 Hz A+++ to D
Viewing angle, horizontal	178°	Computer system	
Viewing angle, vertical Pixel pitch Colour saturation Horizontal scan range	ng angle, vertical 178° pitch 0.4875 x 0.4875 mm r saturation 72%	Computer system * Computer system type Built-in processor * Operating system installed	✓ System on Chip (SoC) ✓ Tizen 4.0
Vertical scan range	24 - 75 Hz	Weight & dimensions	
Haze rate Pixel frequency (max) Colour gamut Ports & interfaces	2% 594 MHz 72%	Display width Display depth Display height	1900.9 mm 26.9 mm 1086.2 mm
HDMI ports quantity *	2	Display weight	41.5 kg
HDMI version HDMI input ports quantity DVI port * USB port * USB ports quantity Ethernet LAN * Ethernet LAN (RJ-45) ports	2.0 2 × 1 1	Packaging dataPackage widthPackage depthPackage heightPackage weightOperational conditionsOperating temperature (T-T)	2075 mm 220 mm 1237 mm 54.3 kg 0 - 40 °C
RS-232 interface	✓	Operating relative humidity (H-H)	10 - 80%
Design	Dinital since a flat annul	Certificates	
Product design * Placement supported *	Digital signage flat panel Indoor	Certification	Class B 60950-1, 62368-1
Product colour *	Black	Technical details	
Screen shape	Flat	Audio out (mini jack)	1
VESA mounting *Image: Constraint of the second	Other features Annual energy consumption Flash memory	304 kWh 8000 MB	

Other features

RS-232 input ports	1	
RJ-45 input ports	1	
Energy efficiency class (old)	А	
Optional features	WMN8200SG	



8806094453317

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.