

## Philips S Line 272S1MH/00 LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black

Brand : Philips

Product family: S Line

Product code: 272S1MH/00

Product name : 272S1MH/00

Business Monitor 272S1MH LCD monitor with Windows Hello Webcam

Philips S Line 272S1MH/00 LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black:

The Philips S Line monitor provides features that guarantee comfortable working and daily productivity. 3 sided frameless bezel with crisp FHD gives a clearer and wider view. Pop-up webcam with Windows Hello delivers performance and convenience.

Philips S Line 272S1MH/00. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black









Display68.6 cm (27")Display resolution *1920 x 1080 pixels	<b>Ergonomics</b> Swivel angle range Tilt adjustment	-180 - 180°
	0 0	-180 - 180°
Display resolution * 1920 x 1080 pixels	Tilt adjustment	
	The aujustment	✓
HD type * Full HD	Tilt angle range	-5 - 25°
Native aspect ratio * 16:9	On Screen Display (OSD)	✓
Display technology * LED		Simplified Chinese, Traditional
Panel type * IPS		Chinese, Czech, German, Dutch, English, Spanish, Finnish, French,
Backlight type W-LED	On Screen Display (OSD) languages	Greek, Hungarian, Italian, Japanese,
Touchscreen *		Korean, Polish, Portuguese, Russian,
Display brightness (typical) 300 cd/m <sup>2</sup>		Swedish, Turkish, Ukrainian
Response time * 4 ms	Number of OSD languages	21
Anti-glare screen	Plug and Play	
Screen shape * Flat	LED indicators	Operation, Stand-by
Aspect ratio 16:9	Power	
Contrast ratio (typical) * 1000:1	Energy efficiency class (SDR) *	E
Contrast ratio (dynamic) 50000000:1 Dynamic contrast ratio marketing	Energy consumption (SDR) per 1000 hours *	<sup>0</sup> 21 kWh
name SmartContrast	Power consumption (typical) *	16.23 W
Maximum refresh rate * 75 Hz	Power consumption (standby) *	0.3 W
Viewing angle, horizontal 178°	Power consumption (off)	0.3 W
Viewing angle, vertical 178°	Power consumption (PowerSave)	11.6 W
Display number of colours * 16.7 million colours	AC input voltage	100 - 240 V
Pixel pitch         0.3114 x 0.3114 mm	AC input frequency	50 - 60 Hz
Pixel density 82 ppi	Power supply type	Internal
Horizontal scan range 30 - 85 kHz	European Product Registry for	1187990
Vertical scan range 48 - 75 Hz	Energy Labelling (EPREL) code	110/990
Viewable size, horizontal 59.8 cm	Operational conditions	
Viewable size, vertical 33.6 cm	Operating temperature (T-T)	0 - 40 °C
Display diagonal (metric) 68.6 cm	Storage temperature (T-T)	-20 - 60 °C
DDC/CI	Operating relative humidity (H-H)	20 - 80%
Haze rate 25%		

Publication date: 04-NOV-2024. Prints or copies of Information are only valid on the printed Publication date

Display		Operational conditions	
Surface hardness	3H	Operating altitude	0 - 3658 m
sRGB coverage (typical)	102%	Non-operating altitude	0 - 12192 m
NTSC coverage (typical)	81%	Weight & dimensions	
Display sRGB	✓	Width (with stand)	613 mm
Performance		Depth (with stand)	205 mm
NVIDIA G-SYNC *	×	Height (with stand)	537 mm
AMD FreeSync *	×	Weight (with stand)	6.22 kg
Fast charging	1	Width (without stand)	613 mm
VESA Adaptive Sync support	1	Depth (without stand)	51 mm
Component video sync	Separate sync, Sync-on-green	Height (without stand)	366 mm
component video sync	(SOG)	Weight (without stand)	4.35 kg
Flicker-free technology	4	Packaging data	
Low Blue Light technology	✓	Package width	700 mm
Multimedia		Package depth	215 mm
Number of speakers	2	Package height	456 mm
RMS rated power	2 W	Package weight	430 mm 9.62 kg
Built-in speaker(s) *	4		9.02 Kg
Megapixel (approx.)	2 MP	Packaging content	
Built-in microphone	4	Stand included	1
Built-in camera *	4	Cables included	VGA, HDMI, DisplayPort, USB Type-A to USB Type-B, Audio (3.5mm), AC
Design		Quick start guide	4
Market positioning *	Home	Manual	1
Product colour *	Black	Bundled software	SmartControl
Front bezel colour	Black	Sustainability	
Feet colour	Black	Sustainability certificates	ENERGY STAR, TCO
Deute Clinterferen			
Ports & interfaces		Doesn't contain	PVC/BFR, Mercury
Built-in USB hub *	1	Doesn't contain Other features	PVC/BFR, Mercury
	✔ 3.2 Gen 1 (3.1 Gen 1)	Other features	
Built-in USB hub *		Other features Compatible operating systems	Mac OS X, Windows 10 / 8.1 / 8 / 7
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports	3.2 Gen 1 (3.1 Gen 1)	Other features Compatible operating systems Exterior finish type	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3	Other features Compatible operating systems Exterior finish type Picture enhancement	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1	Other features Compatible operating systems Exterior finish type	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100%
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3	Other features Compatible operating systems Exterior finish type Picture enhancement	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI *	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 ✓ 1	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury)
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 ✓ 1 1.4	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury)
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 ✓ 1 1.4 1.4	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury)
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 ↓ ↓ 1 1.4 1 1.2	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old)	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury)
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 √ 1 1.4 1 1.2 ✓	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury) E 4.35 kg
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 ↓ ↓ 1 1.4 1 1.2	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury) E 4.35 kg 366 mm
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 √ 1 1.4 1 1.2 ✓	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury) E 4.35 kg 366 mm 613 mm
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP HDCP version	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 √ 1 1.4 1 1.2 ✓	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury) ✓ E 4.35 kg 366 mm 613 mm 51 mm
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP HDCP version	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 1 √ 1 1.4 1 1.2 ✓ ✓ 1.4	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth Compliance certificates	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury) ✓ E 4.35 kg 366 mm 613 mm 51 mm RoHS 70000 h CB, FCC Class B, ICES-003, CE Mark,
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP HDCP version <b>Ergonomics</b>	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 1 √ 1 1.4 1 1.2 ✓ ✓ 1.4	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth Compliance certificates	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury) ✓ E 4.35 kg 366 mm 613 mm 51 mm RoHS 70000 h CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC,
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP HDCP version Ergonomics VESA mounting * Panel mounting interface	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 1 √ 1 1.4 1 1.2 ✓ ✓ 1.4	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth Compliance certificates Mean time between failures (MTBF)	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury) ✓ E 4.35 kg 366 mm 613 mm 51 mm RoHS 70000 h CB, FCC Class B, ICES-003, CE Mark,
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP HDCP version <b>Ergonomics</b> VESA mounting * Panel mounting interface Cable lock slot *	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 1 1 4 1 1.4 1 1.2 ✓ 1.4 1.4 1 1.2 ✓ 1.4	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth Compliance certificates Mean time between failures (MTBF)	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury) ✓ ✓ E 4.35 kg 366 mm 613 mm 51 mm RoHS 70000 h CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, TUV Eye Comfort
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP HDCP version <b>Ergonomics</b> VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 1 4 1 1.2 ✓ 1.4 1.4 1.2 ✓ 1.4 1.2 ✓ Kensington	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth Compliance certificates Mean time between failures (MTBF) Certification	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury)
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP HDCP version <b>Ergonomics</b> VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment *	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 1 4 1 1.4 1 1.2 ✓ 1.4 1.4 1.2 ✓ 1.4 1.4 1.4 1.2 ✓ Kensington ✓	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth Compliance certificates Mean time between failures (MTBF)	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury)
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP HDCP version <b>Ergonomics</b> VESA mounting * Panel mounting interface Cable lock slot type Height adjustment * Height adjustment	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 1 4 1 1.4 1 1.2 ✓ 1.4 1.2 ✓ 1.4 1.4 1.2 ✓ Kensington ✓ 13 cm	Other features Compatible operating systems Exterior finish type Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free EasyRead mode LowBlue mode Energy efficiency class (old) Weight Height Width Depth Compliance certificates Mean time between failures (MTBF) Certification	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury)
Built-in USB hub * USB hub version USB upstream port type USB Type-A downstream ports quantity VGA (D-Sub) ports quantity DVI-D ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output PC Audio in HDCP HDCP version <b>Ergonomics</b> VESA mounting * Panel mounting interface Cable lock slot type Height adjustment * Height adjustment Pivot	3.2 Gen 1 (3.1 Gen 1) USB Type-B 3 1 1 1 1 1 1.4 1 1.2 ✓ 1.4 1.4 1 1.2 ✓ Kensington ✓ 13 cm ✓	Other featuresCompatible operating systemsExterior finish typePicture enhancementRecyclable packaging materialRegulatory ApprovalsHeavy metals freeEasyRead modeLowBlue modeEnergy efficiency class (old)WeightHeightWidthDepthCompliance certificatesMean time between failures (MTBF)CertificationRecycling dataPost-consumer recycled plastic	Mac OS X, Windows 10 / 8.1 / 8 / 7 Textured SmartImage 100% CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified Hg (mercury)



8712581794989

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.