360°All Around Webcam

macOS® / Windows® / Chrome OS™ Compatible

MODEL: JVCU360



With the JVCU360, you can enhance your conference calls with 360° video and omnidirectional audio. The 360° camera is plug-and-play, meaning there is no driver installation required. The JVCU360 supports 1080p video playback @ 30 Hz with several different display modes including full screen, all around view mode, host, dual host, single view mode and wide angle view mode.













Adjustable Stand 4.2 cm/ 1.6 in.

FEATURES

- 360° video conferencing camera
- Built-in omnidirectional microphone
- Six display modes deliver exceptional viewing angles with flexibility and versatility
- Adjustable fields of view
- Full HD 1080p video playback @ 30 Hz
- USB™ UVC/UAC plug-and-play
- Touch bar to specify participants' location
- Some applications cause the image to appear reversed. In this situation, you can press and hold the "mode" button for 3 seconds to reverse the image on the screen.
- Supports your favorite video conferencing apps
 - o Skype™
 - Skype[™] for business
 - o Microsoft® Teams
 - Google Meet™
 - o Cisco®
 - o Zoom™
 - o BlueJeans™
 - o Amazon Chime™
 - GoToMeeting®
 - o Slack™

SYSTEM REQUIREMENTS

- Available USB-C[™] or USB[™] Type-A port
- Windows® 10
- macOS® with UVC support
- Chrome OS™ with UVC support
- Operating systems with standard UVC/UAC drivers

HARDWARE	
LED	Red = mute Blue = power on
Display Modes	 Full screen mode 360° all around view mode Host mode Dual host mode Single view mode (S) 90° Wide angle view mode (L) 120°
Microphone	2-Channel
Connection	USB™ 2.0/UVC 1.1/UAC 1.0
Cable	Built-in USB-C™ cable with USB™ Type-A converter (300 cm/118.11 in.)
Buttons	1 - Mute/Unmute 1 - Mode Select 1 - Touch Bar


PERFORMANCE	
Imaging Sensor	1/3" CMOS sensor
Display Resolution	640 x 360 (MJPEC) 640 x 480 (YUV) 1280 x 720 (MJPEC) 1920 x 1080 (MJPEC)
Megapixels	2 million pixels
Maximum Refresh Rate	30 Hz
Effective Pixels	Full screen mode: 1920 x 540, 1920 x 540 360° all around view mode: 1920 x 270 Host mode: 1920 x 270, 1920 x 810 Dual host mode: 1920 x 270, 960 x 810 Single view mode (S): 1920 x 1080 Wide angle view mode (L): 1920 x 1080
Display FOV	Full screen mode: 2 - 180°(H), 53°(V) 360° all around view mode: 360°(H), 53°(V) Host mode: 360°(H), 120°(H), 53°(V) Dual host mode: 360°(H), 60°(H), 53°(V) Single view mode: 98°(H), 58.5°(V) Wide angle view mode: 120°(H), 88.6°(V)

Video Streaming	H.264: 1920 x 1080/1280 x 720/640 x 480/640 x 360) MJPEG: 1920 x 1080/1280 x 720/640 x 480/640 x 360 YUV2: 640 x 480
Frame Rate	1080P @ 30 FPS /720P @ 30FPS/480P @ 30 FPS/360P @ 30FPS
Protocol	UVC 1.1 & UAC

INTERFACE

Full screen 360°





All around view 360°





Host mode *Compatible with touch bar






Dual host mode *Compatible with touch bar




Single view 90° *Tilt the camera to the forward position





Wide angle view 120° *Tilt the camera to the forward position





POWER	
Power Delivery	N/A
Power Consumption	Approximately 500 mA

PHYSICAL SPECIFICATIONS	
Color	White, Black
Enclosure Type	ABS
Product Dimensions	Main body: 9.35(W) x 3.7(D) x 19.3(H) cm Stand telescopic range: 4.2 cm
Cable Length	300 cm/118.11 in.
Product Weight	≒350g
Storage Temperature	-4°F to 140°F (-20°C to 60°C)
Storage Humidity	< 90% non-condensing
Operating Temperature	41°F to 104°F (0°C to 40°C)
Operating Humidity	< 90% non-condensing

PACKAGE CONTENTS

- 1 JVCU360
- 1 Quick Installation Guide

REGULATORY COMPLIANCE

FCC

This equipment has been tested and found to comply with FCC Part 15, Subpart B, ANSI C63.4-2014, ICES-003 Issue 6, January 2016 (Updated April 2019).

Operation is subject to the following two conditions:

- This device may not cause harmful interference
- This device must accept any interference, including interference that may cause undesired operation of the device.

CE

This equipment is in compliance with the requirements of the following regulations: EN 55032:2015+AC:2016 Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55035:2017

RCM

Standard(s): AS/NZS CISPR 32:2015 Class B

VCCI

This equipment is in compliance with the requirements of the following regulations:

CISPR 32 © IEC: 2016 Class B

Disclaimer

Information in this document is subject to change without notice. The manufacturer does not make any representations or warranties (implied or otherwise) regarding the accuracy and completeness of this document and shall in no event be liable for any loss of profit or any commercial damage, including but not limited to special, incidental, consequential, or other damage. No part of this document may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopying, recording or information recording and retrieval systems without the expressed written permission of the manufacturer.

LIMITED WARRANTY

j5create offers a limited 1-year warranty. User's wear & tear damage is not included. The user shall call or email j5create customer service with the defect information of the product and obtain a return authorization number. Users are responsible for one-way return freight cost and we will take care of one-way freight back. In order to obtain a return authorization number, users should have the following information handy when calling or emailing the service team:

- (i) a copy of the original purchase invoice to verify your warranty
- (ii) a product serial number
- (iii) a description of the problem
- (iv) customer's name, address, and telephone number

j5create does not warrant that the operation of the product will be uninterrupted or error-free. j5create is not responsible for damage arising from failure to follow instructions relating to the product's use. This warranty does not apply to: (a) consumable parts, unless damage has occurred due to a defect in materials or workmanship; (b) cosmetic damage, including but not limited to scratches, dents, and broken plastic on ports; (c) damage caused by use with non-j5create products; (d) damage caused by natural disasters; (e) damage caused by human misuse (lost, accident, abuse, misuse or other external causes); (f) damage caused by operating the product outside the permitted or intended uses described by j5create; (g) damage caused by service (including upgrades and expansions) performed by anyone who is not a representative of j5create or a j5create Authorized Service Provider; (h) a product or part that has been modified to alter functionality or capability without the written permission of j5create; or (i) if any j5create serial number on the product has been removed or defaced. If such a situation occurs, j5create will calculate the cost of materials and repair for your reference. This warranty is given by j5create in lieu of any other warranties expressed or implied.

LIMITATION OF WARRANTY

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE (OR BY COUNTRY OR PROVINCE). OTHER THAN AS PERMITTED BY LAW, J5CREATE DOES NOT EXCLUDE, LIMIT OR SUSPEND OTHER RIGHTS YOU MAY HAVE, INCLUDING THOSE THAT MAY ARISE FROM THE NONCONFORMITY OF A SALES CONTRACT. FOR A FULL UNDERSTANDING OF YOUR RIGHTS YOU SHOULD CONSULT THE LAWS OF YOUR COUNTRY, PROVINCE OR STATE. TO THE EXTENT NOT PROHIBITED BY LAW IN YOUR STATE, PROVINCE, JURISDICTION OR COUNTRY, THIS WARRANTY AND THE REMEDIES SET FORTH ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED.

J5CREATE'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN HARDWARE AND/OR SOFTWARE IS LIMITED TO REPAIR OR REPLACEMENT AS SET FORTH IN THIS WARRANTY. J5CREATE'S LIABILITY DOES NOT EXTEND BEYOND THE REMEDIES PROVIDED FOR IN THIS LIMITED WARRANTY, AND J5CREATE DOES NOT ACCEPT LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, FOR THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES, FOR PRODUCTS NOT BEING AVAILABLE FOR USE, OR FOR LOST OR DAMAGED DATA OR SOFTWARE. J5CREATE DOES NOT WARRANT THAT THE OPERATION OF ANY J5CREATE PRODUCT WILL BE UNINTERRUPTED OR ERROR FREE.

J5CREATE'S LIABILITY IN ANY SITUATION WILL BE NO MORE THAN THE AMOUNT YOU PAID FOR THE SPECIFIC PRODUCT THAT IS THE SUBJECT OF A CLAIM. THIS IS THE MAXIMUM AMOUNT FOR WHICH WE ARE RESPONSIBLE.

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS WARRANTY AND TO THE EXTENT NOT PROHIBITED BY LAW, J5CREATE DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY, MERCHANTABLE QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND WARRANTIES AND CONDITIONS AGAINST HIDDEN OR LATENT DEFECTS. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES AND CONDITIONS, SO THIS DISCLAIMER MAY NOT APPLY TO YOU.

TO THE EXTENT SUCH WARRANTIES AND CONDITIONS CANNOT BE DISCLAIMED UNDER THE LAWS OF THE UNITED STATES, CANADA (AND ITS PROVINCES) OR OTHERWISE, J5CREATE LIMITS THE DURATION AND REMEDIES OF SUCH WARRANTIES AND CONDITIONS TO THE DURATION OF THIS EXPRESS LIMITED WARRANTY AND, AT J5CREATE'S OPTION, REPAIR OR REPLACEMENT SERVICES. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES MAY NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION MAY LAST, SO THE LIMITATION DESCRIBED ABOVE MAY NOT APPLY TO YOU.

NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE LIMITED WARRANTY PERIOD HAS EXPIRED. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU.

WARRANTY SUPPORT ONLY APPLIES WHEN THE COVERED PRODUCT IS LOCATED WITHIN THE COUNTRY IN WHICH J5CREATE ORIGINALLY SOLD THE SYSTEM, AS REFLECTED IN J5CREATE'S RECORDS. IF YOU NEED SUPPORT FOR THE PRODUCT OUTSIDE OF THE COUNTRY OF ORIGIN (FOR EXAMPLE, WHILE TRAVELING, OR IF THE SYSTEM HAS BEEN RELOCATED TO A NEW COUNTRY), THEN J5CREATE MAY OFFER YOU OTHER SUPPORT OPTIONS FOR AN ADDITIONAL CHARGE.

For more information please visit our website at http://www.j5create.com

Copyright © 2020 j5create. All rights reserved. All trade names are registered trademarks of their respective owners. Features and specifications are subject to change without notice. Product may not be exactly as shown in the diagrams.

Windows, Skype and Microsoft are trademarks of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. macOS is a trademark of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. USB and USB-C are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Chrome OS and Google Meet are trademarks of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Cisco is a trademark of Cisco Systems, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Zoom is a trademark of Zoom Video Communications, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. BlueJeans is a trademark of Blue Jeans Network, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Amazon Chime is a trademark of Amazon Services LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. GoToMeeting is a trademark of LogMeIn, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Slack is a trademark of Slack Technologies, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.