



Flex Task Operator Chair White Frame

SKU KC0055



Colour:

Black, White, Red, Green, Orange, Blue, Grey

Seat Colour:

Black, Bespoke Bergamot Cherry, Bespoke Myrrh Green, Bespoke Stevia Blue, Bespoke Tabasco Orange, Bespoke Senna Yellow, Bespoke Ginseng Chilli, Bespoke Maringa Teal, Bespoke Tansy Purple

Headrest:

None, With Headrest



Details

The Flex uses modern materials to create a chair that is practical and innovative with features such as pliable and flexible backrest, adjustable gel padded arms, a large cushioned seat with waterfall front and an enclosed mechanism.

Product Features:

- Available with white or black finish
- Backrest available in variety of colours
- Stylish modern design
- Large cushioned seat
- Synchro tilt mechanism
- Flexible back for optimum user comfort
- Height adjustable gel padded arms
- Matching nylon 5 star base and arms
- Optional fixed headrest

Specifications

Brand: Flex

Flat Packed or Assembled: Flat Packed

Maximum Weight Capacity (kg): 110

Recommended Usage (Hours): 8

Mechanical Components Guarantee: 2 Years



Fabric and Foam Guarantee: 1 Year

Overall Dimensions (mm)

- Overall Width: 690
- Overall Depth: 680
- Overall Height: 945

Product Weight (kg): 19.2

Seat Dimensions (mm)

- Seat Width: 500
- Seat Depth: 490
- Seat Height: 460-540

Back Type: Medium; High

Back Dimensions (mm)

- Back Width: 450
- Back Height: 490; 690

Arm Features (where Included)

- Arm Type: Height Adjustable

Arm Dimensions (mm)

- Arms Width: 475
- Arms Height: 630-700

Mech: Gas Height Adjustment: Yes

Mechanism Tilt Type

- Mech: Synchro Tilt: Yes
- Mech: Anti-Shock: Yes



Tilt Tension

- Mech: Tilt Tension Adjustment: Yes

Headrest Adjustment

- Headrest Included: Yes

- Headrest Type: Fixed

Packaging Dimensions (mm)

- Height of Box: 650

- Width of Box: 650

- Depth of Box: 380

Gross Weight of Box (kg): 22.4

NI EORI Number: XI883592674000

SI EORI Number: GB883592674000

Commodity Code: 94013000; 94013000 94019080; 94013000 94019080 54075200; 94013000 54075200

BOSS ISPC Classification: 60252; 60254