

GIGABYTE Z790 AERO G Motherboard - Supports Intel Core 14th CPUs, up to 7600MHz DDR5 (OC), 1xPCIe 5.0+4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2

Brand : GIGABYTE

Product code: Z790 AERO G

Product name : Z790 AERO G Motherboard - Supports Intel Core 14th CPUs, up to 7600MHz DDR5 (OC), 1xPCIe 5.0+4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2



ATX, LGA 1700 socket, Intel Z790 Express chipset, 4x DDR5, Wi-Fi 6E, AMI UEFI BIOS

GIGABYTE Z790 AERO G Motherboard - Supports Intel Core 14th CPUs, up to 7600MHz DDR5 (OC), 1xPCIe 5.0+4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports		
Processor manufacturer *	Intel	HDMI ports quantity *	1	
Processor socket *	LGA 1700	HDMI version	2.0	
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3,	DisplayPorts quantity	1	
	Intel® Core™ i5, Intel® Core™ i7,	DisplayPort version	1.4	
Supported processor sockets	Intel® Core™ i9, Intel® Pentium®	Headphone outputs	2	
	Gold	Microphone in	✓	
Maximum internal memory supported by processor	192 GB	S/PDIF out port	✓	
Memory	Supported memory types * Number of memory slots * Memory slots type Memory channels ECC compatibility Supported memory clock speeds MHz Supported memory clock speed (max) Maximum internal memory * Unbuffered memory	DDR5-SDRAM	WiFi-AP antenna jack	2
		4	USB connector type	USB Type-A, USB Type-C
		DIMM	Network	
		Dual-channel	Ethernet LAN	✓
		ECC & Non-ECC	Ethernet interface type	2.5 Gigabit Ethernet
		4000,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600	Wi-Fi *	✓
		7600 MHz	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
		192 GB	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
		✓	WLAN controller model	Intel Wi-Fi 6E AX211
		Storage controllers		Bluetooth
Supported storage drive types	HDD & SSD	Bluetooth version	5.3	
Supported storage drive interfaces *	M.2, PCI Express 4.0, PCI Express 5.0, SATA III	Features		
Number of HDDs supported	4	Motherboard chipset *	Intel Z790	
Number of storage drives supported	9	Audio chip	Realtek ALC1220-VB	
RAID support	✓	Audio output channels *	7.1 channels	
RAID levels	0, 1, 5, 10	Product colour	Black	
Graphics		PC health monitoring	Fan, Temperature, Voltage, Water cooling	
Parallel processing technology support *	Crossfire	Component for *	PC	
Maximum resolution	4096 x 2304 pixels	Motherboard form factor *	ATX	
HDCP	✓	Motherboard chipset family *	Intel	
DirectX version	12.0	Windows operating systems supported	Windows 10 x64, Windows 11 x64	
Internal I/O				
USB 2.0 connectors *	2			

Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	PCI Express x16 slots	3
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Number of M.2 (M) slots	5
Number of SATA III connectors *	4	BIOS	
Total number of SATA connectors	4	BIOS type *	UEFI AMI
Front panel audio connector	✓	BIOS memory size	256 Mbit
Front panel connector	✓	ACPI version	5.0
ATX Power connector (24-pin)	✓	Clear CMOS jumper	✓
CPU fan connector	✓	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
Serial port headers	1	Country of origin	China
Thunderbolt headers	2	Products per shipping (inner) case	1 pc(s)
12V power connector	✓	Battery	
RGB LED pin header	✓	Battery weight	3 g
Rear panel I/O ports		Lithium weight per battery	0.07 g
USB 2.0 ports quantity *	2	Number of battery cells	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Battery type	CR2032
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Packaging data	
USB 3.2 Gen 2x2 Type-C ports quantity	1	Package width	335 mm
Ethernet LAN (RJ-45) ports *	1	Package depth	270 mm
		Package height	80 mm
		Package weight	2.48 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security
		Technical details	
		Warranty period	3 year(s)



4719331849610

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-NOV-2024. Prints or copies of Information are only valid on the printed Publication date