GIGABYTE

GIGABYTE B650M AORUS ELITE AX Motherboard - Supports AMD AM5 CPUs, 12+2+1 Digital VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand : GIGABYTE

Product code: B650M AORUS ELITE AX

Product name : B650M AORUS ELITE AX Motherboard -Supports AMD AM5 CPUs, 12+2+1 Digital VRM, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Micro ATX, Socket AM5, AMD B650 chipset, 4x DDR5 DIMM, Wi-Fi 6E, AMI UEFI BIOS

GIGABYTE B650M AORUS ELITE AX Motherboard - Supports AMD AM5 CPUs, 12+2+1 Digital VRM, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 1xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series * Maximum number of SMP processors Supported processor sockets		AMD Socket AM5 AMD Ryzen 7000 Series 1 Socket AM5	DisplayPort version Headphone outputs Microphone in S/PDIF out port Digital audio optical out WiFi-AP antenna jack	1.4 1 ✓ ✓ 1 2
Memory Supported memory types * DDR5-SDRAM			USB connector type	USB Type-A, USB Type-C
Number of memory slots * Memory slots type	4 DIMM		Network	
Memory channels ECC compatibility Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Unbuffered memory	Dual-channel Non-ECC 4400,4800,5200,5600, MHz 8000 MHz 192 GB ✔	6000,6200,6400,6600,6666,6800,7000,7200,7600,7800,8000	Ethernet LAN Ethernet interface type LAN controller Wi-Fi * Top Wi-Fi standard	 2.5 Gigabit Ethernet Realtek RTL8125 Wi-Fi 6E (802.11ax)
Storage controllers	;			802.11a, 802.11b, 802.11g, Wi-Fi 4
Supported storage drive types Supported storage drive interfaces * Number of HDDs supported Number of storage drives supported		4	Wi-Fi standards Bluetooth Bluetooth version	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) ✓ 5.2
RAID support		1	Features	
RAID levels		0, 1, 10	Motherboard chipset *	AMD B650
Graphics Parallel processing technology		Not supported	Audio chip Audio output channels * Product colour	Realtek ALC897 7.1 channels Black
support * Maximum resolution HDCP DirectX version		4096 x 2160 pixels ✓ 12.0	PC health monitoring Component for * Motherboard form factor *	Fan, Temperature, Voltage, Water cooling PC micro ATX
Internal I/O			Motherboard chipset family *	AMD
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors *		2 1	Windows operating systems supported	Windows 10 x64, Windows 11 x64
			Expansion slots	
USB 3.2 Gen 2x2 con Number of SATA III co		1 4	PCI Express x16 (Gen 4.x) slots	2





nternal I/O		Expansion slots	
Front panel audio connector	√	Number of M.2 (M) slots	2
Front panel connector	1	BIOS	
ATX Power connector (24-pin) Number of EATX power connectors CPU fan connector Number of chassis fan connectors EPS power connector (8-pin) TPM connector Serial port headers 12V power connector	✓ 1 ✓ 4 ✓ 1	BIOS type * BIOS memory size ACPI version Clear CMOS jumper Desktop Management Interface (DMI) version System Management BIOS (SMBIOS) version	UEFI AMI 256 Mbit 5.0 ✓ 2.7 2.7
RGB LED pin header	4	Logistics data	
Rear panel I/O ports		Country of origin	China
USB 2.0 ports quantity *	4	Products per shipping (inner) case	1 pc(s)
JSB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	Battery	
JSB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * JSB 3.2 Gen 2 (3.1 Gen 2) Type-C	2	Battery weight Lithium weight per battery Number of battery cells	3 g 0.07 g 1
Thernet LAN (RJ-45) ports *	1 1 1	Battery technology	Lithium-Manganese Dioxide (LiMnO2) CR2032
HDMI version	2.1	Battery type	Ch2032
DisplayPorts quantity	1	Packaging data Package width Package depth Package height Package weight	270 mm 268 mm 68 mm 1.73 kg
		Weight & dimensions	

Technical details Warranty period

Width

Depth

Height

Packaging content Cables included

Batteries included

Antenna included

Bundled software

3 year(s)

Norton® Internet Security (OEM version) LAN bandwidth management software

244 mm

244 mm

35 mm

SATA

∢

∢





889523033784

0889523033784



4719331849399

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.