



## APC Smart-UPS C, Line Interactive, 1000VA, Tower, 230V, 8x IEC C13 outlets, SmartConnect port, USB and Serial communication, AVR, Graphic LCD



**Brand :** APC

**Product code:** SMC1000IC

**Product name :** Smart-UPS C, Line Interactive, 1000VA, Tower, 230V, 8x IEC C13 outlets, SmartConnect port, USB and Serial communication, AVR, Graphic LCD


- 1000VA/600W line interactive pure sine wave tower UPS
  - Ideal for entry-level servers, networks, retail POS, business VOIP and desktops
  - Automatic Voltage Regulation keeps output voltage within acceptable user selectable levels
  - Cloud-based remote power monitoring via SmartConnect Ethernet Port
  - Graceful shutdown using serial or USB cables via PowerChute Serial Shutdown
- Smart-UPS C, Line Interactive, 1000VA, Tower, 230V, 8x IEC C13 outlets, SmartConnect port, USB and Serial communication, AVR, Graphic LCD

Features		Battery	
UPS topology *	Line-Interactive	Battery life (max)	5 year(s)
Output power capacity *	1 kVA	Battery recharge time	3 h
Output power *	600 W	Hot-swap battery	✓
Waveform *	Sine	Automatic battery test	✓
Input operation voltage (min) *	170 V	Cold start	✓
Input operation voltage (max) *	300 V		
Input frequency *	50/60 Hz	Design	
Output operation voltage (min)	220 V	Form factor *	Mini Tower
Output operation voltage (max)	240 V	Product colour *	Black
Output frequency	50/60 Hz	Display type	LCD
Automatic Voltage Regulation (AVR)	✓	LED indicators	✓
Surge energy rating	455 J	Certification	CE, CSA, GOST, UL 1778, VDE
Output voltage Total Harmonic Distortion (THD)	5%	Operational conditions	
Noise level	41 dB	Operating temperature (T-T)	0 - 40 °C
Surge protection	✓	Storage temperature (T-T)	-15 - 45 °C
Audible alarm(s)	✓	Operating relative humidity (H-H)	0 - 95%
Web-based management	✓	Storage relative humidity (H-H)	0 - 95%
Audible alarm modes	Alarm when on battery, Low battery alarm, Overload alarm	Operating altitude	0 - 3000 m
Auto-restart	✓	Non-operating altitude	0 - 15000 m
Temperature voltage compensation	✓	Technical details	
		Sustainability certificates	Green Premium
Ports & interfaces		Weight & dimensions	
AC outlet types	C13 coupler	Width	171 mm
Power plug	C14 coupler	Depth	439 mm
AC outlets quantity	8 AC outlet(s)	Height	219 mm
USB port	✓	Weight	17.3 kg
USB 2.0 ports quantity	1	Package width	328 mm
Serial ports quantity	1	Package depth	595 mm
Ethernet LAN (RJ-45) ports	1	Package height	376 mm

Battery		Weight & dimensions	
Battery technology	Sealed Lead Acid (VRLA)	Package weight	19.6 kg
Packaging data			
		Cables included	USB cable
		Resource CD	✓
		Software CD	✓
Logistics data			
		Products per pallet	18 pc(s)
		Harmonized System (HS) code	85078000



0731304332947



731304332947

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.