



Canon PIXMA TR4650 Inkjet A4 4800 x 1200 DPI Wi-Fi

Brand : Canon

Product family: PIXMA

Product code: 5072C008

Product name : TR4650

- Document management
- Fast and high quality
- Auto 2-sided printing
- Easy control
- Auto power On/Off
- Wireless connectivity
- Front paper feeding
- Borderless photo printing

LCD, 56.5 dB, Wi-Fi IEEE802.11 b/g/n, 435 x 592 x 438 mm, 5.8 kg



Canon PIXMA TR4650 Inkjet A4 4800 x 1200 DPI Wi-Fi:

The Canon PIXMA TR4650 prints, scans, copies and faxes with ease – it's the perfect home office printer. Set-up is fast via the smartphone app. Control this multifunction printer from smart devices, thanks to Wi-Fi connectivity and the Canon PRINT app. App-free printing with Mopria and Apple AirPrint is also built in. Pigment black ink and dye colour inks deliver crisp text, vibrant images and quality printing, with diverse media support. User-friendly features include easily replaceable ink cartridges, improved paper loading, automatic two-sided printing and 20-sheet ADF for copying and scanning multiple page documents. Plus, a document removal reminder means you never forget sensitive documents you've copied or scanned with your printer.

Printing		Paper handling	
Duplex printing mode	Auto	Envelopes sizes	Com-10, DL
Print technology *	Inkjet	Photo paper sizes	10x15,13x18,20x25
Printing *	Colour printing	Photo paper sizes (imperial)	4x6,5x7,8x10
Duplex printing *	✓	Borderless printing media sizes	10x15, 13x18, 20x25
Maximum resolution *	4800 x 1200 DPI	Custom media width	101.6 - 215.9 mm
Time to first page (black, normal)	11 s	Custom media length	152.4 - 676 mm
Time to first page (colour, normal)	19 s	Paper tray media weight	64 - 105 g/m ²
Borderless printing	✓	Ports & interfaces	
Copying		Direct printing *	✓
Duplex copying *	✓	USB port	✓
Copying *	Colour copying	USB connector	USB Type-B
Maximum copy size	A4	USB 2.0 ports quantity	1
Copy speed (black, normal quality, A4)	6.4 cpm	Network	
Copy speed (colour, normal quality, A4)	2.7 cpm	Wi-Fi *	✓
Maximum number of copies	99 copies	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Copier resize	25 - 400%	Security algorithms	WEP, WPA-PSK, WPA2-PSK
ID-card copy function	✓	Performance	
Auto fit function	✓	Sound power level (printing)	56.5 dB
Scanning		Design	
Scanning *	Colour scanning	Product colour *	Black
Optical scanning resolution *	600 x 1200 DPI	Market positioning *	Home & office
Scanner type *	Flatbed & ADF scanner	Built-in display *	✓
Scan technology	CIS	Display	LCD
Input colour depth	16 bit	Power	
Output colour depth	8 bit	Power consumption (copying)	7 W
Input greyscale depth	16 bit	Power consumption (standby)	1.4 W
Output greyscale depth	8 bit	Power consumption (off)	0.3 W
Fax		Energy Star Typical Electricity Consumption (TEC)	0.21 kWh/week
Faxing *	Colour faxing	AC input voltage	100 - 240 V
Fax resolution (black)	300 x 300 DPI	AC input frequency	50 - 60 Hz

Fax		System requirements	
Fax resolution (colour)	200 x 200 DPI	Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Modem speed	33.6 Kbit/s	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur
Fax memory	50 pages	Mobile operating systems supported	Android, iOS
Speed dialling	✓	Other operating systems supported	ChromeOS
Features		Operational conditions	
Maximum duty cycle *	1200 pages per month	Operating relative humidity (H-H)	10 - 90%
Duplex functions *	Print	Operating temperature (T-T)	5 - 35 °C
Number of print cartridges *	2	Weight & dimensions	
Printing colours *	Black	Width	435 mm
Input & output capacity		Depth	592 mm
Total number of input trays *	1	Height	438 mm
Total input capacity *	100 sheets	Weight	5.8 kg
Auto document feeder (ADF)	✓	Logistics data	
Paper handling		Harmonized System (HS) code	84433100
Maximum ISO A-series paper size *	A4	Other features	
Paper tray media types *	Glossy paper, High resolution paper, Matte paper, Photo paper, Plain paper, Semi-glossy paper	Recommended system requirements	Windows: 1.5GB or more
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B5		



4549292185652

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-NOV-2024. Prints or copies of Information are only valid on the printed Publication date