



KYOCERA ECOSYS MA2100cwf Laser A4 1200 x 1200 DPI 21 ppm Wi-Fi

Brand : KYOCERA

Product family: ECOSYS

Product code: 110C0A3NLO

Product name : MA2100cwf

21ppm A4, 1200x1200dpi (up to 9600x600dpi), 600x600dpi, 32 sec, 30/23ipm (300dpi, A4), WiFi, 345/41/1W

[KYOCERA ECOSYS MA2100cwf Laser A4 1200 x 1200 DPI 21 ppm Wi-Fi:](#)

This entry-professional all-rounder meets any business requirements. The scan, copy, fax and mobile scan functions ensure an optimised workflow.

ECOSYS makes your office more sustainable and efficient

Kyocera solutions always work with the environment in mind, but the ECOSYS range do this more than any other product on the market.

Multi-Functional Products for day-to-day tasks

Kyocera provides the industry's most comprehensive line of award-winning low to high volume devices.

A4 printer for all needs

High quality, high reliability and high efficiency are essential.

ECOSYS: The sustainable solution

Unique to Kyocera, ECOSYS provides long-last and environmentally friendly printers at an economical cost.



Printing		Input & output capacity	
Duplex printing mode	Auto	Maximum output capacity	150 sheets
Print technology *	Laser	Paper handling	
Printing *	Colour printing	Maximum ISO A-series paper size *	A4
Duplex printing *	✓	Maximum print size	216 x 356 mm
Maximum resolution *	1200 x 1200 DPI	Paper tray media types *	Plain paper
Print speed (black, normal quality, A4/US Letter) *	21 ppm	ISO A-series sizes (A0...A9) *	A4, A5, A6
Print speed (colour, normal quality, A4/US Letter)	21 ppm	ISO B-series sizes (B0...B9)	B5, B6
Warm-up time	32 s	Non-ISO print media sizes	Legal, Letter
Time to first page (black, normal)	11 s	Paper tray media weight	60 - 163 g/m ²
Time to first page (colour, normal)	12.5 s	Multi-Purpose Tray media weight	60 - 220 g/m ²
N-in-1 print function	✓	Ports & interfaces	
N-up printing	2, 4, 6, 8, 9, 16, 25	Direct printing *	✓
Watermark printing	✓	USB port	✓
Economical printing	✓	Network	
Secure printing	✓	Wi-Fi *	✓
Booklet printing function	✗	Ethernet LAN *	✓
Poster printing function	✓	Cabling technology	10/100/1000Base-T(X)
Borderless printing	✗	Ethernet LAN data rates	10,100,1000 Mbit/s
DVD/CD printing	✗	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Copying		Bluetooth	✗
Duplex copying *	✗	Near Field Communication (NFC)	✗
Copying *	Colour copying	Mobile printing technologies	Kyocera Mobile Print
Maximum copy resolution *	600 x 600 DPI	Performance	
Maximum copy size	A4	Maximum internal memory	1536 MB
Copy speed (black, normal quality, A4)	21 cpm	Card reader integrated	✓
Copy speed (colour, normal quality, A4)	21 cpm	Internal memory *	512 MB
Maximum number of copies	999 copies	Compatible memory cards	SD, SDHC
		Built-in processor	✓

Copying		Performance	
Copier resize	25 - 400%	Processor family	ARM Cortex-A9
N-in-1 copy function	✓	Processor frequency	800 MHz
N-in-1 copy function (N=)	2, 4	Sound pressure level (printing)	48 dB
Copy programming function	✓	Sound pressure level (copying)	48 dB
ID-card copy function	✓	Sound pressure level (standby)	30 dB
Scanning		Design	
Duplex scanning *	✗	Product colour *	Black, White
Scanning *	Colour scanning	Market positioning *	Home & office
Optical scanning resolution *	600 x 600 DPI	Built-in display *	✓
Scanner type *	Flatbed & ADF scanner	Display	LCD
Scan to	E-mail, FTP, SMB, TWAIN, USB, WIA	Control type	Buttons
Scan speed (colour)	23 ppm	Colour display	✗
Scan speed (black)	30 ppm	Power	
Image formats supported	JPEG, TIFF	Power consumption (max)	1062 W
Document formats supported	PDF, XPS	Power consumption (printing)	345 W
Fax		Power consumption (copying)	345 W
Duplex faxing	✗	Power consumption (ready)	41 W
Faxing *	Mono faxing	Power consumption (sleep)	1 W
Fax resolution (black)	400 x 400 DPI	Power consumption (off)	0.2 W
Fax transmission speed	2 sec/page	Energy Star Typical Electricity Consumption (TEC)	0.73 kWh/week
Modem speed	33.6 Kbit/s	AC input voltage	220 - 240 V
Features		AC input frequency	50 - 60 Hz
Recommended duty cycle	500 - 1500 pages per month	System requirements	
Maximum duty cycle *	65000 pages per month	Windows operating systems supported	✓
Duplex functions *	Print	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur
Number of print cartridges *	4	Linux operating systems supported	✓
Printing colours *	Black, Cyan, Magenta, Yellow	Weight & dimensions	
Page description languages	PCL 6, PDF, PostScript 3, XPS	Width	417 mm
Printer fonts	PCL, PostScript	Depth	429 mm
Country of origin	China	Height	495 mm
Replacement cartridges	TK-5430K Zwart (toner 1.250) ISO/IEC 19798 TK-5430Y Geel (toner 1.250) ISO/IEC 19798 TK-5430M Magenta (toner 1.250) ISO/IEC 19798 TK-5430C Cyaan (toner 1.250) ISO/IEC 19798 TK-5440K Zwart (toner 2.800) ISO/IEC 19798 TK-5440Y Geel (toner 2.400) ISO/IEC 19798 TK-5440M Magenta (toner 2.400) ISO/IEC 19798 TK-5440C Cyaan (toner 2.400) ISO/IEC 19798	Weight	26 kg
Input & output capacity		Packaging data	
Total number of input trays *	2	Package width	592 mm
Total input capacity *	300 sheets	Package depth	567 mm
Total output capacity *	150 sheets	Package height	637 mm
Paper tray 1 input capacity	250 sheets	Package weight	33 kg
Multi-Purpose tray	✓	Packaging content	
Multi-Purpose tray input capacity	50 sheets	Cartridge(s) included	✓
Auto document feeder (ADF)	✓	Included cartridge capacity (black)	1500 pages
Auto document feeder (ADF) input capacity	50 sheets	Included cartridge capacity (CMY)	1500 pages
Maximum number of input trays	3	Imaging unit included	✓
Maximum input capacity	550 sheets	Cables included	AC
		Logistics data	
		Harmonized System (HS) code	84433100



0632983074879



632983074879



0632983074862



632983074862

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.