

### Advance Fit™ Slim Wireless Keyboard

German - K72344DE EAN code: 5028252604048 | French - K72344FR EAN code: 5028252604062 Pan-Nordic - K72344PN EAN code: 5028252604093 | UK English - K72344UK EAN code: 5028252604031 International English - K72344WW EAN code: 5028252604086

Sleek, quiet, comfortable and stable, the Advance Fit™ Slim Wireless Keyboard has a contemporary design, ideal for the modern office. The full-size design offers quiet low-profile keys for precise control, one-touch multi-media keys for convenience, integrated tilt stands for comfort and a stability-tested plug-and-play wireless nano receiver with 128-bit AES encryption. At just 16.7mm (0.66") high, the ultra-thin profile provides contemporary styling for your desktop in a matt black finish. The Advance Fit™ Slim Wireless Keyboard delivers an ideal layout for the touch typist to increase efficiency and productivity.

- Sleek profile with premium quiet keys. At just 16.7mm (0.66in) high, this slim keyboard with low-profile keys offers precise control and contemporary styling for the modern office.
- Comfort-focused design. Six rows of keys, a numeric keypad and integrated 30° tilt stands provide the ideal layout and angle option for the everyday use of the touch typist.
- AES encrypted wireless nano receiver. Stability-tested plug-and-play receiver delivers a stable connection for up to 10m (33ft) with 128-bit AES encryption.
- Quick-access keys. One-touch multimedia keys provide instant access to popular functions such as volume control, mute, sleep, email and default browser.
- Low-power LED indicator
- Universal compatibility



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2019 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT24567EN



# Kensington

## Advance Fit™ Slim Wireless Keyboard

German - K72344DE EAN code: 5028252604048 | French - K72344FR EAN code: 5028252604062 Pan-Nordic - K72344PN EAN code: 5028252604093 | UK English - K72344UK EAN code: 5028252604031 International English - K72344WW EAN code: 5028252604086

#### Keyboard





#### Receiver





### Advance Fit™ Slim Wireless Keyboard

German - K72344DE EAN code: 5028252604048 | French - K72344FR EAN code: 5028252604062 | Pan-Nordic - K72344PN EAN code: 5028252604093 | UK English - K72344UK EAN code: 5028252604031

International English - K72344WW EAN code: 5028252604086

#### System requirement

System requirement		
	Receiver connection  Operating systems supported	1x type A USB port Windows XP/7/10; macOS 10.6 and later
Connectivity		
	Wireless technology	2.4 GHz
	Wireless operating distance	Up to 10 metres (33 feet)
Product dimensions		
	Unit dimensions	Width: 151mm (5.9in) Length: 430mm (16.9in) Height: 16.7mm (0.7in)
	Keyboard unit weight	0.74kg (1.63lbs)
	Keyboard colour	Black
Packaging dimensions		
	Packaging unit style	Retail box
	Packaging unit dimensions	Width: 448mm (17.6in) Length: 182mm (7.2in) Height: 30mm (1.2in)
	Packaging unit weight	0.98kg (2.16lbs)
	Package content	Keyboard 2.4GHz USB nano dongle AAA*2 batteries Quick start guide Warranty card & compliance doc
	Master carton	4 pcs
	Master carton dimensions	Width: 455mm (17.9in) Length: 140mm (5.5in) Height: 206mm (8.1in)
	Master carton weight	4.2kg (9.26lbs)



### Advance Fit™ Slim Wireless Keyboard

German - K72344DE EAN code: 5028252604048 | French - K72344FR EAN code: 5028252604062 Pan-Nordic - K72344PN EAN code: 5028252604093 | UK English - K72344UK EAN code: 5028252604031

International English - K72344WW EAN code: 5028252604086

#### Power and environmental

	Battery	2 x AAA
	Battery life	47 weeks
		Battery life may vary based on use conditions
	Operating temperature	0 to 40° C (32 to 104° F)
	Storage temperature	-30 to 65° C (-22 to 149° F)
	Relative humidity	0% to 90% non-condensing
Country of origin, regulatory and warranty		
	Country of origin	China
	Certifications and compliance	FCC, WHQL, CB, IEC, CE, ASNZS MPE, ICES, RSS
		BV, RSL DoC, FMD



