

IdeaPad 5 14ITL05 82FE00G3IX

Product

IdeaPad 5 14ITL05

Region

WE

Country/Region

Italy

Machine Type

82FE

Processor

Intel Core i5-1135G7 (4C / 8T, 2.4 / 4.2GHz, 8MB)

Graphics

Integrated Intel Iris Xe Graphics

Chipset

Intel SoC Platform

Memory

8GB Soldered DDR4-3200

Storage

512GB SSD M.2 2242 PCIe 3.0x4 NVMe

Display

14" FHD (1920x1080) IPS 300nits Anti-glare, 45% NTSC

Touchscreen

None

Optical

None

Card Reader

4-in-1 Card Reader

Ethernet

None

WLAN + Bluetooth

11ax, 2x2 + BT5.1

Camera

720p with privacy shutter

Microphone

2x, Array

Surface Treatment

Anodizing

Case Color

Platinum Grey

Case Material

Aluminium (Top), Aluminium (Bottom)

Keyboard

Backlit, Italian

Fingerprint Reader

Touch Style

Security Chip

Firmware TPM 2.0

Battery

Integrated 56.5Wh

Power Adapter

95W USB-C

Operating System

Windows 10 Home 64, Italian / English

Bundled Software

Office Trial

Base Warranty

2-year, Depot

Bundled Service

None

EAN / UPC / JAN

195477574748

End of Support

2026-11-07

Announce Date

2020-11-11

Recommended Services**Best**

4Y Onsite upgrade from 2Y Depot/CCI (5WS0W36572)

Better

4Y Premium Care with Onsite upgrade from 2Y Depot/CCI (5WS0W36579)

Good

3Y Premium Care with Onsite upgrade from 2Y Depot/CCI (5WS0T73728)

 WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.



Lenovo

IdeaPad 5 14ITL05 Platform Specifications

Product Specifications Reference (PSREF)



Processor	11th Generation Intel® Core™ i3 / i5 / i7 Processor	Dimensions	<table border="1"> <thead> <tr> <th>Models</th> <th>WxDxH</th> </tr> </thead> <tbody> <tr> <td>Aluminum bottom model</td> <td>12.66" x 8.33" x 0.67"; 321.57mm x 211.59mm x 16.9mm</td> </tr> <tr> <td>Plastic bottom model</td> <td>12.66" x 8.33" x 0.7"; 321.57mm x 211.59mm x 17.9mm</td> </tr> </tbody> </table>	Models	WxDxH	Aluminum bottom model	12.66" x 8.33" x 0.67"; 321.57mm x 211.59mm x 16.9mm	Plastic bottom model	12.66" x 8.33" x 0.7"; 321.57mm x 211.59mm x 17.9mm																											
Models	WxDxH																																			
Aluminum bottom model	12.66" x 8.33" x 0.67"; 321.57mm x 211.59mm x 16.9mm																																			
Plastic bottom model	12.66" x 8.33" x 0.7"; 321.57mm x 211.59mm x 17.9mm																																			
<table border="1"> <thead> <tr> <th>Processor Number</th> <th># of Cores</th> <th># of Threads</th> <th>Base Frequency</th> <th>Max Turbo Frequency</th> <th>Cache</th> <th>Memory Types</th> <th>Processor Graphics</th> </tr> </thead> <tbody> <tr> <td>i3-1115G4</td> <td>2</td> <td>4</td> <td>3.0 GHz</td> <td>4.1 GHz</td> <td>6MB</td> <td rowspan="3">DDR4-3200</td> <td>Intel UHD Graphics</td> </tr> <tr> <td>i5-1135G7</td> <td rowspan="2">4</td> <td>8</td> <td>2.4 GHz</td> <td>4.2 GHz</td> <td>8MB</td> <td>Intel Iris® Xe Graphics</td> </tr> <tr> <td>i7-1165G7</td> <td>8</td> <td>2.8 GHz</td> <td>4.7 GHz</td> <td>12MB</td> <td></td> </tr> </tbody> </table>	Processor Number	# of Cores	# of Threads	Base Frequency	Max Turbo Frequency	Cache	Memory Types	Processor Graphics	i3-1115G4	2	4	3.0 GHz	4.1 GHz	6MB	DDR4-3200	Intel UHD Graphics	i5-1135G7	4	8	2.4 GHz	4.2 GHz	8MB	Intel Iris® Xe Graphics	i7-1165G7	8	2.8 GHz	4.7 GHz	12MB			Weight	<p>Aluminum bottom model: Starting at 3.04 lb / 1.38 kg</p> <p>Plastic bottom model: Starting at 3.06 lb / 1.39 kg</p>				
Processor Number	# of Cores	# of Threads	Base Frequency	Max Turbo Frequency	Cache	Memory Types	Processor Graphics																													
i3-1115G4	2	4	3.0 GHz	4.1 GHz	6MB	DDR4-3200	Intel UHD Graphics																													
i5-1135G7	4	8	2.4 GHz	4.2 GHz	8MB		Intel Iris® Xe Graphics																													
i7-1165G7		8	2.8 GHz	4.7 GHz	12MB																															
Graphics	Intel UHD Graphics or Intel Iris Xe Graphics in processor only, or Intel UHD Graphics or Intel Iris Xe Graphics in processor and NVIDIA® GeForce® MX450 2GB GDDR6 memory; supports external digital monitor via HDMI or USB-C; supports three independent displays; Max resolution: 3840x2160@30Hz (HDMI); 3840x2160@30Hz (USB-C)	Case color	Graphite grey, abyss blue, light teal or platinum grey																																	
Chipset	Intel SoC (System on Chip) platform	Case material	Display cover: Aluminum Bottom: Aluminum or PC/ABS plastic																																	
Memory	4GB, 8GB or 16GB / 3200MHz DDR4, soldered to systemboard, no sockets, dual-channel capable (8GB, 16GB only)	Camera	HD720p(1.0MP), with privacy shutter, fixed focus, with dual array microphone																																	
Display	One of the following, configurable by model:	Audio support	HD Audio, Dolby Audio™, stereo speakers, 2W x 2, dual array microphone, headphone / microphone combo jack																																	
	<table border="1"> <thead> <tr> <th>Size</th> <th>Resolution</th> <th>Type</th> <th>Surface</th> <th>Brightness</th> <th>Aspect Ratio</th> <th>Color Gamut</th> </tr> </thead> <tbody> <tr> <td>14.0"</td> <td>HD (1366x768)</td> <td rowspan="2">TN</td> <td>Anti-glare</td> <td>250 nits</td> <td>16:9</td> <td>45% NTSC</td> </tr> <tr> <td>14.0"</td> <td>FHD (1920x1080)</td> <td>Anti-glare</td> <td>250 nits</td> <td>16:9</td> <td>45% NTSC</td> </tr> <tr> <td>14.0"</td> <td>FHD (1920x1080)</td> <td rowspan="2">IPS (In plane switching)</td> <td>Anti-glare</td> <td>300 nits</td> <td>16:9</td> <td>45% NTSC</td> </tr> <tr> <td>14.0"</td> <td>FHD (1920x1080)</td> <td>Anti-glare</td> <td>300 nits</td> <td>16:9</td> <td>100% sRGB</td> </tr> </tbody> </table>	Size	Resolution	Type	Surface	Brightness	Aspect Ratio	Color Gamut	14.0"	HD (1366x768)	TN	Anti-glare	250 nits	16:9	45% NTSC	14.0"	FHD (1920x1080)	Anti-glare	250 nits	16:9	45% NTSC	14.0"	FHD (1920x1080)	IPS (In plane switching)	Anti-glare	300 nits	16:9	45% NTSC	14.0"	FHD (1920x1080)	Anti-glare	300 nits	16:9	100% sRGB	Keyboard	6-row, multimedia Fn keys, optional LED backlight
Size	Resolution	Type	Surface	Brightness	Aspect Ratio	Color Gamut																														
14.0"	HD (1366x768)	TN	Anti-glare	250 nits	16:9	45% NTSC																														
14.0"	FHD (1920x1080)		Anti-glare	250 nits	16:9	45% NTSC																														
14.0"	FHD (1920x1080)	IPS (In plane switching)	Anti-glare	300 nits	16:9	45% NTSC																														
14.0"	FHD (1920x1080)		Anti-glare	300 nits	16:9	100% sRGB																														
		Touchpad	Buttonless Mylar surface multi-touch touchpad																																	
		Security	Power-on password, hard-disk password, administrator password																																	
		Security chip	Firmware TPM 2.0 integrated in chipset																																	
		Fingerprint reader	Optional: Touch style fingerprint reader on power button																																	
		Battery	Integrated Li-Polymer 44.5Wh or 56.5Wh battery																																	
			<table border="1"> <thead> <tr> <th>Battery</th> <th>Support Rapid charge (charge up to 80% in 1hr)</th> </tr> </thead> <tbody> <tr> <td>44.5Wh</td> <td>with 65W round tip / USB-C AC adapter or 95W USB-C AC adapter</td> </tr> <tr> <td>56.5Wh</td> <td>with 65W or 95W USB-C AC adapter</td> </tr> </tbody> </table>	Battery	Support Rapid charge (charge up to 80% in 1hr)	44.5Wh	with 65W round tip / USB-C AC adapter or 95W USB-C AC adapter	56.5Wh	with 65W or 95W USB-C AC adapter																											
Battery	Support Rapid charge (charge up to 80% in 1hr)																																			
44.5Wh	with 65W round tip / USB-C AC adapter or 95W USB-C AC adapter																																			
56.5Wh	with 65W or 95W USB-C AC adapter																																			
		Max battery life	MobileMark® 2014: 9 hr (44.5Wh) or 11 hr (56.5Wh) * Battery life varies significantly with hardware configurations, settings, usage, & other factors																																	
Multi-touch	None	AC adapter	<table border="1"> <thead> <tr> <th>Models</th> <th>AC adapter</th> </tr> </thead> <tbody> <tr> <td>Aluminum bottom model</td> <td>65W or 95W USB Type-C AC adapter</td> </tr> <tr> <td>Plastic bottom model</td> <td>45W or 65W round tip AC adapter</td> </tr> </tbody> </table>	Models	AC adapter	Aluminum bottom model	65W or 95W USB Type-C AC adapter	Plastic bottom model	45W or 65W round tip AC adapter																											
Models	AC adapter																																			
Aluminum bottom model	65W or 95W USB Type-C AC adapter																																			
Plastic bottom model	45W or 65W round tip AC adapter																																			
Storage	One of the following, configurable by model: <ul style="list-style-type: none"> M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 4 M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 	Preload (opt)	Preloaded operating system <ul style="list-style-type: none"> Windows® 10 Home 64 Windows 10 Home in S mode Windows 10 Pro 64 																																	
Optical (optional)	External DVD burner, 9.5mm high	Limited warranty	One of the following, configurable by model: <ul style="list-style-type: none"> 1-year depot repair service 1-year depot with 2-year system board repair service 2-year/1-yr battery depot repair service 																																	
Ethernet	None	Environment	ENERGY STAR® 8.0; ErP lot3; RoHS-compliant																																	
WLAN + Bluetooth™	One of the following, configurable by model: <ul style="list-style-type: none"> 802.11ac 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card 																																			
Media reader	4-in-1 media reader (MMC, SD, SDHC, SDXC)																																			
Ports	Two USB 3.2 Gen 1 (one Always on) one USB 3.2 Type-C Gen 1 (with the function of Power Delivery 3.0 and DisplayPort 1.4), HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC), headphone / microphone combo jack, round AC power adapter jack (only available on plastic bottom models) * Depending on many factors, actual data transfer speed may be lower than theoretical speed																																			

Note: The specifications above may not be available in all regions and might change by region.

Lenovo
September 2020

IdeaPad 5 14ITL05

Lenovo

